

ORACLE® HYPERION ENTERPRISE  
PERFORMANCE MANAGEMENT SYSTEM

RELEASE 11.1.2.1

COMPACT DEPLOYMENT



CONTENTS IN BRIEF

Overview .....	2
Assumptions .....	2
Procedure .....	2
Troubleshooting .....	11

**Note:** Compact deployment as described in this document is supported only in development environments.

## Overview

To reduce the overall memory requirement and improve the startup time, all Oracle Hyperion Enterprise Performance Management System Web applications can now be run on a single WebLogic managed server.

**Note:** Oracle Hyperion Financial Close Management and Oracle Hyperion Financial Management, Fusion Edition Web Services are not part of the compact server.

## Assumptions

This document assumes that you:

- Understand how to install and configure EPM System
- Have installed all Web applications
- Understand how to manage WebLogic domains
- Are using a 64-bit operating system
- Have a new installation of EPM System Release 11.1.2.1

If you are applying a maintenance release from Release 11.1.2.0 to Release 11.1.2.1, you must first apply the maintenance release and get the full environment working before creating a compact server.

- Have created a database or databases
- Have met the prerequisites described in the *Installation Start Here*

## Procedure

### Subtopics

- [Deploying in Compact Mode When Products Are Configured to Use a Single Database](#)
- [Deploying in Compact Mode When Products Are Configured to Use Different Databases](#)

**Note:** Deploying in compact mode activates all EPM System products.

## Deploying in Compact Mode When Products Are Configured to Use a Single Database

- To deploy EPM System in compact mode when all products are configured to use a single database:

- 1 Install EPM System products using Oracle Hyperion Enterprise Performance Management System Installer, Fusion Edition.**

For more information, see Chapter 3 “Installing EPM System Products” in the *Oracle Hyperion Enterprise Performance Management System Installation and Configuration Guide*.

- 2 Launch Oracle's Hyperion Enterprise Performance Management System Configurator using the following command and perform all required configuration tasks. Note that the “Deploy to Application Server” task is not available.**

```
EPM_ORACLE_HOME/common/config/11.1.2.0/configtool-manual.bat
```

```
EPM_ORACLE_HOME/common/config/11.1.2.0/configtool-manual.sh
```

Launching EPM System Configurator with this command hides the Web application deployment tasks.

For more information, see Chapter 4 “Configuring EPM System Products” in the *Oracle Hyperion Enterprise Performance Management System Installation and Configuration Guide*.

- 3 Deploy the compact managed server to WebLogic.**

- a. Create the compact server by entering the following command:

```
EPM_ORACLE_INSTANCE/bin/compact/runCompactDeploy.bat | sh
```

- b. Follow the command-line prompts and enter the required information.

This process creates a new WebLogic domain, and connects to the database you configured.

Note: Compact deployment also supports deploying to an existing WebLogic domain. You should stop the WebLogic Administration Server before deploying in compact mode.

```

C:\ Command Prompt - runCompactDeploy.bat
D:\nas_mount\b_6232\user_projects\epmsystem1\bin\compact>runCompactDeploy.bat
Enter Weblogic Domain name: EPMSYSTEMX
Enter Weblogic Domain user name: epm_admin
Enter Weblogic Domain user password: password1
1 file(s) copied.
Enter Database user password: password1

CLASSPATH=D:\NAS_MO~1\b_6232\patch_wls1034\profiles\default\sys_manifest_classpa
th\weblogic_patch.jar;D:\NAS_MO~1\b_6232\JROCKI~1\lib\tools.jar;D:\NAS_MO~1\b_62
32\WLSERU~1.3\server\lib\weblogic_sp.jar;D:\NAS_MO~1\b_6232\WLSERU~1.3\server\li
b\weblogic.jar;D:\NAS_MO~1\b_6232\modules\features\weblogic.server.modules_10.3.
4.0.jar;D:\NAS_MO~1\b_6232\WLSERU~1.3\server\lib\webservice.jar;D:\NAS_MO~1\b_6
232\modules\ORGAPA~1.1\lib\ant-all.jar;D:\NAS_MO~1\b_6232\modules\NETSFA~1.0_1\1
ib\ant-contrib.jar;D:\NAS_MO~1\b_6232\ORACLE~1\modules\oracle.jrf_11.1.1\jrf-wl
stman.jar;D:\NAS_MO~1\b_6232\ORACLE~1\common\wlst\lib\ADF-SH~1.JAR;D:\NAS_MO~1\b
_6232\ORACLE~1\common\wlst\lib\ADFSCR~1.JAR;D:\NAS_MO~1\b_6232\ORACLE~1\common\w
lst\lib\ndswlst.jar;D:\NAS_MO~1\b_6232\ORACLE~1\common\wlst\RESOUR~1\AUDITW~1.JA
R;D:\NAS_MO~1\b_6232\ORACLE~1\common\wlst\RESOUR~1\IGFWLS~1.JAR;D:\NAS_MO~1\b_62
32\ORACLE~1\common\wlst\RESOUR~1\jps-wlst.jar;D:\NAS_MO~1\b_6232\ORACLE~1\common
\wlst\RESOUR~1\jrf-wlst.jar;D:\NAS_MO~1\b_6232\ORACLE~1\common\wlst\RESOUR~1\OAM
AP~1.JAR;D:\NAS_MO~1\b_6232\ORACLE~1\common\wlst\RESOUR~1\OAMAUT~1.JAR;D:\NAS_M
O~1\b_6232\ORACLE~1\common\wlst\RESOUR~1\ossoiap.jar;D:\NAS_MO~1\b_6232\ORACLE~1
\common\wlst\RESOUR~1\OSSOIA~1.JAR;D:\NAS_MO~1\b_6232\ORACLE~1\common\wlst\RESOU
R~1\OUDWLS~1.JAR;D:\NAS_MO~1\b_6232\ORACLE~1\common\wlst\RESOUR~1\SSLCON~1.JAR;D
:\NAS_MO~1\b_6232\ORACLE~1\common\wlst\RESOUR~1\wsm-wlst.jar

```

- 4 Stop the EPM compact server by entering the following command:

```
MIDDLEWARE_HOME/user_projects/domains/domainName/bin/
stopEPMSYSTEM.bat | sh
```

Note: Ensure that the EPM compact server is up and running before stopping it.

- 5 Launch EPM System Configurator using the `configtool-manual.bat | sh` script from `EPM_ORACLE_HOME/common/config/11.1.2.0`.

- 6 Select the following tasks and enter the required information.

- "Configure Web Server" (for Oracle's Hyperion® Foundation Services)
- "Essbase Custom Configuration" (for Oracle Hyperion Profitability and Cost Management, Fusion Edition and Oracle's Hyperion Reporting and Analysis)

- 7 Start the EPM System components using the single start script for EPM System.

EPM System Configurator installs a single start script in `EPM_ORACLE_INSTANCE/bin`, called `start.bat | sh`. Running the single start script on a machine in your EPM System deployment starts all EPM System services installed on that machine.

- 8 Use Oracle's Hyperion Enterprise Performance Management System Diagnostics to validate the system.

```
EPM_ORACLE_INSTANCE/bin/validate.bat | sh
```

## Deploying in Compact Mode When Products Are Configured to Use Different Databases

- To deploy EPM System in compact mode when products are configured to use more than one database:

- 1 Install EPM System products using Oracle Hyperion Enterprise Performance Management System Installer, Fusion Edition.

For more information, see Chapter 3 “Installing EPM System Products” in the *Oracle Hyperion Enterprise Performance Management System Installation and Configuration Guide*.

- 2 Launch EPM System Configurator using the following command and perform all required configuration tasks. Note that the “Deploy to Application Server” task is not available.

```
EPM_ORACLE_HOME/common/config/11.1.2.0/configtool-manual.bat
```

```
EPM_ORACLE_HOME/common/config/11.1.2.0/configtool-manual.sh
```

Launching EPM System Configurator with this command hides the Web application deployment tasks.

For more information, see Chapter 4 “Configuring EPM System Products” in the *Oracle Hyperion Enterprise Performance Management System Installation and Configuration Guide*.

- 3 Copy:

```
EPM_ORACLE_HOME/common/templates/compact/emp_system_11.1.2.1.jar
```

to:


```
EPM_ORACLE_HOME/common/templates/applications
```

- 4 Use the Fusion Middleware Configuration Wizard to create a new EPM System domain:

- a. Launch the Fusion Middleware Configuration Wizard by entering the following command:

```
MIDDLEWARE_HOME/oracle_common/common/bin/config.bat | sh
```


- b. In **Select Domain Source**, select **Generate a domain configured automatically to support the following products**, and then select **Oracle EPM System - 11.1.2.1 [EPMSystem11R1]**.



If you do not see **Oracle EPM System - 11.1.2.1[EPMSystem11R1]**, you did not copy *EPM\_ORACLE\_HOME/common/templates/compact/emp\_system\_11.1.2.1.jar* to *EPM\_ORACLE\_HOME/common/templates/applications*. (See [step 3](#).)


- c. In **Specify Domain Name and Location**, enter the name and the location of your domain.

For example:




- d. In **Configure Administrator User Name and Password**, enter your Oracle WebLogic Server administrator credentials.

For example:




- e. In **Configure Server Start Mode and JDK**, select **Production Mode** and enter the available JDKs.

For example:



- f. In Configure **JDBC Data Sources**, enter database details for all your databases.

For example:



- g. Click **Next** through the rest of the dialog boxes in the Configuration Wizard to create your domain.

**5 Execute the following script to create a boot.properties file for every server in the domain:**

```
MIDDLEWARE_HOME/user_projects/domains/domainName/bin/
processBootProperties.bat | sh
```

**6 In a text editor, open MIDDLEWARE\_HOME/user\_projects/domains/domainName/config/fmwconfig/system-jazn-data.xml. After the last line in the file, add the following:**

```
<grant>
  <grantee>
    <codesource>
      <url>
        file:${EPM_ORACLE_HOME}/products/Essbase/eas/server/lib/eascsf.jar</url>
      </codesource>
    </grantee>
    <permissions>
      <permission>
        <class>oracle.security.jps.service.credstore.CredentialAccessPermission</
class>
        <name>context=SYSTEM,mapName=CSF_EAS_MAP,keyName=*</name>
        <actions>read,write,update,delete</actions>
      </permission>
    </permissions>
  </grant>
</grant>
```

```

<grantee>
  <codesource>
    <url>file:${EPM_ORACLE_HOME}/common/CSS/11.1.2.0/lib/css.jar</url>
  </codesource>
</grantee>
<permissions>
  <permission>
    <class>oracle.security.jps.service.policystore.PolicyStoreAccessPermission</
class>
    <name>context=APPLICATION,name=*</name>
    <actions>getApplicationPolicy</action>
  </permission>
</permissions>
</grant>
<grant>
  <grantee>
    <codesource>
      <url>file:${EPM_ORACLE_HOME}/common/jlib/11.1.2.0/lib/registry-api.jar</url>
    </codesource>
  </grantee>
  <permissions>
    <permission>
      <class>oracle.security.jps.service.credstore.CredentialAccessPermission</
class>
      <name>context=SYSTEM,mapName=epm_sys_reg_cred_map,keyName=*</name>
      <actions>read,write,update,delete</actions>
    </permission>
  </permissions>
</grant>

```

**7** In a text editor, open `MIDDLEWARE_HOME/user_projects/domains/domainName/config/fmwconfig/jps-config.xml` and make the following changes.

- In the `<serviceInstances>` section, add the following:

```

<serviceInstance name="idstore.loginmodule" provider="jaas.login.provider">
  <description>Identity Store Login Module</description>
  <property name="loginModuleClassName"
value="oracle.security.jps.internal.jaas.module.idstore.IdStoreLoginModule"/>
  <property name="jaas.login.controlFlag" value="REQUIRED"/>
  <property name="debug" value="true"/>
  <property name="addAllRoles" value="true"/>
</serviceInstance>

```

- In the `jpsContexts/jpsContext` section, add `<serviceInstanceRef ref="idstore.loginmodule"/>` as follows:

```

<jpsContext name="default">
  <serviceInstanceRef ref="idstore.loginmodule"/>
</jpsContext>

```

**8** Create an EPM System property file for a single start script:

- Navigate to `EPM_ORACLE_INSTANCE\config\starter`
- Create a file named `EPMSystem.properties` and add the following lines:

```

port=<port>
start.script=<start_compact_server_script>
checker=port

```

```
type=script
host=<host>
stop.script=<stop_compact_server_script>
wait=true
```

where:

<port> = Port number of the compact server. Default=9000

<start\_compact\_server\_script> = Full path to the compact server startup script.

Note: Characters “:” and “\” should be escaped by adding “\”.

<stop\_compact\_server\_script> = Full path to the compact server stop script.

Note: Characters “:” and “\” should be escaped by adding “\”.

For example:

```
port=9000
start.script=C:\\Oracle\\Middleware\\user_projects\\domains\\EPMSys\\bin\\
startEPMSys.bat
checker=port
type=script
host=localhost
stop.script=C:\\Oracle\\Middleware\\user_projects\\domains\\EPMSys\\bin\\
stopEPMSys.bat
wait=true
```

**9 Start the WebLogic Administration Console by entering the following command:**

```
MIDDLEWARE_HOME/user_projects/domains/domainName/bin/
startWebLogic.cmd|sh
```

**10 Launch the EPM compact server by entering the following command:**

```
MIDDLEWARE_HOME/user_projects/domains/domainName/bin/
startEPMSys.bat|sh
```

**11 Stop the EPM compact server by entering the following command:**

```
MIDDLEWARE_HOME/user_projects/domains/domainName/bin/
stopEPMSys.bat|sh
```

Note: Ensure that the EPM compact server is up and running before stopping it.

**12 Launch EPM System Configurator using configtool-manual.bat from EPM\_ORACLE\_HOME/common/config/11.1.2.0.**

**13 Select the following tasks and enter the required information.**

- "Configure Web Server" (for Oracle's Hyperion® Foundation Services)
- "Essbase Custom Configuration" (for Oracle Hyperion Profitability and Cost Management, Fusion Edition and Oracle's Hyperion Reporting and Analysis)

**14 Start the WebLogic Administration Console and then the EPM System components using the single start script for EPM System.**

Oracle's Hyperion Enterprise Performance Management System Configurator creates a single start script in *EPM\_ORACLE\_INSTANCE/bin*, called *start.bat|sh*. Running the

single start script on a machine in your EPM System deployment starts all EPM System services installed on that machine.

**15 Use Oracle's Hyperion Enterprise Performance Management System Diagnostics to validate the system.**

```
EPM_ORACLE_INSTANCE/bin/validate.bat | sh
```

## Troubleshooting

If you have problems deploying Oracle Hyperion Enterprise Performance Management System in compact mode, see the `epmserver0.log` file located in `user_projects\domains\EPMSystem\servers\EPMServer0\logs`.

## COPYRIGHT NOTICE

EPM System Compact Deployment, 11.1.2.1

Copyright © 2010, 2011, Oracle and/or its affiliates. All rights reserved.

Authors: EPM Information Development Team

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited. The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

### U.S. GOVERNMENT RIGHTS:

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.