

Frequently Asked Questions Oracle ZFS Storage Appliance

Overview

The Oracle ZFS Storage Appliance family delivers enterprise-class data services, file- and block-level support, scale, and performance. These systems have the industry's most comprehensive analytics environment provided by the DTrace Analytics feature, an innovative real-time instrumentation tool that helps isolate and resolve issues to minimize impact to your business. These systems are built on an innovative Hybrid Storage Pool architecture, another feature of Oracle ZFS Storage Appliance, which automatically optimizes performance by managing tiering among dynamic random access memory (DRAM), flash, and disk—consolidating systems and lowering your power and cooling requirements. Oracle ZFS Storage Appliance now supports solid-state drive (SSD) storage pools and you can create an all-flash configuration or combine an SSD-storage pool with a traditional hard disk drive (HDD) storage pool. SSD storage pools are supported with Oracle ZFS Storage ZS4-4, Oracle ZFS Storage ZS5-2, and Oracle ZFS Storage ZS5-4 models.

Two controller models are available in the Oracle ZFS Storage Appliance family:

- Oracle ZFS Storage ZS5-2. The midrange enterprise multiprotocol storage system is ideal for use in performance-intensive workloads at an attractive price point.
- Oracle ZFS Storage ZS5-4. The higher-end midrange multiprotocol storage system is ideal for workloads demanding extreme performance and scalability at an attractive price.

Both models use the same intelligent storage OS and enterprise SAS disk enclosure, but feature different storage controllers to meet the appropriate level of performance required for particular environments.

Refer to the [NAS Storage page](#) for more information.

Customer Benefits

Optimized for Oracle Applications

Oracle's premier application-engineered storage for multiprotocol environments delivers extreme performance, superior efficiency, and deep Oracle integration.

Oracle ZFS Storage Appliance is designed to run applications fast and efficiently, increase business and IT productivity, save valuable resources, and reduce risk—lowering total cost of ownership. Furthermore, codevelopment with Oracle Database maximizes your return on Oracle software investments.

Easy to Deploy, Analyze, and Optimize

Provisioning and management are dramatically simplified in Oracle ZFS Storage Appliance with an easy-to-use management interface that requires no additional training and takes the guesswork out of system installation, configuration, and tuning. DTrace Analytics is an intuitive analytical environment that provides storage administrators with the tools to optimize the configuration of their storage system and maximize performance to address their application requirements.

Rapidly Diagnose, Troubleshoot, and Resolve Issues

DTrace Analytics provides real-time analysis of Oracle ZFS Storage Appliance and of the enterprise network, from the storage system to the clients accessing the data. This unprecedented capability permits administrators to quickly find and troubleshoot issues affecting system performance, minimizing impact to business productivity. The data can be saved for further analysis to better understand network, application, and system behavior.

Frequently Asked Questions

- Q:** What are the follow-on products to Oracle's Sun ZFS Storage 7120, Oracle's Sun ZFS Storage 7320, and Oracle ZFS Storage ZS3-2?
- A:** Oracle ZFS Storage ZS5-2 is the new product. For customers with Sun ZFS Storage 7120, an unclustered Oracle ZFS Storage ZS5-2 with a single disk tray can be used as replacement. For Sun ZFS Storage 7320 and

Oracle ZFS Storage ZS3-2, use a single (two nodes) Oracle ZFS Storage ZS5-2, which is more powerful.

- Q:** What is the follow-on product to Oracle's Sun ZFS Storage 7420 with less than 512 GB RAM?
- A:** Oracle ZFS Storage ZS5-2 is the replacement, with 384 GB RAM and option of 768 GB RAM; and it expands to 16 disk enclosures for 3 PB scalability.
- Q:** What are the follow-on products to Sun ZFS Storage 7420 with more than 512 GB RAM, Oracle ZFS Storage ZS3-4, and Oracle ZFS Storage ZS4-4?
- A:** Oracle ZFS Storage ZS5-4 is the new product, which is more powerful with 144 CPU cores and 1.5 TB DRAM per controller; and it expands to 36 disk enclosures. It is ideally suited for both performance- and capacity-intensive workloads.
- Q:** My current system uses 500 GB read flash drives. Can I install the newly released 1.6 TB read flash drives in the system?
- A:** No. Older systems (that is, Sun ZFS Storage 7420 and Sun ZFS Storage 7320) with 500 GB read flash drives use SATA technology. The new 1.6 TB read flash drive uses SAS technology, which is supported by newer systems such as Oracle ZFS Storage ZS3-2, Oracle ZFS Storage ZS4-4, and later models. The two cannot be intermixed. The transition to upgraded read flash drives is because of a transition in market technology rather than an improvement in the actual drives. Using 500 GB read flash drives allows you to see performance improvements simply by upgrading to OS8.6 or latest available version.
- Q:** What is the capacity of write flash accelerator shipping today?
- A:** Write flash accelerator shipping today is 200 GB SSDs.
- Q:** What are the main advantages that Oracle ZFS Storage ZS5-2 offers over Oracle ZFS Storage ZS3-2?
- A:** It is a more powerful system with 72 CPU cores versus 32 in a two-node configuration, and offers 50 percent more RAM with 384 GB and 768 GB options. Refer to the data sheet for more details.
- Q:** What are the main advantages that Oracle ZFS Storage ZS5-4 offers over Oracle ZFS Storage ZS4-4?
- A:** It is a more powerful system with 144 CPU cores versus 120 in a two-node configuration. Refer to the data sheet for details.
- Q:** With the Oracle ZFS Storage ZS5-2 and Oracle ZFS Storage ZS5-4 systems, the read flash SSDs are no longer installed in the controller; they are installed in the disk shelves. What is the advantage? Can Oracle ZFS Storage ZS3-2, Oracle ZFS Storage ZS4-4, and older Oracle ZFS Storage Appliance systems take advantage of this feature?
- A:** A larger level 2 read cache is supported; with up to four read SSDs per disk shelf. It is not supported with older systems, only with Oracle ZFS Storage ZS5-2 and Oracle ZFS Storage ZS5-4.
- Q:** What are the new all-flash configurations?
- A:** Oracle ZFS Storage ZS5-2 and Oracle ZFS Storage ZS5-4 can be configured from the factory as an all-flash configuration, supporting up to 16 and 32 Oracle Storage Drive Enclosure DE3-24P disk shelves respectively. Or Oracle ZFS Storage ZS4-4, Oracle ZFS Storage ZS5-2, and Oracle ZFS Storage ZS5-4 customers can add a storage pool of Oracle Storage Drive Enclosure DE3-24P with SSDs to their storage pool of HDDs. This requires the new OS8.7.
- Q:** Where can the new 3.2 TB read flash drive be used?
- A:** The new 3.2 TB read flash drive is supported with Oracle ZFS Storage ZS5-2 and Oracle ZFS Storage ZS5-4 only, and in the Oracle Storage Drive Enclosure DE3-24P/Oracle Storage Drive Enclosure DE3-24C drive enclosures. Older systems continue to use the 1.6 TB read flash drive. Oracle ZFS Storage ZS5 series customers who already have a 1.6 TB read flash may install and mix the new 3.2 TB if higher capacity is desired, or continue to purchase the 1.6 TB.
- Q:** What is the deduplication SSD and what are the rules to use it?
- A:** OS8.7 supports deduplication v2, which requires the use of an SSD to store the data deduplication table for maximum performance. This device is known as a deduplication SSD, but is also referred to as metadata device or DDT SSD. It is supported only in the Oracle Storage Drive Enclosure DE3-24P/Oracle Storage Drive Enclosure DE3-24C and for Oracle ZFS Storage ZS4-4, Oracle ZFS Storage ZS5-2, and Oracle ZFS Storage ZS5-4 models. Two deduplication SSDs are required per pool and per four disk shelves. For example, a high-available (HA) configuration with two pools and four instances of Oracle Storage Drive Enclosure DE3-24P/Oracle Storage Drive Enclosure DE3-24C in each pool requires four SSDs (two per pool). Adding four more Oracle Storage Drive Enclosure DE3-24P/Oracle Storage Drive Enclosure DE3-

24C to each pool would require an additional two SSDs per pool).

Q: What would happen if customers using deduplication v1 (prior to OS8.7) upgrade to OS8.7?

A: Upon upgrade to OS8.7, the existing deduplication table is automatically migrated to the new version. If the system using deduplication v1 is Oracle ZFS Storage ZS4-4, Oracle ZFS Storage ZS5-2, or Oracle ZFS Storage ZS5-4, then it is strongly recommended to add an Oracle Storage Drive Enclosure DE3-24P/Oracle Storage Drive Enclosure DE3-24C with deduplication SSDs.

Q: What Oracle ZFS Storage Appliance models can intermix a SAS-2 HBA with a SAS-3 HBA, in the same controller?

A: The following models can install a SAS-3 HBA (assuming PCIe slot is available) alongside their existing SAS-2 HBA: Oracle ZFS Storage ZS3-2, Oracle ZFS Storage ZS4-4, Oracle ZFS Storage ZS5-2, and Oracle ZFS Storage ZS5-4. OS8.7 is required.

Q: What Oracle ZFS Storage Appliance models can intermix a SAS-3 Oracle Storage Drive Enclosure DE3-24P/Oracle Storage Drive Enclosure DE3-24C with their existing SAS-2 Oracle Storage Drive Enclosure DE2-24?

A: Oracle ZFS Storage ZS3-4, Oracle ZFS Storage ZS3-2, Oracle ZFS Storage ZS4-4, Oracle ZFS Storage ZS5-2, and Oracle ZFS Storage ZS5-4. OS8.7 is required. It is recommended to connect the SAS-3 drive enclosure to a SAS-3 HBA, but if not possible, it can be installed in the same SAS link as the SAS-2 drive enclosure. Refer to the user guide for details.

Q: What's different about the Oracle ZFS Storage Appliance deduplication compared to other storage systems offering deduplication?

A: Unlike other unified storage systems, deduplication occurs inline on Oracle ZFS Storage Appliance. This means data is deduplicated as its being created. On other systems, the deduplication process is run as a daily scheduled process, at night for example, to limit system performance degradation. Oracle ZFS Storage Appliance can run deduplication inline because there are far more processors available in the system, and it has an efficient multithreading operating system (Oracle Solaris) that can take advantage of them. In addition, the ZFS file system's large, 256-bit checksum, compared to the 16-bit checksums on other systems, allows a much more efficient deduplication. Oracle ZFS Storage Appliance also can deduplicate across much larger pools compared with

competitive systems—meaning more data can be deduplicated.

Q: How does the snapshot capability work within Oracle ZFS Storage Appliance?

A: A snapshot is a read-only copy of a file system or volume. Snapshots can be created almost instantly, and initially consume no additional disk space within the pool. However, as data within the active data set changes, the snapshot consumes disk space by continuing to reference the old data and so prevents the space from being freed.

ZFS snapshots include the following features:

- They persist across system reboots.
- The theoretical maximum number of snapshots is 2^{64} .
- They use no separate backing store.
- Snapshots consume disk space directly from the same storage pool as the file system from which they were created.
- Recursive snapshots are created quickly as one atomic operation. The snapshots are created together (all at once) or not created at all. The benefit of atomic snapshot operations is that the snapshot data is always taken at one consistent time, even across descendent file systems.
- Snapshots of volumes cannot be accessed directly, but they can be cloned, backed up, rolled back to, and so on.

Q: What RAID levels are supported on Oracle ZFS Storage Appliance?

A: See the latest information on the [appliance data sheet](#).

Q: Is there any limit to the size of a storage pool?

A: There is no limit to the size of a pool, other than the disk capacity in the system.

Q: Does adding additional disk arrays require downtime?

A: No downtime is required to add a disk array to an existing SAS HBA in the controller.

Q: How fast is Oracle ZFS Storage Appliance?

A: See the [SPC-1 official benchmark results](#). Also see the [SPC-2 and SPC-2E results](#). Additional benchmarks will be released in the near future for the new Oracle ZFS Storage ZS5 series.

Q: What are the key features and benefits of Oracle ZFS Storage Appliance?

- A:** The Oracle ZFS Storage Appliance systems provide several key storage technologies that set them apart from other appliances in the market. Please refer to the [product web page](#) and data sheet for details.
- Q:** Do the software features of Oracle ZFS Storage Appliance need to be ordered separately?
- A:** With the exception of the Oracle ZFS Storage Appliance Replication feature, Oracle ZFS Storage Appliance encryption capability, the Snap Management Utility for Oracle Database feature of Oracle ZFS Storage Appliance, and Oracle ZFS Storage Appliance Cloning feature, all other features are included with the price of Oracle ZFS Storage Appliance.
- Q:** What are the specifications, including environmental?
- A:** Please refer to the [data sheet](#).
- Q:** What are the network connectivity options and supported protocols?
- A:** Please refer to the [data sheet](#).
- Q:** Where can I find the official end-user documentation for Oracle ZFS Storage Appliance?
- A:** You can find it on this [documentation web page](#).
- Q:** Is there a licensing requirement to store data compressed by Oracle's Hybrid Columnar Compression, a feature of Oracle Database, in Oracle ZFS Storage Appliance?
- A:** There is no need to license the advanced compression option, nor is there anything extra to license on Oracle ZFS Storage Appliance. You must be running Oracle Database 11.2.0.3, or later, Enterprise Edition, in order to use Hybrid Columnar Compression, the feature of Oracle Database.
- Q:** Is there a way to estimate the storage savings for Oracle's Hybrid Columnar Compression, a feature of Oracle Database?
- A:** Yes, Oracle's Compression Advisor feature, which is included in Oracle Database 11g Release 2, can be used to estimate storage savings resulting from Oracle's Hybrid Columnar Compression. Note that the version of Compression Advisor that is available for download from Oracle Technology Network is **not** able to estimate storage savings resulting from Oracle's Hybrid Columnar Compression. It can be used only to estimate storage savings for OLTP table compression and BASIC table compression.
- Q:** Is there a specific Oracle ZFS Storage Appliance software version to support Oracle's Hybrid Columnar Compression?
- A:** No, but it is recommended that the latest offering be installed.
- Q:** Is the license for the Cloning feature an unlimited license (number of copies of clones)?
- A:** Yes, there is no limit on the number of clones.
- Q:** How can users download the Oracle ZFS Storage Appliance software and the available plugins (including VMware)?
- A:** Visit this [download page](#).
- Q:** Can Oracle Enterprise Manager be used to monitor Oracle ZFS Storage Appliance?
- A:** Yes, the Oracle Enterprise Manager Plug-in for Oracle ZFS Storage Appliance connects Oracle ZFS Storage Appliance with Oracle Enterprise Manager to allow for n-way views of all appliances in the infrastructure.
- Q:** Do I also need Oracle Enterprise Manager Ops Center to monitor Oracle ZFS Storage Appliance?
- A:** No. While there is support for Oracle ZFS Storage Appliance in Oracle Enterprise Manager Ops Center, it is optional management software that is available for streamlining multisystem management.
- Q:** How does Oracle Enterprise Manager enable self-service storage?
- A:** The plugin now provides the ability to provision file systems and LUNs on Oracle ZFS Storage Appliance through Oracle Enterprise Manager. The storage administrators also can allow users to access this capability with their own logins to provision a project they have permissions to edit. Therefore, a storage administrator can create a project, assign a user and role with limited rights to the project, and share these permissions with users to allow them to self-administer their allocated storage through Oracle Enterprise Manager.
- Q:** Where can I find documentation for Oracle Enterprise Manager Plug-in for Oracle ZFS Storage Appliance?
- A:** Documentation can be found [online](#).
- Q:** Does the plugin work with all types of storage?
- A:** No. This plugin is for Oracle ZFS Storage Appliance only. Other storage devices need their own plugin to integrate with Oracle Enterprise Manager.

Q: What is the cost of Oracle Enterprise Manager Plug-in for Oracle ZFS Storage Appliance?

A: There is no additional cost for the plugin. The software is [available for download](#) by any registered oracle.com user.

Q: Does Oracle ZFS Storage Appliance have a programming API?

A: Yes. With the OS8.2 release, Oracle ZFS Storage Appliance supports a full-featured RESTful management API, which is ideal for public and private cloud orchestration.

Q: Does Oracle ZFS Storage Appliance support OpenStack?

A: Yes. In the OpenStack Kilo release, Oracle added appliance support for Cinder and Manila. Oracle also has a reference architecture for Swift implementation.

Q: Does Oracle ZFS Storage Appliance support VMware storage APIs?

A: Yes. Oracle is developing an entire suite of integrations. Today, there is an adapter for VMware Site Recovery Manager, a vSphere API plugin, and the full clone function for vStorage API for Array Integration (VAAI).

Q: When should I select 10,000 RPM drive configurations versus 7,200 RPM configurations?

A: The technology of Oracle ZFS Storage Appliance's Hybrid Storage Pool feature manages storage across DRAM, flash, and disk media in order to optimize performance. This means that systems with 7,200 RPM drive configurations can perform extremely fast. Also, 7,200 RPM drives use less power and cost less on a per-GB basis, and consume less floor space on a per-GB basis. Thus, 7,200 RPM drives are recommended for the majority of situations. However, 10,000 RPM drives also are available if you require the absolute maximum I/O performance in certain use cases involving rapid I/O operations for random, uncached data such as virtualization, mixed environments, OLTP, and email storage.

Q: Can I configure Oracle ZFS Storage Appliance with both high-speed and high-capacity drives?

A: Yes, as long as the high-speed drives and high-capacity drives are in separate disk shelves and separate storage pools, a given Oracle ZFS Storage Appliance controller can manage both types of drives. It is also recommended, if possible, to put drives of different speeds into separate SAS fabrics.

Q: What is the maximum number of snapshots and clones that can be taken of a share or LUN?

A: There is no limitation aside from available storage space.

Q: Can a LUN or share be restored to a state from a previous point in time?

A: Yes, you can restore a share or LUN to any previous snapshot. Snapshots can be taken manually or scheduled to occur on an ongoing basis.

Q: Is user quota management possible on an appliance?

A: Yes, you can assign quotas to individual users or to groups. This can be accomplished via the browser-based user interface (BUI), via the command-line interface (CLI), or via workflows.

Q: Can shares or LUNs be expanded after initial creation?

A: Yes, you can add new disks to an existing pool, and then the existing shares and LUNs in that pool are able to use the additional capacity.

Q: What is the maximum number of LUNs, targets, and initiators supported?

	iSCSI	FC	InfiniBand
Max. Number of Targets	255	1 per HBA port	1 per HBA port 255 (iSER)
LUN/Target	16,384	16,384	16,384
Initiators	64,000	64,000 (appliance) 2,048 (HBA port)	64,000

Q: Are both VLANs and link aggregation supported?

A: Yes, VLANs (IEEE 802.1Q) and LACP (IEEE 802.3ad) are supported.

Q: What is the maximum file size and maximum file/directory/share count?

A: The theoretical maximum file size is 2⁶⁴ bytes. (This is equal to the maximum volume size, also.) The theoretical maximum number of files/directories that can exist on a single share (via NFS, CIFS, and so on) is 2⁴⁸. Additionally, 2⁴⁸ shares can exist per pool. This means a total of 2⁹⁶ objects per share.

Q: How many concurrent users can access a share?

A: The maximum number of users who can access a share (either CIFS or NFS) is theoretically unlimited. However,

practical limitations, such as from the network or other infrastructure, exist in any environment.

Q: Is snapshot integration with Microsoft products possible to create logical backups?

A: Yes, a Volume Shadow Copy Service for Oracle ZFS Storage Appliance is available for Microsoft products that use this technology.

Q: What is the hardware warranty?

A: The hardware warranty is one year with second business day hardware service response. See the [complete terms](#).

As with all product warranties, this warranty is designed to offer consumers basic recourse if a product defect is discovered. For more complete support, you should purchase the recommended support coverage at the point of product purchase to gain access to the services and resources you need and to avoid potential reinstatement fees down the road.

Q: What is the recommended support for Oracle ZFS Storage Appliance systems?

A: For all storage systems being used in critical production and test environments, Oracle recommends Oracle Premier Support for Systems. This service provides the support, firmware updates, and proactive support tools you need to work efficiently, to minimize business risk, and to get the most from your investment. Features include access to 24/7 support and online resources as well as 24/7 hardware service coverage with rapid onsite response. For more information on Oracle Premier Support for Systems, visit this [web page](#).

Q: Where can I learn more about use cases involving Oracle ZFS Storage Appliance?

A: Use this [link](#) and scroll down to the Solutions section.

Q: How do I purchase this product?

A: Contact your Oracle sales representative or an Oracle authorized partner.

Q: Is there a trade-in program for my existing storage system if I wish to buy an Oracle ZFS Storage Appliance system?

A: An [upgrade allowance program](#) (UAP) is in place for trade-ins on Oracle's Sun Storage 7000 Unified Storage Systems. Not only qualified Sun products, but also competitive unified storage products, can be traded in.

Q: Are data migration services and tools available to assist my move to Oracle ZFS Storage Appliance?

A: Yes, there are two options. Using the Shadow Migration feature included with Oracle ZFS Storage Appliance, you can migrate your own data from any NFS system (EMC, NetApp, and so on). Alternatively, Oracle is able to assist you with custom migration. Call 1-800-Oracle1 or contact your Oracle sales representative for more information.

Q: Are any customer training courses available?

A: Yes, training is available through Oracle University. Contact your Oracle sales representative directly or call 1-800-Oracle1 for information.

Q: Is there a way to try out the Oracle ZFS Storage Appliance features without having to buy a system?

A: Yes, you can get a feel for the appliance features and BUI by downloading the [simulator](#).

Q: Where can I find more information about Oracle ZFS Storage Appliance?

A: You can contact your Oracle sales representative directly or call 1-800-Oracle1. For more information about Oracle ZFS Storage Appliance, visit this [web page](#).

Q: How secure is Oracle ZFS Storage Appliance encryption?

A: Highly secure. It's based on a high-availability two-tier Advanced Encryption Standard (AES) 128/192/256-bit encryption architecture. The first tier encrypts the data stored on an appliance, and the second tier encrypts those encryption keys with another encryption layer called the key wrapper keys, which are stored in the key store of the key manager. AES 256-bit encryption is the most secure encryption available.

Q: Do I have to encrypt the whole storage system or can I encrypt just certain volumes?

A: You can encrypt just certain volumes, such as projects shares or LUNs. This flexibility allows you to better manage your sensitive and nonsensitive data within the same storage systems with better granularity, security, and controls. You can find more information on Oracle ZFS Storage Appliance encryption in these blogs: "[ZFS Data Encryption...Secure, Flexible, and Cost-Effective](#)" and "[Data Encryption...Software vs Hardware](#)."

Q: What's the key management system for Oracle ZFS Storage Appliance encryption?

A: You can use the Oracle ZFS Storage Appliance's local key manager or a centralized key management solution, such Oracle Key Manager.

Q: What Oracle ZFS Storage systems use Oracle ZFS Storage Appliance encryption?

A: The Oracle ZFS Storage Appliance encryption capability is currently supported on the Oracle ZFS Storage ZS3-4, Oracle ZFS Storage ZS4-4, Oracle ZFS Storage ZS5-2, and Oracle ZFS Storage ZS5-4 systems. Use the latest OS version for best results.

Q: How is Oracle ZFS Storage Appliance encryption licensed?

A: One license per ZFS controller. This license also includes integrated local key management.

Q: What benefits does Oracle ZFS Storage Appliance present for media and entertainment customers?

A: From ingestion, postproduction, support of massive render farms, and broadcasting to archiving rich media assets, Oracle ZFS Storage Appliance presents compelling technical advantages at an attractive price point for media and entertainment customers by providing Hybrid Storage Pool technology for high streaming performance, a massive number of CPU cores with a symmetric multiprocessing OS for large render farm support, and adjustable record sizes for efficiently handling large 2 K and 4 K media files.

Q: Where can I learn more about how Oracle ZFS Storage Appliance is ideally suited for media and entertainment workloads?

A: Download the [solution brief](#) about Oracle ZFS Storage Appliance for media and entertainment workloads.

Q: What is Oracle DIVArchive?

A: Oracle DIVArchive provides a content storage management (CSM) solution for broadcast and production environments.

It can be deployed easily in a range of customer environments, because it integrates with a variety of broadcast and video management applications such as media asset management (MAM), nonlinear editing (NLE), traffic, automation, newsroom systems, and shared storage systems.

Q: How can customers benefit from the combination of Oracle ZFS Storage Appliance and Oracle DIVArchive?

A: Oracle DIVArchive combined with Oracle ZFS Storage Appliance provides a fast and reliable digital archiving solution. While Oracle DIVArchive handles the seamless flow of media assets across a workflow, Oracle ZFS Storage Appliance offers a high-performance disk storage solution for fast access to content. Additionally,

unparalleled intelligence and coengineering efforts between Oracle ZFS Storage Appliance and Oracle DIVArchive provide an intelligent advantage over non-Oracle disk offerings in the market.

Q: How do I do remote replication with Oracle ZFS Storage Appliance?

A: Oracle ZFS Storage Appliance offers snapshot-based asynchronous replication software with its intelligent replication compression feature that dynamically autotunes itself to changing network speeds and system workloads for optimum efficiency and performance, which increases effective throughput and reduces WAN costs.

It is capacity-independent and licensed per active Oracle ZFS Storage Appliance.

Q: How can I “seed” or do my first full replica offline to save time and WAN costs?

A: Oracle ZFS Storage Appliance allows you to do it two ways. You can do a copy to another Oracle ZFS Storage Appliance system locally, and then ship that appliance to a remote site, or you can do a replication “offline” to an existing remote site by using an NFS server (or disk set) as a physical transport medium. Incremental replications can then be done over the WAN.

Q: What can I use to migrate data off my old NAS system to a new Oracle ZFS Storage Appliance system?

A: Oracle ZFS Storage Appliance Shadow Migration software allows you to migrate your data from any NAS source (Oracle or non-Oracle) to a target Oracle ZFS Storage Appliance system automatically and transparently allowing full access to data during the background operation. Shadow Migration software is included free with the appliance.

Q: Can I use the Snap Management Utility for Oracle Database to create test/dev clones?

A: Yes, Oracle Snap Management Utility for Oracle Database automates the creation and management of snapshots and clones of Oracle Database and helps database administrators manage an agile test/dev environment. Clones can be created from Oracle ZFS Storage snapshots or from an Oracle Recovery Manager (Oracle RMAN) backup. Copies of the clones also can be created on other storage pools, including storage pools in another Oracle ZFS Storage Appliance system, using the Replication feature.

Q: Can I recover to a point in time between backups with Snap Management Utility for Oracle Database?

A: Yes, you can recover to a point in time between backups as long as the required archived logs are available. The recovery point can be specified in one of the following three ways:

- A system change number (SCN)
- A log sequence number
- A date and time

Q: Does Snap Management Utility for Oracle Database support Oracle Database 12c?

Yes, version 1.3 or later of Snap Management for Oracle Database adds support for Oracle Database 12c. The software supports multitenant databases at container level. Support for pluggable databases is not available currently.







Oracle Corporation, World Headquarters

500 Oracle Parkway
Redwood Shores, CA 94065, USA

Worldwide Inquiries

Phone: +1.650.506.7000
Fax: +1.650.506.7200

CONNECT WITH US

-  blogs.oracle.com/blogs
-  facebook.com/oracle
-  twitter.com/oracle
-  oracle.com

Integrated Cloud Applications & Platform Services

Copyright © 2017, Oracle and/or its affiliates. All rights reserved. This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group. 0417