

# Oracle Communications Core Session Manager

Oracle Communications Core Session Manager is an agile session core for supporting Voice over LTE (VoLTE), Voice over Wi-Fi (VoWiFi), Rich Communications Services (RCS), fixed-network modernization, over-the-top (OTT) service integration and more. Oracle Communications Core Session Manager is designed from the ground up to be 100% virtualized.

## OVERVIEW

Core session management functions play a critical role as the central control point directing signaling flows through the network and between the network elements. Virtualization allows service providers to efficiently share hardware resources across different services. It enables operators to more effectively manage multifaceted, multi-vendor networks, rapidly launch new services and easily reallocate resources with less capex and optimized opex. The Oracle Communications Core Session Manager (OCCSM) is designed to fully support core session management capabilities in virtualized environments. It provides a complete set of session core functions including IP Multimedia Subsystem (IMS) Call/Session Control Functions (CSCF) and Break-out Gateway Control Function (BGCF) and their associated 3GPP interfaces.

Telecom networks are undergoing multiple technology and service transitions. Oracle Communications Core Session Manager is built around agile principles, allowing service providers to easily adjust, adapt, and leverage core session management for the dynamic network needs of today and tomorrow. Oracle Communications Core Session Manager is built on a nimble signaling core for maximum interoperability and service flexibility without sacrificing reliability. Oracle Communications Core Session Manager is fully functional with a third-party IMS ecosystem vendors, including HSS and application server functions.

## Built for Virtualization

Leveraging Oracle's many years of experience designing virtualized products, Oracle Communications Core Session Manager is designed from the start to run in a virtualized environment. With the underlying Acme Packet OS enhancement to symmetrical multi-processing environments (SMP), the Oracle Communications Core Session Manager can fully utilize multi-core platform design and architectures multiple underlying hardware platforms thereby delivering enhanced performance and capacity for OCCSM virtualized node. OCCSM architecture is designed to handle

## Key Business Benefits

- Designed from the start to run in a virtualized environment
- Fully complements existing Oracle Communications Session Border Controller investments
- An extensible solution that easily scales from as little as a few thousand to millions of subscribers

dynamic resource allocation (vCPU/vIO/vMem) in virtualized environments. OCCSM is designed to be hypervisor agnostic. It currently supports Oracle Virtual Machine (OVM) as well as other popular hypervisors such as KVM and VMware.

## Elastic Scalability

Oracle Communications Core Session Manager aligns with elastic scalability principles. Combined with Oracle Communications Session Border Controller and Oracle Communications Subscriber-Aware Load Balancer, a virtualized Oracle Communications Core Session Manager core can scale from as little as a few thousand to millions of subscribers.

## AGILE SESSION MANAGEMENT PLATFORM

In today's dynamic market environment, the ability to quickly deploy, scale, and repurpose infrastructure assets is critical. Oracle Communications Core Session Manager is architected with agile principles in mind to provide maximum flexibility without sacrificing standards compliance and rapid deployability.

## Flexible Signaling Engine

Oracle Communications Core Session Manager provides a comprehensive signaling platform based on the field proven Acme Packet OS. It provides robust interoperability in real-time with granular SIP manipulation abilities. Its signaling engine is fully programmable with scripting support, allowing more advanced session control and pragmatic session flow options. This robust field programmability helps to virtually guarantee interoperability with current and future SIP-based infrastructure elements in IMS and non-IMS environments including application servers, media servers, media gateways, SBCs and other CSCFs. For improved performance and manageability and reduced latency, Oracle Communication Core Session Manager provides routing control with ENUM interface support and preferential routing based on User Equipment capabilities. The Oracle Communications Core Session Manager enhances network resiliency by supporting Stream Transmission Control Protocol (SCTP). It can communicate with the HSS using either Diameter over SCTP or TCP protocol based on the configuration. It also provides IPv4 and IPv6 interworking support for various interfaces, including Diameter interfaces. By extending support to standard interfaces, Oracle Communications Core Session Manager is a central part of IMS ecosystem and works well with other products such as home subscriber databases, application servers and over-the-top (OTT) clients.

## Dynamic Load Balancing

Oracle Communications Core Session Manger enables a single point of IP presence and uniform load balancing for service invocation in a clustered environment for VMEs and software instances within data centers. Subscriber Load Balancer and Route Manager (SLRM) is a SIP aware load balancer, which provides a single IP entry point to Oracle Communications Core Session Manager clusters. It also provides session based routing capabilities and dynamic discoveries of Oracle Communications Core Sessions Managers in a virtualized environment.

## Centralized Database

Oracle Communications Core Session Manager supports a centralized subscriber database deployment. Using its Cx Diameter interface, HSS elements can be queried for network operation procedures such as subscriber authentication, service orchestration rules (for example, initial filter criteria), and serving CSCF assignment and lookup.

### Key Features

- Fully virtualized solution available on commercial hypervisors
- Core session control functions S-CSCF, I-CSCF
- Session routing – BGCF
- Dynamic load balancing support
- Support for 3GPP IMS-AKA authentication mechanism
- Routing control with ENUM interface support and preferential routing based on User Equipment capabilities
- Advanced SIP Header Manipulation Rules and DIAMETER Manipulation Rules for increased interoperability
- LST support for wildcard Public Service Identity (PSI) Routing
- Support for multiple logical registrars

## LST for wildcard PSI Routing

A Local Subscriber Table (LST) is an XML formatted file that contain PSI definitions (distinct or wildcard) to be used for PSI routing (i.e routing for services which are hosted by application server instead of end users). Since user details are available locally in LST file, this forgoes the need of relying on an external user database and helps the carrier in saving cost.

## Multiple Authentication Options

Oracle Communications Core Session Manager provides a number of authentication options, with a wide range of capabilities for interfacing with older systems and newer OTT-based networks. It supports SIP DIGEST method for authentication in IMS and SIP-based networks. OCCSM also provides enhance security in IMS by supporting the 3GPP based IMS-AKA (Authentication and Key Agreement) authentication mechanism, which is based on a long-term secret key, shared between the IP Multimedia Services Identity Module (ISIM) and home network's Authentication Centre (AUC).

## Multiple Logical Registrars

Oracle Communications Core Session Manager can run multiple logical networks inside a single VM. Logical partitioning of the network can be done based on sources and domains. Operator can define multiple registrars linked with different HSS in one single CSM for large IMS-based solutions spread across different geographies and/or different subscriber databases.

## EPICENTER OF THE ORACLE COMMUNICATIONS SESSION DELIVERY INFRASTRUCTURE

Oracle Communications Core Session Manager fully compliments the Oracle Communications Session Border Controller (SBC). It can augment the Oracle SBC's Proxy and Emergency Core Session Control Functions (P/E-CSCF) at the edge, with the Serving and Interrogating CSCF (I/S-CSCF) in the core, and with standard compliant interfaces for connecting to Application Servers, Subscriber Databases, and Interconnect networks. OCCSM is available as a pre-integrated solution with the Oracle Communications Session Border Controller, providing a rapidly deployable solution that leverages Oracle SBC's field-proven security, reliability, interoperability, and regulatory compliance features. Oracle Communications Core Session Manager provides the critical core session management functions required to tie together Oracle's other network session delivery infrastructure products. Combined with other Oracle Communications products, Oracle Communications Core Session Manager completes a comprehensive session delivery solution for classic IMS, pre-IMS, and OTT-oriented networks. Oracle Communications Core Session Manager is fully functional with Oracle's third-party network session delivery and control infrastructure ecosystem partners.

## COMPLETE CORE SESSION MANAGEMENT

Oracle Communications Core Session Manager combined with Oracle Communications Session Border Controller provides a complete session management solution. Oracle Communications Core Session Manager offers a full set of 3GPP compliant functions and interfaces and is complimented by a management and support system, real-time service monitoring, and implementation services.

## NETWORK SESSION DELIVERY AND CONTROL INFRASTRUCTURE

Oracle's network session delivery and control infrastructure enables enterprises and service providers to manage the many challenges in the delivery of IP voice, video, and data services and applications. Service provider solutions are deployed at network borders and in the IP service core to help fixed-line, mobile, wholesale, and over-the-top service providers optimize revenues and realize long-term cost savings. In the enterprise, session delivery infrastructure solutions seamlessly connect fixed and mobile users, enabling rich multimedia interactions and automating business processes for significant increases in productivity and efficiency.

The following Oracle products are part of the network session delivery and control infrastructure:

- Oracle Communications Session Border Controller
- Oracle Communications Session Router
- Oracle Communications Subscriber-Aware Load Balancer
- Oracle Enterprise Session Border Controller
- Oracle Communications Core Session Manager
- Oracle Communications Session Delivery Manager
- Oracle Communications Operations Monitor

## 3GPP IMS Compliant Functions and Features

Oracle Communications Core Session Manager is 3GPP compliant with all core session and breakout gateway functions and interfaces as per the table below.

### SUPPORTED 3GPP IMS FUNCTIONS AND INTERFACES

Function	Definition	Description
S-CSCF	Service Call Session Control Function	Core session control proxy and registrar
I-CSCF	Interrogating Call Session Control Function	Core routing proxy, determines S-CSCF instance for registration
BGCF	Breakout Gateway Control Function	Core session routing with the IMS network and to external interconnect border
Interface	Definition	Description
Cx	Interface to HSS database	Diameter authentication, authorization, location update and lookup
Mx	Interface to I-BCF	SIP interface to interconnect with outer IMS networks
ISC	Interface to AS	SIP interface from S-CSCF to application server
Mi	Interface to BGCF	SIP interface for signaling to Public Switched Telephone Network (PSTN) or other IMS networks
Mj/Mg	Interface to MGCF	SIP interface for sending signaling to PSTN
Mw	Interface to Access-SBC/P-CSCF	SIP interface for connection to access networks

## Management and Support Systems

Oracle Communications Core Session Manager supports comprehensive embedded management via secure console. It supports access to SNMP MIBs, historical and call data records, system configuration, protocol trace and debug, real-time log viewing, syslog, file management, software updates and more. OCCSM integrates the Oracle Communications Operations Monitor (OCOM) feature for improved network monitoring thereby reducing operations costs and increasing user satisfaction. Combined with the Oracle Communications Session Delivery Manager family of products CSPs can expect end-to-end call correlation and analytics in real-time.

## Professional Services

Oracle's integration service for Oracle Communications Core Session Manager is a robust deployment service that offers customers a thorough and streamlined design and implementation of Oracle's network session delivery and control infrastructure solutions. It combines an array of Oracle professional services offerings into a single service solution, including pre-installation planning, project management, solution architecture and design, solution testing and certification, onsite implementation, and postimplementation remote consulting.

## CONNECT WITH US

Call +1.800.ORACLE1 or visit [oracle.com](http://oracle.com).  
Outside North America, find your local office at [oracle.com/contact](http://oracle.com/contact).

 [blogs.oracle.com](http://blogs.oracle.com)

 [facebook.com/oracle](https://facebook.com/oracle)

 [twitter.com/oracle](https://twitter.com/oracle)

Copyright © 2020, Oracle and/or its affiliates. All rights reserved. This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group. 0720

**Disclaimer:** This document is for informational purposes. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle Corporation.

