

Supported IO Cards in SPARC T8 Servers

The following table lists I/O cards that are supported in the servers. Some of these cards may have passed their Last Order Date (LOD). For more information, see the [Product Manuals](#).

IO CARD	PART NUMBER	MAX QUANTITY		
		T8-1	T8-2	T8-4
Ethernet Adapters				
Sun Quad Port GbE PCIe 2.0 Low Profile Adapter, UTP	7100477	6	8	16
Oracle Quad Port 10GBase-T Adapter	7111181	6	8	8
Sun Dual 10GbE SFP+ PCIe Low Profile Adapter	X1109A-Z	4	4	8
Dual rate transceiver: SFP+ SR. Support 1 Gb/sec and 10 Gb/sec dual rate	X2129A-N	2	2	2
Sun dual speed 10 GbE SFP+ long reach pluggable transceiver	X5562A-Z	2	2	2
Oracle Dual Port 25 Gb Ethernet Adapter	7118016	4	4	8
Dual rate transceiver: SFP+ SR. Support 1 Gb/sec and 10 Gb/sec dual rate	X2129A-N	2	2	2
Sun dual speed 10 GbE SFP+ long reach pluggable transceiver	X5562A-Z	2	2	2
SFP28 short-range transceiver	7118019	2	2	2
SFP28 long range transceiver	7118021	2	2	2
Oracle Quad 10Gb or Dual 40Gb Ethernet Adapter	7114134	6	8	8
QSFP parallel fiber optics short wave transceiver	X2124A-N	2	2	2
QSFP+ parallel fiber optics long wave transceiver	7114094	2	2	2
Fibre Channel HBAs				
Oracle Storage Dual-Port 16 Gb or 32 Gb Fibre Channel PCIe HBA, Emulex	7115461	6	8	12
Oracle Storage Dual-Port 16 Gb or 32 Gb Fibre Channel PCIe HBA, Qlogic	7115462	6	8	12

Sun Storage 16 Gb Fibre Channel PCIe Universal HBA, Emulex	7101684	6	8	12
2 Sun Storage 16Gb FC optics, SR, Emulex	7101686	1	1	1
Sun Storage 16 Gb Fibre Channel PCIe Universal HBA, Qlogic	7101674	6	8	12
2 Sun Storage 16Gb FC optics, SR, Qlogic	7101676	1	1	1
2 Sun Storage 10Gb FCoE optics, SR, Qlogic	7101678	1	1	1
Flash Storage			0	0
One 6.4 TB 2.5-inch NVMe PCIe 3.0 SSD with marlin bracket	7115457	4	4	8
One 6.4 TB 2.5-inch NVMe PCIe 3.0 SSD v2 with marlin bracket	7120558	4	4	8
Oracle Flash Accelerator F640 PCIe Card: 6.4 TB, NVMe PCIe 3.0	7115455	4	4	8
Oracle Flash Accelerator F640 PCIe Card v2: 6.4 TB, NVMe PCIe 3.0	7120562	4	4	-
SAS Host Bus Adapter				
Oracle Storage 12 Gb SAS PCIe HBA, external: 8 port	7110119	2	2	2
InfiniBand				
Oracle Dual Port QDR Infiniband Adapter M3	7104074	2	4	4
QSPF parallel fiber optics short wave transceiver	X2124A-N	2	2	2
QSFP+ parallel fiber optics long wave transceiver	7114094	2	2	2

Supported IO Cards for SPARC M8-8

The following table lists I/O cards that are supported in the servers. Some of these cards may have passed their Last Order Date (LOD). For more information, see the [Product Manuals](#).

IO CARD	PART NUMBER	MAX QUANTITY	
		PER SINGLE DOMAIN SYSTEM	PER DOMAIN IN DUAL DOMAIN SYSTEM
Ethernet Adapters			
Sun Dual Port GbE PCIe 2.0 Low Profile Adapter, MMF	7100481	24	12
Sun Quad Port GbE PCIe 2.0 Low Profile Adapter, UTP	7100477	24	12
Sun Dual Port 10GBase-T Adapter	7100488	24	12
Sun Dual 10GbE SFP+ PCIe Low Profile Adapter	X1109A-Z	24	12
Oracle Quad 10 Gb or Dual 40 Gb Ethernet Adapter	7114134	12	6
Fibre Channel HBAs			
StorageTek Dual 8 Gb Fibre Channel PCIe HBA, Emulex	SG-XPCIE2FC-EM8-N	8	4
StorageTek Dual 8 Gb Fibre Channel PCIe HBA, Qlogic	7106958	8	4
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Emulex	7101684	22	11
2 Sun Storage 16 Gb FC short wave optics, Emulex	7101686	22	11
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Qlogic (as 16 Gb FC)	7101674	22	11
2 Sun Storage 16 Gb FC short wave optics, Qlogic	7101676	22	11
Sun Storage Dual 16 Gb Fibre Channel PCIe Universal HBA, Qlogic (as 10Gb FCoE)	7101674	12	6
2 Sun Storage 10 Gb FCoE short reach optics, Qlogic	7101678	12	6

Flash Storage			
Oracle Flash Accelerator F160 PCIe Card: 1.6 TB, NVMe PCIe	7110865	16, 2 per CMIU	8, 2 per CMIU
Oracle Flash Accelerator F320 PCIe Card: 3.2 TB, NVMe PCIe 3.0	7113826	16, 2 per CMIU	8, 2 per CMIU
Oracle Flash Accelerator F640 PCIe Card: 6.4 TB, NVMe PCIe 3.0	7115455	8, 2 per CMIU	8, 2 per CMIU
Oracle Flash Accelerator F640 PCIe Card v2: 6.4 TB, NVMe PCIe 3.0	7120562	8, 2 per CMIU	8, 2 per CMIU
InfiniBand Adapters			
Oracle Dual Port QDR InfiniBand Adapter M4	7112197	4	4
Oracle Dual Port QDR Infiniband Adapter M3	7104074	12	10
SAS Host Bus Adapter			
Oracle Storage 12 Gb SAS PCIe HBA, external: 8 port	7110119	8	4
Ethernet Adapters			
Sun Dual Port GbE PCIe 2.0 Low Profile Adapter, MMF	7100481	24	12
Sun Quad Port GbE PCIe 2.0 Low Profile Adapter, UTP	7100477	24	12

Connect with us

Call +1.800.ORACLE1 or visit oracle.com. Outside North America, find your local office at: oracle.com/contact.

 blogs.oracle.com

 facebook.com/oracle

 twitter.com/oracle

Copyright © 2021, Oracle and/or its affiliates. All rights reserved. This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

This device has not been authorized as required by the rules of the Federal Communications Commission. This device is not, and may not be, offered for sale or lease, or sold or leased, until authorization is obtained.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group. 0120.