

# Oracle Communications Operations Monitor

As a comprehensive end-to-end network monitoring and troubleshooting solution, Oracle Communications Operations Monitor provides operations teams with real-time call correlation across multiple network sites, protocols, devices, and unified communications services, along with in-depth root cause analysis with sub-second visualization, offering flexible deployment options over on-premises, virtual and cloud environments.

## Overview

Oracle Communications Operations Monitor is part of the Oracle Communications Session Monitor product family, an end-to-end network visibility and monitoring software system that can help improve ROI of Long-Term Evolution (LTE), IP Multimedia Subsystem (IMS), voice over IP (VoIP), and unified communications as a service (UCaaS) deployment. Oracle Communications Session Monitor products enable enterprises and service providers to deploy IP communications networks, reduce operational costs, generate additional revenue, and minimize churn quickly and securely. It is designed for enterprise and service provider environments and is deployed in a range of networks globally.

Oracle Communications Session Monitor products capture all signaling messages from the network, using network probes linked to a correlation engine, with the results viewable through a web-architected GUI. Network probes are available as Oracle Communications Session Monitor probes that run on commercial-off-the-shelf (COTS) hardware and as software components that are integrated into Oracle Communications Session Border Controller's session delivery platforms. Oracle Communications Session Monitor products are a 100 percent passive, nonintrusive solution that is vendor-agnostic and supports any next-generation network architecture.

Oracle Communications Operations Monitor offers full, end-to-end correlation of all calls in real time across multiple network sites, protocols, devices, and unified communications services. It provides network-wide visibility into calls, registrations, key performance indicators (KPIs), equipment details, user groups, and trunk information to assist with operations and troubleshooting. It offers drill-down into the network, providing diagrammatic call flow analyses with full protocol and device details, raw capturing, and registrations end to end. Oracle Communications Operations Monitor supports flexible deployment options across on-premises, virtual machines, and cloud.

## Major advantages

Oracle Communications Operations Monitor offers many advantages to service providers. For example, it:

- **Reduces operational costs.** With Oracle Communications Operations Monitor, staff members work more efficiently by saving time on problem identification and resolution. Comprehensive and accurate reports on problems lead to easier, faster communication with vendors and partners, and monitoring efforts are minimized when KPIs of the application and network layers are leveraged.
- **Increases service quality.** Designed to help identify potential issues before they impact service. Network operations personnel can browse application layer behavior to investigate issues beyond device statistics.
- **Enhances efficiency.** With Oracle Communications Operations Monitor, it is possible to perform safer configuration changes and introduce new equipment into the network more efficiently. Oracle Communications Operations Monitor also enables a dramatic decrease in the time required to close tickets and facilitates reporting on service availability with applications layer statistics.
- **Offers rich functionality.** Oracle Communications Operations Monitor offers flexible KPIs and statistics and provides both real-time and historical tracing to help address operational challenges. Its

troubleshooting tools can help reduce the time it takes to close support tickets and improve responsiveness.

- **Improves overall efficiency.** Oracle Communications Operations Monitor is designed to help improve efficiency by enabling fast troubleshooting and empowering first-line support teams to resolve many issues quickly with access to comprehensive user experience data.
- **Doesn't require provisioning.** Information is gathered automatically for users, and new users become visible shortly after connecting to the network. Oracle Communications Session Border Controller configurations including SIP devices, trunks, and hostnames are automatically imported. There is no need to perform individual or bulk provisioning of user information, so deployment can take place in days.
- **Provides comprehensive views of customer experiences.** Network operators can gain real-time visibility into user activity, which can support operational efficiency and facilitate proactive management of the customer experience.
- **Delivers shortened incident response times.** Swift and efficient troubleshooting enables operations teams to reduce ticket closure times and respond more quickly to customer issues.
- **It's vendor-independent.** Oracle Communications Session Monitor products are vendor-independent and can be deployed in diverse IP communication network environments.
- **It's cloud-ready.** Oracle Communications Operations Monitor supports deployment on Oracle Cloud Infrastructure, Amazon Web Services, Google Cloud Platform, and Microsoft Azure. Data transmission links from probes to Oracle Communications Operations Monitor can be secured using TLS and because the connection is initiated from the probes ensures that they can work through NAT and firewalls.

## Monitoring and analysis features


### Multiple site and network protocol call correlation

Calls can be correlated and analyzed across multiple network sites and protocols (such as Session Initiation Protocol (SIP), H.248, Diameter, ENUM, SIGTRAN, or HTTPS depending on licensed features) and devices, thereby providing full, end-to-end visibility into the network. Network operators can track back data for a single call—identifying the caller and call recipient, their IP addresses, the number of call segments, the call flow diagram, the call status, and all detailed call information to enable real-time monitoring and troubleshooting.

### KPI analysis

Oracle Communications Operations Monitor comes with a full range of KPIs for voice network monitoring, addressing service accessibility, retention, and integrity that can be aggregated by service, site, and customer. All KPIs can be accessed in real time through the Oracle Communications Session Monitor products web interface and through Simple Network Management Protocol (SNMP) and (optionally) an extensive API based on the REST standard.

Figure 1. KPIs can be measured and monitored in real time through a customizable GUI.



## Network tracing

Oracle Communications Operations Monitor provides both real-time and historical call and transaction tracing, including sequence diagrams for signaling transactions and media sessions (with the Media Quality extension). Each step of the call can be viewed and analyzed to support troubleshooting.

## Network alerts

Network issues and alerts for numerous issues, such as poor voice quality or slow responses, can be established with configurable network and service KPI alarm thresholds, and the alerts can be viewed instantly through a configurable dashboard. Dashboard graphs can include transit and response times, the number of registered users, the number of error calls, and so on. Alerts can be exported to network management systems with SNMP traps.

## Call logs

Oracle Communications Operations Monitor provides a list of all active and finished calls for the full network as well as a filter capability to identify problematic calls for further analysis. This explorative approach enables operations staff to browse the network at the application level.

## Presence events monitoring

Oracle Communications Operations Monitor allows monitoring of presence events (subscribe, notify and publish) messages, thereby enhancing the level of information a network user can access to better identify and troubleshoot network issues. The presence events form significant part of network transactions and can impact network performance and it becomes imperative to effectively monitor these events to identify network congestions.

## UCaaS Monitoring (Microsoft Teams Direct Routing calls)

Oracle Communications Operations Monitor allows end-to-end monitoring of Microsoft Teams Direct Routing calls by allowing integration with Microsoft Graph APIs to gather call data from the Teams systems. This information is then correlated with the session border controller (SBC) leg of the call to provide holistic, end-to-end, and real-time visibility into Direct Routing calls. This enhances the breadth of information that is available to the users thereby allowing faster and a more comprehensive troubleshooting.

## STIR SHAKEN Monitoring

The STIR/SHAKEN [framework](#), an industry-standard caller ID authentication technology, is a set of technical standards and protocols that allow for the authentication and verification of caller ID information for calls carried over Internet Protocol (IP) networks. Communications service providers (CSPs) are implementing STIR/SHAKEN for call signing and verification for any call that leaves their network or enters their network.

Oracle Communications Operations Monitor's STIR/SHAKEN monitoring feature allows operations teams to monitor the STIR/SHAKEN transactions between the SBC and both Secure Telephone Identity - Authentication Service (STI-AS) and Secure Telephone Identity - Verification Service (STI-VS) to determine if a call has been signed by the service and to troubleshoot potential call signing issues. A robust set of reporting and KPIs allows users to better track call signing across their SBC network elements in real time.

## Troubleshooting features

### IP decoding and filtering

This feature enables network operators to see a packet-by-packet view. The full IP packet exchange between each network element can be analyzed for better troubleshooting and voice and video issue location. Not only is the overall packet loss of one call provided, but the frequency of the packet losses (burst packet loss) is also provided so operations staff can better understand the impact of voice and video quality issues.

## Media recording

Oracle Communications Operations Monitor may be used to record media from a particular user for later playback for further quality analysis. Not only can one playback the media but also get information on codec and the media type information for the call. The recorded media may include audio, video, text, image, messages, and even T.38 fax transmissions.

## In-depth, root-cause analysis

Oracle Communications Operations Monitor enables users to drill down from the network level to localize root-cause issues at the element, customer, device type, and end-user levels. Bidirectional data capture enables network operators to quickly locate on which part of the network a message has not been sent and whether the defective side was the intended recipients or the callers.

## Automated alias detection

Different aliases are aligned automatically for a customer, based on end-to-end call correlation and topology. Manual tweaking is also possible. This is especially important for large network topologies in which different numbering and addressing schemes implement complex routing decisions.

## Live user search

The right user can be found quickly with live user search functionality, and only part of the phone number is needed. Additionally, a deep link access is possible, which is useful for connecting to third-party products such as call center solutions or umbrella network monitoring tools. With a single click in these systems, network operators can jump right into Oracle Communications Session Monitor products with the corresponding user already preselected. It takes only seconds to view the current and past situation of a customer at a glance, with no provisioning required.

## Call drill-down

Oracle Communications Operations Monitor enables drill-down to the signaling level and to voice parameters (it requires the Media Quality extension). It provides the call and media session information end-to-end and makes it easy to identify the root cause of a signaling or media issue. If needed, the full details of all protocol messages are as available as the exporting to packet capture (PCAP) format for communication with vendors and other departments. Oracle Communications Operations Monitor can be used in conjunction with existing tracing and troubleshooting tools and scripts, including widely used open-source tools such as Wireshark.

Figure 2. Network Operators can analyze call message flows to proactively identify and correct voice quality issues.

The screenshot displays the 'Call Info' window in Oracle Communications Operations Monitor. The window title is 'Call Info' and it includes standard window controls (minimize, maximize, close). The main content area shows call details for a call between 111173631156 and 222173631158, which is finished. Key call statistics include: Setup start time: 2025/01/06 22:29:56, Ringing time: 0'6ms, and Call time: 2'30". Below the call info, there are tabs for Segments, Media Summary (selected), Media Details, Messages, and Meta Data. The Media Summary tab displays a table of media quality metrics for a session between dev\_bgf\_317 (10.9.0.37:38926) and dev\_s2\_357 (10.4.0.37:38928). The metrics include SSRC (1317743968), Reporter (OCOM-RTP-PROBE), First packet (2025-01-06 22:29:56.532), Last packet (2025-01-06 22:30:40.067), Media type (audio), Codecs (PCMA (8)), R factor (E-model) (93.00), MOS average (4.41), MOS minimum (4.41), Packets received (2000), Packets discarded (0), Packets lost (0), Packet loss rate (0.00 %), Jitter average (1.00 ms), Jitter maximum (1.00 ms), and Jitter total (4.00 ms). At the bottom of the window, there are buttons for Save, Message Flow, PCAP, PDF, Help, and Close.

Call Info	Media Summary
111173631156 → 222173631158	dev_bgf_317 → dev_s2_357
Finished	10.9.0.37:38926 → 10.4.0.37:38928
Setup start time: 2025/01/06 22:29:56	SSRC 1317743968
Ringing time: 0'6ms	Reporter OCOM-RTP-PROBE
Call time: 2'30"	First packet 2025-01-06 22:29:56.532
	Last packet 2025-01-06 22:30:40.067
	Media type audio
	Codecs PCMA (8)
	R factor (E-model) 93.00
	MOS average 4.41
	MOS minimum 4.41
	Packets received 2000
	Packets discarded 0
	Packets lost 0
	Packet loss rate 0.00 %
	Jitter average 1.00 ms
	Jitter maximum 1.00 ms
	Jitter total 4.00 ms

# Ease-of-use and interoperability features

## Simple and intuitive GUI

The user interface is designed to be intuitive and support efficient daily use for both new and experienced users. It presents important information clearly and provides easy navigation to in-depth details. Training requirements are minimal for most users. Each Oracle Communications Operations Monitor user can be assigned specific permissions and given visibility to specific segments of network traffic. This provides secure visibility into the network that is appropriate for each user’s role. Each user also gets to define their own dashboard by selecting the widgets they want to see. As a fully web-based solution, it minimizes infrastructure and maintenance efforts.

## Open operation and business support systems (OSS/BSS) interfaces

Oracle Communications Operations Monitor is easily integrated with third-party umbrella management systems and other OSS/BSS solutions via the standard SNMP interface or the optional REST Remote API extension for Oracle Communications Operations Monitor for tighter integration scenarios, such as traces, calls, registrations, KPIs, and user experience information.

## Call detail record (CDR) generation


The optional CDR Generation feature of Oracle Communications Operations Monitor provides end-to-end call detail records for processing by third-party systems or for statistical analysis. These CDRs contain additional information detailing network segments the call has traversed and voice quality information. Through Oracle Communications Session Monitor products’ unique call correlation functionality for all calls, the CDRs can also be a valuable resource for business intelligence solutions.

## Dashboards

Oracle Communications Operations Monitor comes with a dashboarding tool for producing a range of charts and graphs to display, track, and record traffic data. It also provides a data export facility for offline reporting tools, enabling raw data to be exported into PCAP, comma-separated values (CSV), and PDFs.

All reporting information can be made available through the optional REST API for automated machine processing.

Figure 3. Oracle Communications Operations Monitor includes a dashboarding tool for producing a range of charts for displaying, tracking, and recording traffic.



Additionally, call data content and incidents can be exported in CSV format for post-processing in desktop applications. Internal tagging of customer experience information can help facilitate internal communications between all departments accessing Oracle Communications Operations Monitor dashboards.

## Service dashboards

Color-coded dashboards enable problems to be recognized at a glance. Statistics on recent calls can include:

- Successes versus failures
- Voice quality information (requires the Media Quality extension)
- Call history with detail information
- Drill-down into protocol details for all recent calls

## User equipment dashboards

The end device details for each user include:

- Recently used devices
- Brand, type, and firmware information
- IP address information
- Network address translation (NAT) information
- Recent working and failed registrations
- Concurrent device usage

## Statistics dashboards

The statistics and KPIs provided for a single subscriber include:

- Distribution of calls by destination
- Call success rate
- Average call length
- Average number of calls per day
- Ratio of incoming versus outgoing calls
- Average mean opinion score (MOS) value
- Count of Microsoft Teams Direct Routing calls at any point in time
- Count of calls not signed for STIR/SHAKEN

Statistical information is important for better understanding customer behavior and estimating the overall service quality for each customer. For service providers, these statistics also provide an opportunity to up-sell according to usage patterns, such as flat rates or packages.

## Add-on extensions

You can enhance Oracle Communications Operations Monitor by purchasing optional add-on extensions to leverage additional functionality. The following optional extensions enhance the performance of Oracle Communications Operations Monitor and provide a customized solution tailored to specific user requirements:

- The Mediation Engine Connector extension simplifies the management of multiple Mediation Engine monitoring nodes and maximizes the benefits of Oracle Communications Operations Monitor in multiple locations. It provides an overview of the data collected by the mediation engines, offering a global dashboard. The global search and drill-down features of the Mediation Engine Connector enable network operators to scale the troubleshooting features of Oracle Communications Operations Monitor across multiple sites. Operations personnel can rapidly gain an understanding of the overall status of the global network while obtaining the ability to drill down to troubleshoot issues.
- The Media Quality extension enables the retrieval and processing of media quality information from Real-time Transport Protocol (RTP) traffic and from reporting customer premises equipment.
- The App Support extension adds support for customer-specific applications and provides additional functionality that integrates seamlessly into the web application. It enables customers to develop custom functionality that is unique to their needs or not yet available in Oracle Communications Session Monitor products.
- The REST Remote API extension provides an open interface to Oracle Communications Session Monitor products, so third-party applications can access real-time and historical data. The internal data—

including raw and aggregated data such as traces, calls, registrations, KPIs, and user experience information—can then be exposed to third-party systems.

- The CDR Generation extension generates CDRs for successful and failed calls, based on Oracle Communications Operations Monitor's end-to-end call correlation.
- The SS7/SIGTRAN Protocol extension extends the set of supported signaling protocols with M2UA, M2PA, M3UA, and ISUP, in the context of SIP/ISUP calls and registrations.
- The Gateway Control Protocol extension extends the set of supported signaling protocols with the relevant gateway control protocols, H.248, and Media Gateway Control Protocol (MGCP). Gateway control protocols are frequently used in IMS/LTE and heterogeneous networks.
- The Diameter Protocol extension provides Diameter protocol support, including full correlation with call signaling protocols. Diameter is widely used in IMS/LTE networks, and this feature supports the IMS Cx interface with the Home Subscriber Server (HSS).
- The ENUM Protocol extension enables support for the processing of ENUM messages.
- The UCaaS Monitoring extension enables configuration of Operation Monitor to connect to Microsoft Teams admin center to gather call details for Teams Direct Routing calls and correlate them with the Session Border Controller call leg.
- STIR SHAKEN monitoring extension enabled monitoring STIR SHAKEN calls by capturing HTTPS traffic and correlating with SIP for end-to-end call visibility and troubleshooting.

## Why Oracle Communications Operations Monitor?

**Innovative.** A constant evolving software-based solution available to run on standard hardware servers, virtual machines (VM) and cloud, built on modern architecture and cutting-edge technology.

**Intuitive.** Easy-to-use interface, it does not require extensive protocol knowledge.

**Time-saving.** Helps save time by streamlining data collection, setup, and network issue resolution.

**Extensible & Open.** Plug-in interface for Apps and a REST API for managing new requirements; direct integration to Oracle network products technology.

**Real-Time.** Sub-second visualization, analysis and troubleshooting on real time calls without waiting for CDRs or database aggregation.

**Comprehensive.** It provides a comprehensive combination of communications monitoring and troubleshooting features.

### Related products

- Oracle Enterprise Operations Monitor
- Oracle Session Delivery Management Cloud

### Connect with us

Call +1.800.ORACLE1 or visit [oracle.com](https://www.oracle.com). Outside North America, find your local office at: [oracle.com/contact](https://www.oracle.com/contact).

 [blogs.oracle.com](https://blogs.oracle.com)

 [facebook.com/oracle](https://facebook.com/oracle)

 [twitter.com/oracle](https://twitter.com/oracle)

Copyright © 2025, Oracle and/or its affiliates. This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.