

Oracle Database Mobile Server, Version 12.2



KEY BUSINESS BENEFITS

- Secure, efficient, resilient mobile data synchronization with Oracle RDBMS and Oracle NoSQL Database
- Remote application, user and device management
- Standards-based encryption for device data, at rest and in transit.
- Highly scalable server configuration, support large and growing mobile or IoT deployments

KEY FEATURES IN 12.2

- WebLogic clustered deployment
- NoSQL as a client
- Support of all Oracle NoSQL Database datatypes
- Added client database authentication
- Synchronize JSON objects
- MDK on Mac OS X
- Platform support for Android 7 and iOS 10

Oracle Database Mobile Server 12c (ODMS) is a highly optimized, robust and secure way to connect mobile and embedded “Internet of Things” devices to Oracle Database or Oracle NoSQL Database. Any organization with a mobile workforce or a network of remote devices can benefit from using ODMS, with its built-in security, scalability, reliability, and an off-line data access support. ODMS works with devices that use Oracle Berkeley DB - Oracle’s high performance mobile data store as well as other open source relational database products like SQLite and Java DB. With the release of ODMS 12.2, the device storage options are further expanded to include JSON records.

Oracle Database Mobile Server Overview

Oracle Database Mobile Server 12c is well suited for mission-critical applications or any application where high performance and reliability are required. It extends the application grid to mobile devices, allowing access to enterprise data and applications in the absence of a network connection. When a network connection is available, ODMS uses highly efficient data synchronization to allow reliable and secure data exchange between a backend: Oracle RDBMS or Oracle NoSQL Database and a device data storage. The three main components of Oracle Database Mobile Server are:

- Mobile Client, deployed on a mobile platform to facilitate sync and remote management
- A middle tier, comprised of Synchronization, Device and Application Management components, coupled with the Mobile Manager administrative console. The console provides a secure and intuitive access to data, application, and device management capabilities of ODMS.
- Database Repository, where ODMS metadata and application data reside.

Multi-Platform Mobile Client

Oracle Database Mobile Server supports many different client platforms, including Android, iOS, Java, Linux, Windows Desktop and Mobile. The Mobile Client provides support for Oracle Berkeley DB, SQLite, JavaDB, and JSON records.

Berkeley DB is a widely deployed, mature embedded database library that provides enterprise class features, including high throughput, low-latency reads, non-blocking writes, data scalability and in-memory caching in a small memory footprint. Berkeley DB offers a SQL API that is SQLite compatible. Berkeley DB offers features that allow it to scale well beyond the limitations of the SQLite native library, while retaining the ease-of use of the SQLite API.

Oracle NoSQL Database provides a powerful and flexible transaction model that greatly simplifies the process of developing a NoSQL-based application. It scales horizontally with high availability and transparent load balancing even when dynamically adding new capacity. For applications that need access to both relational and non-relational data, ODMS pushes relational data from the Oracle RDBMS to the NoSQL where an application can combine this data with non-relational records.

SQLite is a very popular open source embedded database library and is widely used in smart phones, including Android and Blackberry devices. It is a small footprint, transactional database library that is self-administering, requiring no external DBA.

Java DB is Oracle's distribution of the Apache Derby open source database. It supports standard ANSI/ISO SQL through the JDBC and Java EE APIs. Java DB is included in the JDK. Java DB, along with the pure java mobile client provides a 100% java stack on the client side.

JSON is one of the most common formats to represent semi-structured data. It is a representation format for objects in JavaScript. It has a simple structure that is easier to compose or parse than XML. Many existing embedded applications represent data as JSON objects.

The Mobile Client supports all client data stores with a rich set of data synchronization features. Data synchronization can be enabled in a variety of ways: automatic background sync, manual sync through a GUI or command line application, or from a customer application using synchronization API calls.

A device agent on the Mobile client allows administrators to remotely manage the device by sending commands or querying the system. Application life-cycle management can be achieved by enabling remote application updates.

RELATED PRODUCTS

Oracle Database Mobile Server easily integrates with:

- Oracle NoSQL Database
- Oracle Database
- Oracle Berkeley DB

Enterprise Ready Mobile Server

At the core ODMS product is the server itself, which can be deployed on standard application servers (Weblogic, Glassfish, Tom EE) in a cluster or a single instance. ODMS can be deployed in a cloud as well as on an on-premise commodity server hardware running industry standard operating systems including Windows, Linux, Solaris, HP-UX and IBM AIX. The Mobile Server provides a reliable, bidirectional synchronization system and a powerful administration interface.

Repository Selection

Oracle Database Mobile Server allows you to choose whether you want the Oracle Database or Oracle NoSQL Database as your data repository. It is certified against the Oracle Database 12c version, including the recently introduced multitenant architecture.

If you prefer a key-value database, it is also certified against Oracle NoSQL Database which is designed to provide highly reliable, scalable and available data storage across a configurable cluster of server nodes. The combination of Oracle Database Mobile Server and Oracle NoSQL database provides the key components to collect, and analyze data from Internet of Things (IoT) devices. Analyzing the data can provide keen insights to improve any business. Oracle NoSQL database provide the ability to dynamically partition the data across the server nodes, thus supporting massively parallel big data processing as well as data collection from tens of thousands of client devices.

Robust and Scalable Synchronization System

Based on a “publish/subscribe” or “pub-sub” model, the Oracle Database Mobile Server synchronization system allows efficient asynchronous and synchronous incremental data synchronization between mobile applications or devices and the repository in the data center.

Oracle Database Mobile Server features a robust and resilient synchronization process. In the event of a network failure, the client will resume the operation from the last acknowledged checkpoint rather than restart the transmission. The result is that a successful synchronization can be achieved even over unreliable network connections.

Oracle Database Mobile Server is capable of analyzing information contained in the mobile application to automatically create the application's server-side synchronization logic. It provides a flexible architecture that enables customization of the synchronization process at multiple levels. Callback support enables interleaving various application specific tasks during the various synchronization phases. Developers can choose to optimize only the resource intensive Compose phase of synchronization by implementing java classes that leverage their insights into the data model. Alternatively, developers can fully control the synchronization system by independently managing the data queues that contain the uploaded data and the client updates to be downloaded. Conflicts can occur when the same data has been modified by the server and the client, or by multiple clients. Oracle Database Mobile Server automatically detects such conflicts and resolves them based on a highly customizable rule set.

Rapid Application Development Support

The Mobile Development Kit (MDK) is included with Oracle Database Mobile Server. It consists of a set of tools, APIs, tutorials and code samples that accelerate the development of mobile applications.

The main component of the MDK is the Mobile Database Workbench (MDW), a visual development tool for designing synchronized databases. Wizards in the MDW accelerate creation of synchronized databases by allowing developers to quickly define and customize snapshots of enterprise data models for incorporation into these databases. The Packaging Wizard enables bundling all application components (executables, libraries, images, help files etc.) into a JAR file for simple upload to the Mobile Server from where it can be deployed to mobile, embedded or lightweight business environments easily.

Developers can use Oracle JDeveloper, Oracle Application Development Framework, Oracle Mobile Application Framework as well as 3rd party tools like Cordova and Titanium to visually develop applications that enable access to critical business data. Oracle Database Mobile Server includes support for deploying and managing applications with those frameworks.

Oracle Database Mobile Server also supports open standards such as ODBC, JDBC, and ADO.NET. Tutorials and samples included in the documentation and MDK install highlight how to leverage specific features or develop applications on a particular platform.

TABLE 1 SUPPORTED CLIENT PLATFORMS

| OS | ODBC | JDBC | ADO.Net |
|----------------------------|------|------|---------|
| Java | N/A | YES | N/A |
| Android | N/A | YES | N/A |
| Blackberry | N/A | YES | N/A |
| Windows Desktop and Mobile | YES | YES | YES |
| iOS | N/A | N/A | N/A |
| Linux | Yes | YES | N/A |

High Performance and Scalability

Oracle Database Mobile Server delivers impressive out-of-the-box performance, enabling users to access information quickly and efficiently. Support for multiprocessor systems ensures top performance for larger databases and greater numbers of connected users.

Oracle Database Mobile Server integrates closely with Oracle WebLogic Server to enable scaling of Mobile Server deployments by taking advantage of the clustering and load balancing features. ODMS supports Oracle RAC to provide further performance enhancement options for demanding high-concurrency deployments.

On the mobile device side, Berkeley DB's small footprint, extreme scalability, and fine-grained locking make it suitable for almost any application. It supports a high degree of concurrency, including support for concurrent Vacuum and Backup commands.

Unparalleled Device and Application Security

Oracle Database Mobile Server provides standard device commands as well as the infrastructure to implement customized commands to support enterprise business processes and security best practices. For example, you can issue commands to synchronize the database, perform diagnostics, or change application settings. In the event of a device loss, theft, or other security concern, you can delete applications and databases, uninstall the client or reset the password. SSL based encryption protects data integrity while data is in transit between the device and the enterprise database.

TABLE 2 - KEY ORACLE DATABASE MOBILE SERVER FEATURES

| Berkeley DB | Synchronization System | Mobile Manager |
|---|---|---|
| <ul style="list-style-type: none"> • Footprint is 1 MB • Very broad platform support • High Performance • Non-Blocking writes • In-memory caching • Concurrent access by multiple threads or processes • Full ACID transactions • Automatic recovery • Scales to TB in a single table • JDBC, ODB, ADO.NET APIs • SQL API compatible with SQLite, SQL-92 • 128 AES encryption • Fine-grain locking architecture for • Zero administration | <ul style="list-style-type: none"> • Flexible & reliable bidirectional synchronization • Multi-thread architecture • Custom synchronization invocation • Automatic (background) synchronization • Support for schema evolution • SSL encryption & data resolution • Network failure recovery • Built-in custom conflict detection/resolution • Ability to synchronize data and applications. | <ul style="list-style-type: none"> • EM compliant UI • Single Sign-On capability using Oracle Identity Management • Scripting language for batch administration • Extension APIs • User Management • Application provisioning and deployment • Device management including remote diagnostics • Unified interface to monitor synchronization and resolve errors |

Market Industries

Organizations of all types can leverage Oracle Database Mobile Server 12c to increase employee productivity, reduce operation costs, and improve customer satisfaction. Oracle Database Mobile Server has delivered demonstrable impact in a wide variety of applications, including sales force automation, data collection, customer relationship management (CRM), and field service applications. It has an established presence in a range of industries including financial services, healthcare, transportation, logistics, government, retail, military, and law enforcement. It is also commonly used as a building block for custom solutions by ISVs and System Integrators (SIs).

CONTACT US

For more information about Oracle Database Mobile Server, visit oracle.com or call +1.800.ORACLE1 to speak to an Oracle representative.



CONNECT WITH US

-  blogs.oracle.com/oracle
-  facebook.com/oracle
-  twitter.com/oracle
-  oracle.com

Integrated Cloud Applications & Platform Services

Copyright © 2017, Oracle and/or its affiliates. All rights reserved. This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group. 0116