

# Oracle® Solaris Cluster 4 Compatibility Guide

ORACLE®

Part No: E87540  
August 2019



**Part No: E87540**

Copyright © 2019, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

**Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

**Référence: E87540**

Copyright © 2019, Oracle et/ou ses affiliés. Tous droits réservés.

Ce logiciel et la documentation qui l'accompagne sont protégés par les lois sur la propriété intellectuelle. Ils sont concédés sous licence et soumis à des restrictions d'utilisation et de divulgation. Sauf stipulation expresse de votre contrat de licence ou de la loi, vous ne pouvez pas copier, reproduire, traduire, diffuser, modifier, accorder de licence, transmettre, distribuer, exposer, exécuter, publier ou afficher le logiciel, même partiellement, sous quelque forme et par quelque procédé que ce soit. Par ailleurs, il est interdit de procéder à toute ingénierie inverse du logiciel, de le désassembler ou de le décompiler, excepté à des fins d'interopérabilité avec des logiciels tiers ou tel que prescrit par la loi.

Les informations fournies dans ce document sont susceptibles de modification sans préavis. Par ailleurs, Oracle Corporation ne garantit pas qu'elles soient exemptes d'erreurs et vous invite, le cas échéant, à lui en faire part par écrit.

Si ce logiciel, ou la documentation qui l'accompagne, est livré sous licence au Gouvernement des Etats-Unis, ou à quiconque qui aurait souscrit la licence de ce logiciel pour le compte du Gouvernement des Etats-Unis, la notice suivante s'applique :

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

Ce logiciel ou matériel a été développé pour un usage général dans le cadre d'applications de gestion des informations. Ce logiciel ou matériel n'est pas conçu ni n'est destiné à être utilisé dans des applications à risque, notamment dans des applications pouvant causer un risque de dommages corporels. Si vous utilisez ce logiciel ou ce matériel dans le cadre d'applications dangereuses, il est de votre responsabilité de prendre toutes les mesures de secours, de sauvegarde, de redondance et autres mesures nécessaires à son utilisation dans des conditions optimales de sécurité. Oracle Corporation et ses affiliés déclinent toute responsabilité quant aux dommages causés par l'utilisation de ce logiciel ou matériel pour des applications dangereuses.

Oracle et Java sont des marques déposées d'Oracle Corporation et/ou de ses affiliés. Tout autre nom mentionné peut correspondre à des marques appartenant à d'autres propriétaires qu'Oracle.

Intel et Intel Xeon sont des marques ou des marques déposées d'Intel Corporation. Toutes les marques SPARC sont utilisées sous licence et sont des marques ou des marques déposées de SPARC International, Inc. AMD, Opteron, le logo AMD et le logo AMD Opteron sont des marques ou des marques déposées d'Advanced Micro Devices. UNIX est une marque déposée de The Open Group.

Ce logiciel ou matériel et la documentation qui l'accompagne peuvent fournir des informations ou des liens donnant accès à des contenus, des produits et des services émanant de tiers. Oracle Corporation et ses affiliés déclinent toute responsabilité ou garantie expresse quant aux contenus, produits ou services émanant de tiers, sauf mention contraire stipulée dans un contrat entre vous et Oracle. En aucun cas, Oracle Corporation et ses affiliés ne sauraient être tenus pour responsables des pertes subies, des coûts occasionnés ou des dommages causés par l'accès à des contenus, produits ou services tiers, ou à leur utilisation, sauf mention contraire stipulée dans un contrat entre vous et Oracle.

**Accès aux services de support Oracle**

Les clients Oracle qui ont souscrit un contrat de support ont accès au support électronique via My Oracle Support. Pour plus d'informations, visitez le site <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> ou le site <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> si vous êtes malentendant.

# Contents

---

<b>Using This Documentation</b> .....	15
<b>1 What's New in Oracle Solaris Cluster 4.4</b> .....	17
New Features in Oracle Solaris Cluster 4.4 .....	17
Data Services Updates for Oracle Solaris Cluster 4.4 .....	17
Storage Support Updates for Oracle Solaris Cluster 4.4 .....	17
Disaster Recovery Framework (formerly Geographic Edition) Updates for Oracle Solaris Cluster 4.4 .....	18
Networking Card Updates for Oracle Solaris Cluster 4.4 .....	18
<b>2 Software Configuration on Oracle Solaris Cluster</b> .....	19
Oracle Solaris Cluster Releases .....	19
solaris10 Branded Zones in Oracle Solaris Cluster .....	19
Oracle Solaris Releases .....	20
Application Services on Oracle Solaris Cluster .....	21
Oracle HSM (formerly StorageTek QFS) on Oracle Solaris Cluster .....	21
Oracle Solaris Cluster Manager .....	22
Java Compatibility .....	22
Browser Compatibility With Oracle Solaris Cluster Manager .....	22
Oracle Solaris Cluster Quorum Server Software .....	22
Trusted Extensions Feature of Oracle Solaris on Oracle Solaris Cluster .....	24
Virtualized OS Environments and Oracle Solaris Cluster .....	24
Support for Oracle VM Server for SPARC .....	25
PCIe Single Root I/O Virtualization From Oracle VM Server for SPARC .....	32
Oracle VM Server for SPARC Mixed Configurations .....	32
Oracle Solaris Cluster HA for Oracle VM Server for SPARC Data Service .....	33
Volume Managers Supported on Oracle Solaris Cluster .....	34

<b>3 Data Service Support for Oracle Solaris Cluster 4.4</b> .....	37
Application Services on Oracle Solaris Cluster 4.4 .....	37
Oracle Database on Oracle Solaris Cluster 4.4 .....	42
Oracle RAC on Oracle Solaris Cluster 4.4 .....	44
Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4 .....	47
<b>4 Data Service Support for Oracle Solaris Cluster 4.3</b> .....	53
Application Services on Oracle Solaris Cluster 4.3 .....	53
Oracle Database on Oracle Solaris Cluster 4.3 .....	63
Oracle RAC on Oracle Solaris Cluster 4.3 .....	66
Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 .....	70
<b>5 Data Service Support for Oracle Solaris Cluster 4.2</b> .....	79
Application Services on Oracle Solaris Cluster 4.2 .....	79
Oracle Database on Oracle Solaris Cluster 4.2 .....	87
Oracle Real Application Clusters on Oracle Solaris Cluster 4.2 .....	89
<b>6 Data Service Support for Oracle Solaris Cluster 4.1</b> .....	101
Application Services on Oracle Solaris Cluster 4.1 .....	101
Oracle Database on Oracle Solaris Cluster 4.1 .....	108
Oracle RAC Oracle Solaris Cluster 4.1 .....	110
<b>7 Data Service Support for Oracle Solaris Cluster 4.0</b> .....	121
Application Services on Oracle Solaris Cluster 4.0 .....	121
Oracle Database on Oracle Solaris Cluster 4.0 .....	124
Oracle RAC on Oracle Solaris Cluster 4.0 .....	125
<b>8 Campus Clusters in Oracle Solaris Cluster</b> .....	127
Cluster Shared Storage .....	127
Storage-Based Data Replication .....	127
EMC Symmetrix Remote Data Facility .....	127
Support Information for Campus Clusters .....	127
<b>9 Oracle Solaris Cluster Disaster Recovery Framework</b> .....	129

---

General Configuration of the Oracle Solaris Cluster Disaster Recovery Framework .....	129
Application-Based Data Replication .....	130
Oracle Data Guard .....	130
Oracle GoldenGate .....	132
MySQL for Data Replication .....	133
Host-Based Data Replication .....	134
Availability Suite .....	134
Oracle Solaris ZFS Snapshot .....	135
Storage-Based Data Replication .....	135
Oracle ZFS Storage Appliance Remote Replication .....	135
EMC Symmetrix Remote Data Facility .....	137
Hitachi Data Systems Support for Oracle Solaris Cluster Disaster Recovery Framework .....	139
<b>10 Server Support for Oracle Solaris Cluster .....</b>	<b>141</b>
SPARC Servers That Support Oracle Solaris Cluster .....	141
x64 Servers That Support Oracle Solaris Cluster .....	143
<b>11 Storage on Oracle Solaris Cluster .....</b>	<b>145</b>
Quorum Devices on Oracle Solaris Cluster .....	145
Supported Fibre Channel (FC) Storage Devices on Oracle Solaris Cluster .....	145
FC Storage Devices for SPARC and x86 Servers .....	146
SPARC Servers That Support FC Storage Devices .....	146
x64 Servers That Support FC Storage Devices .....	147
Supported Ethernet-Connected Storage Devices on Oracle Solaris Cluster .....	147
Supported InfiniBand-Connected Storage Devices on Oracle Solaris Cluster .....	148
Third-Party Storage on Oracle Solaris Cluster .....	148
<b>12 Fibre Channel Storage Support on Oracle Solaris Cluster .....</b>	<b>149</b>
Fibre Channel Configuration Support on Oracle Solaris Cluster .....	149
Server/HBA/Switch/Storage Support .....	149
Supported FC Storage .....	149
Supported FC Host Bus Adapters (HBAs) .....	150
Oracle FS1-2 Flash Storage System for FC Storage .....	151
Node Connectivity Limits .....	151
RAID Requirements for Oracle FS1-2 Flash Storage .....	151

Software, Firmware, and Patches for Oracle FS1-2 Flash Storage .....	151
Campus Cluster and Oracle FS1-2 Flash Storage .....	151
Oracle Virtual Networking and Oracle FS1-2 Flash Storage .....	151
Oracle FS1-2 Flash Storage System Server Support .....	151
Oracle ZFS Storage Appliance on Fibre Channel .....	152
Configuration Requirements for FC Storage .....	152
Node Connectivity Limits for FC Storage .....	153
RAID Requirements for FC Storage .....	153
Software, Firmware, and Patches for FC Storage .....	153
Campus Cluster for FC Storage .....	154
Oracle Solaris Cluster Geographic Edition for FC Storage .....	154
Oracle Virtual Networking for FC Storage .....	154
Oracle ZFS Storage Appliance Server Support .....	154
Pillar Axiom 600 for FC Storage .....	155
Pillar Axiom 600 Configuration Requirements for FC Storage .....	155
Campus Cluster .....	155
Oracle Virtual Networking .....	156
Pillar Axiom 600 Server Support .....	156
Sun Storage 2540-M2 Array for FC Storage .....	156
Sun Storage 2540-M2 Configuration Requirements .....	156
Sun Storage 6180, 6580, 6780 Arrays for FC Storage .....	157
Sun Storage 6180, 6580, 6780 Configuration Requirements .....	157
<b>13 Ethernet Storage Support on Oracle Solaris Cluster .....</b>	<b>159</b>
Oracle ZFS Storage Appliance on Ethernet Requirements .....	159
Oracle ZFS Storage Appliance Configuration Requirements .....	159
Node Connectivity Limits .....	160
RAID Requirements .....	160
Software, Firmware, and Patches .....	160
Oracle Virtual Networking .....	161
Oracle ZFS Storage Appliance Server Support .....	161
<b>14 InfiniBand Storage Support .....</b>	<b>163</b>
Oracle ZFS Storage Appliance on InfiniBand .....	163
Oracle ZFS Storage Appliance Configuration Requirements .....	163
Node Connectivity Limits .....	164
RAID Requirements .....	164



---

Software, Firmware, and Patches .....	164
Oracle ZFS Storage Appliance Server Support .....	165
<b>15 Network Configuration on Oracle Solaris Cluster .....</b>	<b>167</b>
Network Interfaces for Oracle Solaris Cluster .....	167
Ethernet Network Interfaces on Oracle Solaris Cluster .....	167
Tables of PCIe Ethernet Interfaces for SPARC Servers and x64 Servers .....	168
Tables of PCIe ExpressModule Ethernet Interfaces for SPARC Servers and x64 Servers .....	179
Tables of NEM and XAUI Interfaces for Oracle Solaris Servers .....	182
InfiniBand Support .....	184
Network Cables and Switches on Oracle Solaris Cluster .....	185
<b>16 Oracle Virtual Networking on Oracle Solaris Cluster .....</b>	<b>187</b>
Oracle Virtual Networking Configuration on Oracle Solaris Cluster .....	187
Servers That Support Oracle Virtual Networking on Oracle Solaris Cluster .....	188
Supported Storage for Oracle Virtual Networking .....	188
Oracle Storage Connected by Fibre Channel .....	188
Oracle Storage Connected by iSCSI or NFS .....	189
Supported Oracle Fabric Interconnect Chassis .....	189
Supported InfiniBand Host Channel Adapters for Oracle Virtual Networking .....	189
Additional Information About Oracle Virtual Networking .....	189



## Tables

---

<b>TABLE 1</b>	Oracle Solaris Releases for Oracle Solaris Cluster 4 .....	20
<b>TABLE 2</b>	Oracle HSM Support for Oracle Solaris Cluster 4 SPARC .....	21
<b>TABLE 3</b>	Oracle HSM Support Support for Oracle Solaris Cluster 4 x64 .....	21
<b>TABLE 4</b>	Quorum Server Interoperability With Cluster Node Software .....	23
<b>TABLE 5</b>	Oracle VM Server for SPARC on Oracle Solaris Cluster Version 4.4 Support Matrix .....	25
<b>TABLE 6</b>	Oracle VM Server for SPARC on Oracle Solaris Cluster Versions 4.2 to 4.3 Support Matrix .....	25
<b>TABLE 7</b>	Oracle VM Server for SPARC on Oracle Solaris Cluster Versions 4.0 to 4.1 Support Matrix .....	27
<b>TABLE 8</b>	Oracle VM Server for SPARC 3.4x and 3.5.x on SPARC Servers Support Matrix .....	28
<b>TABLE 9</b>	Oracle VM Server for SPARC 2.1 to 3.3.x on SPARC Servers Support Matrix .....	29
<b>TABLE 10</b>	Oracle Solaris Cluster 4 Supported Volume Managers .....	34
<b>TABLE 11</b>	Data Services for Oracle Solaris Cluster 4.4 on SPARC .....	38
<b>TABLE 12</b>	Data Services for Oracle Solaris Cluster 4.4 on x64 .....	40
<b>TABLE 13</b>	HA-Oracle 18c Matrix for Oracle Solaris Cluster 4.4 on SPARC .....	43
<b>TABLE 14</b>	HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC .....	43
<b>TABLE 15</b>	HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.4 on SPARC .....	43
<b>TABLE 16</b>	HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC .....	44
<b>TABLE 17</b>	Oracle RAC 18c Matrix for Oracle Solaris Cluster 4.4 on SPARC .....	45
<b>TABLE 18</b>	Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC .....	45
<b>TABLE 19</b>	Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.4 on SPARC .....	45

<b>TABLE 20</b>	Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC .....	46
<b>TABLE 21</b>	Oracle RAC Reliable Datagram Sockets (RDS) v3 Matrix for Oracle Solaris Cluster 4.4 on SPARC .....	46
<b>TABLE 22</b>	Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4 on SPARC .....	47
<b>TABLE 23</b>	Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4 on x64 .....	49
<b>TABLE 24</b>	Data Services for Oracle Solaris Cluster 4.3 on SPARC .....	54
<b>TABLE 25</b>	Data Services for Oracle Solaris Cluster 4.3 on x64 .....	59
<b>TABLE 26</b>	HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC .....	64
<b>TABLE 27</b>	HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 on x64 .....	64
<b>TABLE 28</b>	HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on SPARC .....	65
<b>TABLE 29</b>	HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on x64 .....	65
<b>TABLE 30</b>	HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC .....	66
<b>TABLE 31</b>	HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on x64 .....	66
<b>TABLE 32</b>	Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 SRU 7 and Higher on SPARC .....	67
<b>TABLE 33</b>	Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 SRU 7 and Higher on x64 .....	67
<b>TABLE 34</b>	Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on SPARC .....	68
<b>TABLE 35</b>	Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on x64 .....	68
<b>TABLE 36</b>	Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC .....	69
<b>TABLE 37</b>	Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on x64 .....	69
<b>TABLE 38</b>	Oracle RAC Reliable Datagram Sockets (RDS) v3 Matrix for Oracle Solaris Cluster 4.3 on SPARC .....	69
<b>TABLE 39</b>	Oracle RAC Reliable Datagram Sockets (RDS) v3 Matrix for Oracle Solaris Cluster 4.3 on x64 .....	70
<b>TABLE 40</b>	Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on SPARC .....	70
<b>TABLE 41</b>	Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on x64 .....	74

<b>TABLE 42</b>	Data Services for Oracle Solaris Cluster 4.2 on SPARC .....	80
<b>TABLE 43</b>	Data Services for Oracle Solaris Cluster 4.2 on x64 .....	83
<b>TABLE 44</b>	HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 SPARC .....	87
<b>TABLE 45</b>	HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 x64 .....	87
<b>TABLE 46</b>	HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 SPARC .....	88
<b>TABLE 47</b>	HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 x64 .....	88
<b>TABLE 48</b>	Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 SPARC .....	89
<b>TABLE 49</b>	Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 x64 .....	90
<b>TABLE 50</b>	Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 SPARC .....	90
<b>TABLE 51</b>	Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 x64	
<b>TABLE 52</b>	Oracle RAC Reliable Datagram Sockets (RDS) v3 Matrix for Oracle Solaris Cluster 4.2 SPARC .....	91
<b>TABLE 53</b>	Oracle RAC Reliable Datagram Sockets (RDS) v3 Matrix for Oracle Solaris Cluster 4.2 x64 .....	91
<b>TABLE 54</b>	Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.2 SPARC .....	91
<b>TABLE 55</b>	Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.2 x64 .....	96
<b>TABLE 56</b>	Data Services for Oracle Solaris Cluster 4.1 on SPARC .....	102
<b>TABLE 57</b>	Data Services for Oracle Solaris Cluster 4.1 on x64 .....	105
<b>TABLE 58</b>	HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 SPARC ....	109
<b>TABLE 59</b>	HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 x64 .....	109
<b>TABLE 60</b>	HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 SPARC ....	109
<b>TABLE 61</b>	HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 x64 .....	110
<b>TABLE 62</b>	Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 SPARC .....	111
<b>TABLE 63</b>	Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 x64 .....	111
<b>TABLE 64</b>	Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 SPARC .....	111
<b>TABLE 65</b>	Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 x64	
<b>TABLE 66</b>	Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.1 SPARC .....	112
<b>TABLE 67</b>	Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.1 x64 .....	116
<b>TABLE 68</b>	Data Services for Oracle Solaris Cluster 4.0 on SPARC .....	121
<b>TABLE 69</b>	Data Services for Oracle Solaris Cluster 4.0 on x64 .....	123

<b>TABLE 70</b>	HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 SPARC ....	124
<b>TABLE 71</b>	HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 x64 .....	125
<b>TABLE 72</b>	Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 SPARC .....	126
<b>TABLE 73</b>	Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 x64	
<b>TABLE 74</b>	SPARC Servers for Oracle Solaris Cluster .....	141
<b>TABLE 75</b>	x64 Servers for Oracle Solaris Cluster .....	143
<b>TABLE 76</b>	Oracle Solaris Cluster 4: Oracle ZFS Storage Appliance Software for Fibre Channel Connected Storage .....	153
<b>TABLE 77</b>	Oracle Solaris Cluster 4: Oracle ZFS Storage Appliance Software for Ethernet-Connected Storage .....	160
<b>TABLE 78</b>	Oracle Solaris Cluster 4: Oracle ZFS Storage Appliance Software for InfiniBand-Connected Storage .....	164
<b>TABLE 79</b>	PCIe Ethernet Interfaces for SPARC Servers – PTO and ATO .....	168
<b>TABLE 80</b>	PCIe Ethernet Interfaces for SPARC Servers – PCIe and Gigabit Ethernet .....	171
<b>TABLE 81</b>	PCIe Ethernet Interfaces for x64 Servers – PTO and ATO .....	174
<b>TABLE 82</b>	PCIe Ethernet Interfaces for x64 Servers – PCIe and Gigabit Ethernet .....	177
<b>TABLE 83</b>	PCIe ExpressModule Ethernet Interfaces for SPARC Servers – ATO and PTO .....	179
<b>TABLE 84</b>	PCIe ExpressModule Ethernet Interfaces for SPARC Servers – Sun Storage and StorageTek .....	180
<b>TABLE 85</b>	PCIe ExpressModule Ethernet Interfaces for SPARC Servers – Dual and Quad Gigabit .....	180
<b>TABLE 86</b>	PCIe ExpressModule Ethernet Interfaces for x64 Servers – Sun Storage ....	181
<b>TABLE 87</b>	PCIe ExpressModule Ethernet Interfaces for x64 Servers – StorageTek, Sun Dual, and PCIe Dual .....	181
<b>TABLE 88</b>	Network Express Module (NEM) Ethernet Interfaces for SPARC Servers .....	182
<b>TABLE 89</b>	Network Express Module (NEM) Ethernet Interfaces for x64 Servers .....	183
<b>TABLE 90</b>	XAUI Ethernet Interfaces for SPARC Servers .....	183
<b>TABLE 91</b>	PCIe InfiniBand Interfaces for SPARC Servers .....	184
<b>TABLE 92</b>	PCIe ExpressModule InfiniBand Interfaces for SPARC Servers .....	185
<b>TABLE 93</b>	Cables for Cluster Interconnect .....	186
<b>TABLE 94</b>	Switches for Cluster Interconnect .....	186
<b>TABLE 95</b>	SPARC Servers That Support Oracle Virtual Networking .....	188

## Using This Documentation

---

- **Overview** – Covers Oracle products that are qualified for Oracle Solaris Cluster 4.
- **Audience** – Administrators of Oracle Solaris Cluster.
- **Required knowledge** – Experience in administering distributed systems.

## Product Documentation Library

Documentation and resources for this product and related products are available at [http://www.oracle.com/pls/topic/lookup?ctx=E69294\\_01](http://www.oracle.com/pls/topic/lookup?ctx=E69294_01).

## Feedback

Provide feedback about this documentation at <http://www.oracle.com/goto/docfeedback>.





# ◆◆◆ CHAPTER 1

## What's New in Oracle Solaris Cluster 4.4

---

This chapter covers the updates to Oracle Solaris Cluster 4.4.

### New Features in Oracle Solaris Cluster 4.4

For information about new features in the Oracle Solaris Cluster 4.4 software, see [Oracle Solaris Cluster 4.4 What's New](#).

### Data Services Updates for Oracle Solaris Cluster 4.4

See the following section for the latest versions of data services that run on Oracle Solaris Cluster 4.4:

[“Application Services on Oracle Solaris Cluster 4.4” on page 37](#)

### Storage Support Updates for Oracle Solaris Cluster 4.4

See the following sections for updates to storage options in Oracle Solaris Cluster 4.4:

- [Chapter 11, “Storage on Oracle Solaris Cluster”](#) – Updates and links to supplementary information
- [“Configuration Requirements for FC Storage” on page 152](#)
- [“InfiniBand Support” on page 184](#) – Updates about InfiniBand partitions

## Disaster Recovery Framework (formerly Geographic Edition) Updates for Oracle Solaris Cluster 4.4

See [Chapter 9, “Oracle Solaris Cluster Disaster Recovery Framework”](#) for updates to the formerly named Geographic Edition.

## Networking Card Updates for Oracle Solaris Cluster 4.4

See the following sections for new PCIe, HBA, and NICs in Oracle Solaris Cluster 4.4:

- [“32Gb HBAs” on page 150](#)
- [“Ethernet Network Interfaces on Oracle Solaris Cluster” on page 167](#) – Updates and links to supplementary information
- [“InfiniBand Support” on page 184](#) – Updates and links to supplementary information

# ◆◆◆ 2 CHAPTER 2

## Software Configuration on Oracle Solaris Cluster

---

Typically, each node in an Oracle Solaris Cluster will have the Oracle Solaris operating system, Oracle Solaris Cluster software, volume management software, and applications along with their data services and fault monitors running on it.

### Oracle Solaris Cluster Releases

All nodes in the cluster are required to run the same version of Oracle Solaris Cluster.

Oracle Solaris Cluster 4 has the following releases. All releases have updates, called SRUs:

- Oracle Solaris Cluster 4.0
- Oracle Solaris Cluster 4.1
- Oracle Solaris Cluster 4.2
- Oracle Solaris Cluster 4.3
- Oracle Solaris Cluster 4.4

### **solaris10** Branded Zones in Oracle Solaris Cluster

Oracle Solaris Cluster 4.x supports **solaris10** branded zones. For support information, see details throughout this document.

**Note** - Oracle ZFS Storage Appliance software versions OS8.7.x (2013.1.7.x) and greater, and OS8.8.x (2013.1.8.x) and greater require the following:

- v1.0.5 of package SUNWsczfsnfs. Download from here:  
<https://www.oracle.com/technetwork/server-storage/sun-unified-storage/downloads/zfssa-plugins-1489830.html>
- patch [145333-29](#) or later for SPARC, or patch [145334-29](#) or later for x86

**Note** - Oracle Solaris Cluster patch 145333-36 for SPARC and patch 145334-36 for x86 require Java 7.

## Oracle Solaris Releases

All nodes in the cluster are required to run the same version of the operating system.

**TABLE 1** Oracle Solaris Releases for Oracle Solaris Cluster 4

Supported Oracle Solaris Releases	Oracle Solaris Cluster 4.0	Oracle Solaris Cluster 4.1	Oracle Solaris Cluster 4.2	Oracle Solaris Cluster 4.3	Oracle Solaris Cluster 4.4
Oracle Solaris 11	Y				
Oracle Solaris 11.1		Y	Y		
Oracle Solaris 11.2		Y, at least Oracle Solaris Cluster 4.1 SRU 8	Y, at least Oracle Solaris 11.2 SRU 13	Y, at least Oracle Solaris 11.2 SRU 13	
Oracle Solaris 11.3			Y, at least Oracle Solaris Cluster 4.2 SRU 5 <sup>a</sup>	Y	
Oracle Solaris 11.4					Y

a – If you are installing Oracle Solaris 11.3 SRUs after SRU 1, you should upgrade to Oracle Solaris Cluster 4.3. SRUs released after Oracle Solaris 11.3 SRU 1 could impact Oracle Solaris Cluster and its data services. Later Oracle Solaris 11.3 SRUs were not tested with Oracle Solaris Cluster 4.2.

The minimal supported OS package set is the "solaris-small-server" package group. Starting with Oracle Solaris Cluster 4.3 SRU 4, the "solaris-minimal-server" package group introduced in Oracle Solaris 11.2 may also be used. See [Oracle Solaris Cluster](#) and Oracle Solaris OS

Minimization Support Required Packages Group (Doc ID 1544605.1) on [My Oracle Support](#) for more info.

## Application Services on Oracle Solaris Cluster

An application service is an application along with a data service which makes the application highly available or scalable in Oracle Solaris Cluster.

All Oracle Solaris Cluster 4 data services are supported in the global zone. Many data services are supported with the Oracle Solaris Cluster HA-container data service failover zone and Zone Cluster.

## Oracle HSM (formerly StorageTek QFS) on Oracle Solaris Cluster

---

**Note** - StorageTek Storage Archive Manager (SAM-QFS) was renamed Oracle Hierarchical Storage Manager (Oracle HSM) in version 6.0.

---



---

**Note** - Standalone Oracle HSM is supported with failover data services.

---

**TABLE 2** Oracle HSM Support for Oracle Solaris Cluster 4 SPARC

QFS Version	Oracle Solaris Cluster Version	Notes
5.3	4.0	See <a href="#">SAM-QFS 5.3 What Works With What</a> .
5.3-01 Patch	4.1	
5.4	4.2 with Oracle Solaris 11.1	See <a href="#">SAM-QFS 5.4 What Works With What</a> .
5.4-01 Patch	4.2 with Oracle Solaris 11.2	
6.1	4.3	<ul style="list-style-type: none"> <li>■ Shared HSM support requires HSM 6.1 Patch 4.</li> <li>■ SVM with shared HSM is not supported.</li> </ul>

**TABLE 3** Oracle HSM Support Support for Oracle Solaris Cluster 4 x64

QFS Version	Oracle Solaris Cluster Version	Notes
5.3	4.0	See <a href="#">SAM-QFS 5.3 What Works With What</a> .
5.3-01 Patch	4.1	
5.4	4.2 with Oracle Solaris 11.1	See <a href="#">SAM-QFS 5.4 What Works With What</a> .

QFS Version	Oracle Solaris Cluster Version	Notes
5.4-01 Patch	4.2 with Oracle Solaris 11.2	
6.1	4.3	<ul style="list-style-type: none"><li>■ Shared HSM support requires HSM 6.1 Patch 4.</li><li>■ SVM with shared HSM is not supported.</li></ul>

## Oracle Solaris Cluster Manager

### Java Compatibility

- Oracle Solaris Cluster 4.4 must have Java 8 configured.

### Browser Compatibility With Oracle Solaris Cluster Manager

The Oracle Solaris Cluster Manager graphical user interface provided with Oracle Solaris Cluster 4.2, 4.3 and 4.4 is compatible with the following browsers. The browsers must have Java Plug-in 1.7.0 or later.

- **Internet Explorer** – 8, 9, 10, 11  
Support for Internet Explorer 11 starts with Oracle Solaris Cluster 4.3 SRU 3
- **Firefox** – 14 and later
- **Safari** – 5 and later
- **Chrome** – 18 and later

## Oracle Solaris Cluster Quorum Server Software

You can use Oracle Solaris Cluster Quorum Server software to configure a machine as a quorum server and then configure the quorum server as your cluster's quorum device. You can use a quorum server instead of, or in addition to, shared disks.

- **Supported hardware** – The supported hardware platforms for a quorum server are the same as for a global-cluster node.
- **Operating system** – Oracle Solaris software requirements for Oracle Solaris Cluster software apply as well to Quorum Server software.

- Non-global zones – A quorum server cannot be installed and configured in a non-global zone.
- Service to multiple clusters – You can configure a quorum server as a quorum device to more than one cluster.
- Mixed hardware and software – You do not have to configure a quorum server on the same hardware and software platform as the cluster or clusters that it provides quorum to. For example, a SPARC based machine that runs the Oracle Solaris 10 OS can be configured as a quorum server for an x64-based cluster that runs the Oracle Solaris 11 OS. See [Table 4, “Quorum Server Interoperability With Cluster Node Software,”](#) on page 23 for Oracle Solaris Cluster version interoperability.
- Using a cluster node as a quorum server – You can configure a quorum server on a cluster node to provide quorum for clusters other than the cluster that the node belongs to. However, a quorum server that is configured on a cluster node is not highly available.
- Quorum server software must be patched or upgraded before patching or upgrading cluster nodes. Refer to [“How to Upgrade Quorum Server Software”](#) in *Oracle Solaris Cluster 4.3 Upgrade Guide*.

**TABLE 4** Quorum Server Interoperability With Cluster Node Software

Quorum Server Software from:	Software running on the cluster nodes								
	Solaris Cluster 3.2	Solaris Cluster 3.2 2/08	Solaris Cluster 3.2 1/09	Solaris Cluster 3.2 + patch <sup>b</sup>	Solaris Cluster 3.2 2/08 + patch <sup>b</sup>	Solaris Cluster 3.2 1/09 + patch <sup>b</sup>	Solaris Cluster 3.2 11/09	Oracle Solaris Cluster 3.3 and updates	Oracle Solaris Cluster 4
Solaris Cluster 3.2	Y	Y	Y						
Solaris Cluster 3.2 2/08	Y	Y	Y						
Solaris Cluster 3.2 1/09	Y	Y	Y						
Solaris Cluster 3.2 + Patch <sup>a</sup>	Y	Y	Y	Y	Y	Y	Y	Y	Y
Solaris Cluster 3.2 2/08 + Patch <sup>a</sup>	Y	Y	Y	Y	Y	Y	Y	Y	Y
Solaris Cluster 3.2 1/09 + Patch <sup>a</sup>	Y	Y	Y	Y	Y	Y	Y	Y	Y

Quorum Server Software from:	Software running on the cluster nodes								
	Solaris Cluster 3.2	Solaris Cluster 3.2 2/08	Solaris Cluster 3.2 1/09	Solaris Cluster 3.2 + patch <sup>b</sup>	Solaris Cluster 3.2 2/08 + patch <sup>b</sup>	Solaris Cluster 3.2 1/09 + patch <sup>b</sup>	Solaris Cluster 3.2 11/09	Oracle Solaris Cluster 3.3 and updates	Oracle Solaris Cluster 4
Solaris Cluster 3.2 11/09	Y	Y	Y	Y	Y	Y	Y	Y	Y
Oracle Solaris Cluster 3.3 and updates	Y	Y	Y	Y	Y	Y	Y	Y	Y
Oracle Solaris Cluster 4	Y	Y	Y	Y	Y	Y	Y	Y	Y

- a – Solaris Cluster 3.2 Quorum Server Patch 127404-03 (Solaris 9 SPARC), 127405-04 (Oracle Solaris 10 SPARC), or 127406-04 (Oracle Solaris 10 x86) or higher
- b – Solaris Cluster 3.2 Core Patch 126105-38 (Solaris 9 SPARC), 126106-38 (Oracle Solaris 10 SPARC), or 126107-38 (Oracle Solaris 10 x86) or higher

## Trusted Extensions Feature of Oracle Solaris on Oracle Solaris Cluster

The Trusted Extensions feature of Oracle Solaris may be used with Oracle Solaris Cluster 4.1 and later 4.x releases.

## Virtualized OS Environments and Oracle Solaris Cluster

Oracle Solaris Cluster supports virtualized OS environments.



## Support for Oracle VM Server for SPARC

The following tables list support for Oracle VM Server for SPARC, previously known as Logical Domains (LDoms):

- [Table 5, “Oracle VM Server for SPARC on Oracle Solaris Cluster Version 4.4 Support Matrix,” on page 25](#)
- [Table 6, “Oracle VM Server for SPARC on Oracle Solaris Cluster Versions 4.2 to 4.3 Support Matrix,” on page 25](#)
- [Table 7, “Oracle VM Server for SPARC on Oracle Solaris Cluster Versions 4.0 to 4.1 Support Matrix,” on page 27](#)
- [Table 8, “Oracle VM Server for SPARC 3.4x and 3.5.x on SPARC Servers Support Matrix,” on page 28](#)
- [Table 9, “Oracle VM Server for SPARC 2.1 to 3.3.x on SPARC Servers Support Matrix,” on page 29](#)

Also refer to the respective Oracle VM Server for SPARC product information for software, firmware, hardware, and patch requirements and restrictions for the specific hardware and release of Oracle VM Server for SPARC being deployed.

**TABLE 5** Oracle VM Server for SPARC on Oracle Solaris Cluster Version 4.4 Support Matrix

Oracle VM Server for SPARC	Oracle Solaris Cluster 4.4 with Oracle Solaris 11.4
Oracle VM Server for SPARC 3.6	Y

**TABLE 6** Oracle VM Server for SPARC on Oracle Solaris Cluster Versions 4.2 to 4.3 Support Matrix

Oracle VM Server for SPARC	Oracle Solaris Cluster 4.2 with Oracle Solaris 11.1	Oracle Solaris Cluster 4.2 with Oracle Solaris 11.2	Oracle Solaris Cluster 4.2 with Oracle Solaris 11.3	Oracle Solaris Cluster 4.3 with Oracle Solaris 11.2	Oracle Solaris Cluster 4.3 with Oracle Solaris 11.3
Oracle VM Server for SPARC 3.0 <sup>a</sup>	Y				
Oracle VM Server for SPARC 3.1.0.0 <sup>b</sup>	Y				
Oracle VM Server for SPARC 3.1.1.0 <sup>c</sup>	Y <sup>t</sup>	Y <sup>u</sup>			
Oracle VM Server for		Y			

Oracle VM Server for SPARC	Oracle Solaris Cluster 4.2 with Oracle Solaris 11.1	Oracle Solaris Cluster 4.2 with Oracle Solaris 11.2	Oracle Solaris Cluster 4.2 with Oracle Solaris 11.3	Oracle Solaris Cluster 4.3 with Oracle Solaris 11.2	Oracle Solaris Cluster 4.3 with Oracle Solaris 11.3
SPARC 3.1.1.1 <sup>e,d</sup>					
Oracle VM Server for SPARC 3.1.1.2 <sup>g,h</sup>		Y			
Oracle VM Server for SPARC 3.2.0.0 <sup>i,h</sup>		Y			
Oracle VM Server for SPARC 3.2.0.1 <sup>j,i</sup>		Y		Y	
Oracle VM Server for SPARC 3.3.0.0 <sup>l,k</sup>			Y		Y
Oracle VM Server for SPARC 3.3.0.1 <sup>m,l</sup>					Y
Oracle VM Server for SPARC 3.4.0.0 <sup>n,l</sup>					Y
Oracle VM Server for SPARC 3.4.0.1 <sup>o,l</sup>					Y
Oracle VM Server for SPARC 3.4.0.2 <sup>l</sup>					Y
Oracle VM Server for SPARC 3.4.0.3 <sup>l</sup>					Y
Oracle VM Server for SPARC 3.5 <sup>x</sup>					Y

- a – Oracle VM Server for SPARC 3.0 is released with Oracle Solaris 11.1 SRU 1
- b – Oracle VM Server for SPARC 3.1 is released with Oracle Solaris 11.1 SRU 10
- c – Supports Oracle VM Server for SPARC features provided with Oracle VM Server for SPARC 3.1
- d – Supports Oracle VM Server for SPARC features provided with Oracle VM Server for SPARC 3.1, plus Fibre Channel SR-IOV
- e – Oracle VM Server for SPARC 3.1.1.1 is released with Oracle Solaris 11.2 SRU 2

- g – Oracle VM Server for SPARC 3.1.1.2 is released with Oracle Solaris 11.2 SRU 5
- h – Oracle VM Server for SPARC 3.2 is released with Oracle Solaris 11.2 SRU 8
- i – Supports Oracle VM Server for SPARC features provided with Oracle VM Server for SPARC 3.1, plus Fibre Channel SR-IOV
- j – Oracle VM Server for SPARC 3.2.0.1 is released with Oracle Solaris 11.2 SRU 11
- k – Oracle VM Server for SPARC 3.3 is released with Oracle Solaris 11.3
- l – Supports Oracle VM Server for SPARC features provided with Oracle VM Server for SPARC 3.1, plus Fibre Channel SR-IOV and as noted in this chapter
- m – Oracle VM Server for SPARC 3.3.0.1 is released with Oracle Solaris 11.3 SRU 4
- n – Oracle VM Server for SPARC 3.4.0.0 is released with Oracle Solaris 11.3 SRU 8
- o – Oracle VM Server for SPARC 3.4.0.1 is released with Oracle Solaris 11.3 SRU 11
- t – Oracle VM Server for SPARC 3.1.1 is released with Oracle Solaris 11.1 SRU 17
- u – Oracle VM Server for SPARC 3.1.1 is released with Oracle Solaris 11.2
- x – Oracle VM Server for SPARC 3.5.x is released with Oracle Solaris 11.3 SRU 21. Support starts with Oracle Solaris Cluster 4.3 SRU 8.

**TABLE 7** Oracle VM Server for SPARC on Oracle Solaris Cluster Versions 4.0 to 4.1 Support Matrix

Oracle VM Server for SPARC	Oracle Solaris Cluster 4.0	Oracle Solaris Cluster 4.1 with Oracle Solaris 11.1	Oracle Solaris Cluster 4.1 with Oracle Solaris 11.2 <sup>s</sup>
Oracle VM Server for SPARC 2.1	Y		
Oracle VM Server for SPARC 2.2	Y	Y <sup>p</sup>	
Oracle VM Server for SPARC 3.0 <sup>a</sup>		Y <sup>q</sup>	
Oracle VM Server for SPARC 3.1.0.0 <sup>b</sup>		Y <sup>q</sup>	
Oracle VM Server for SPARC 3.1.1.0 <sup>c</sup>		Y <sup>r</sup>	
Oracle VM Server for SPARC 3.1.1.1 <sup>e,d</sup>			Y
Oracle VM Server for SPARC 3.1.1.2 <sup>g,h</sup>			Y
Oracle VM Server for SPARC 3.2.0.0 <sup>h,i</sup>			Y
Oracle VM Server for SPARC 3.2.0.1 <sup>j,l</sup>			Y

- a – Oracle VM Server for SPARC 3.0 is released with Oracle Solaris 11.1 SRU 1
- b – Oracle VM Server for SPARC 3.1 is released with Oracle Solaris 11.1 SRU 10
- c – Supports Oracle VM Server for SPARC features provided with Oracle VM Server for SPARC 3.1
- d – Supports Oracle VM Server for SPARC features provided with Oracle VM Server for SPARC 3.1, plus Fibre Channel SR-IOV

- e – Oracle VM Server for SPARC 3.1.1.1 is released with Oracle Solaris 11.2 SRU 2
- f – Supports Oracle VM Server for SPARC features provided with Oracle VM Server for SPARC 3.1, plus Fibre Channel SR-IOV
- g – Oracle VM Server for SPARC 3.1.1.2 is released with Oracle Solaris 11.2 SRU 5
- h – Oracle VM Server for SPARC 3.2 is released with Oracle Solaris 11.2 SRU 8
- i – Supports Oracle VM Server for SPARC features provided with Oracle VM Server for SPARC 3.1, plus Fibre Channel SR-IOV
- j – Oracle VM Server for SPARC 3.2.0.1 is released with Oracle Solaris 11.2 SRU 11
- p – Oracle VM Server for SPARC 2.2 is released with Oracle Solaris 11.1
- q – Support starts with Oracle Solaris Cluster 4.1 SRU 3
- r – Oracle VM Server for SPARC 3.1.1 is released with Oracle Solaris 11.1 SRU 17. Support starts with Oracle Solaris Cluster 4.1 SRU 7.
- s – Oracle Solaris 11.2 support starts with Oracle Solaris Cluster 4.1 SRU 8
- t – Oracle VM Server for SPARC 3.1.1 is released with Oracle Solaris 11.1 SRU 17
- u – Oracle VM Server for SPARC 3.1.1 is released with Oracle Solaris 11.2

**TABLE 8** Oracle VM Server for SPARC 3.4x and 3.5.x on SPARC Servers Support Matrix

Server	Oracle VM Server for SPARC 3.4.x	Oracle VM Server for SPARC 3.5.x
SPARC T7 Series servers	Y	Y
SPARC M8 Series servers	Y	Y
SPARC T8 Series servers	Y	Y
Fujitsu SPARC M12 servers	Y	Y
Fujitsu M10 servers	Y	Y
Netra SPARC T3-1	Y	Y
Netra SPARC T3-1B	Y	Y
Netra SPARC T4-1	Y	Y
Netra SPARC T4-1B	Y	Y
Netra SPARC T4-2	Y	Y
Netra SPARC T5-1B	Y	
Netra SPARC S7-2	Y	Y
SPARC Enterprise T5120	Y	Y
SPARC Enterprise T5140	Y	Y
SPARC Enterprise T5220	Y	Y
SPARC Enterprise T5240	Y	Y
SPARC Enterprise T5440	Y	Y
SPARC M5-32 server	Y	Y
SPARC M6-32 server	Y	Y

Server	Oracle VM Server for SPARC 3.4.x	Oracle VM Server for SPARC 3.5.x
SPARC M7-8 server	Y	Y
SPARC M7-16 server	Y	Y
SPARC S7-2 server	Y	Y
SPARC S7-2L server	Y	Y
SPARC T3-1 server	Y	Y
SPARC T3-1B	Y	Y
SPARC T3-2 server	Y	Y
SPARC T3-4 server	Y	Y
SPARC T4-1 server	Y	Y
SPARC T4-1B	Y	Y
SPARC T4-2 server	Y	Y
SPARC T4-4 server	Y	Y
SPARC T5-1B server module	Y	Y
SPARC T5-2 server	Y	Y
SPARC T5-4 server	Y	Y
SPARC T5-8 server	Y	Y
Sun Blade T6320	Y	Y
Sun Blade T6340	v	Y
Sun Netra CP3260	Y	Y
Sun Netra T5220	Y	Y
Sun Netra T5440	Y	Y

**TABLE 9** Oracle VM Server for SPARC 2.1 to 3.3.x on SPARC Servers Support Matrix

Server	Oracle VM Server for SPARC 2.1	Oracle VM Server for SPARC 2.2	Oracle VM Server for SPARC 3.0	Oracle VM Server for SPARC 3.1.x	Oracle VM Server for SPARC 3.2.x	Oracle VM Server for SPARC 3.3.x
SPARC T7 Series servers						Y
SPARC M8 Series servers			Y	Y	Y	Y
SPARC T8 Series servers			Y	Y	Y	Y
Fujitsu SPARC M12 servers			Y	Y	Y	Y
Fujitsu M10 servers			Y	Y	Y	Y
Netra SPARC T3-1	Y	Y	Y	Y	Y	Y
Netra SPARC T3-1B	Y	Y	Y	Y	Y	Y
Netra SPARC T4-1	Y	Y	Y	Y	Y	Y
Netra SPARC T4-1B	Y	Y	Y	Y	Y	Y
Netra SPARC T4-2	Y	Y	Y	Y	Y	Y

Server	Oracle VM Server for SPARC 2.1	Oracle VM Server for SPARC 2.2	Oracle VM Server for SPARC 3.0	Oracle VM Server for SPARC 3.1.x	Oracle VM Server for SPARC 3.2.x	Oracle VM Server for SPARC 3.3.x
Netra SPARC T5-1B			Y	Y		
SPARC Enterprise T5120	Y	Y	Y	Y	Y	Y
SPARC Enterprise T5140	Y	Y	Y	Y	Y	Y
SPARC Enterprise T5220	Y	Y	Y	Y	Y	Y
SPARC Enterprise T5240	Y	Y	Y	Y	Y	Y
SPARC Enterprise T5440	Y	Y	Y	Y	Y	Y
SPARC M5-32 server			Y	Y	Y	Y
SPARC M6-32 server				Y	Y	Y
SPARC M7-8 server						Y
SPARC M7-16 server						Y
SPARC T3-1 server	Y	Y	Y	Y	Y	Y
SPARC T3-1B	Y	Y	Y	Y	Y	Y
SPARC T3-2 server	Y	Y	Y	Y	Y	Y
SPARC T3-4 server	Y	Y	Y	Y	Y	Y
SPARC T4-1 server	Y	Y	Y	Y	Y	Y
SPARC T4-1B	Y	Y	Y	Y	Y	Y
SPARC T4-2 server	Y	Y	Y	Y	Y	Y
SPARC T4-4 server	Y	Y	Y	Y	Y	Y
SPARC T5-1B server module			Y	Y	Y	Y
SPARC T5-2 server			Y	Y	Y	Y
SPARC T5-4 server			Y	Y	Y	Y
SPARC T5-8 server			Y	Y	Y	Y
Sun Blade T6320	Y	Y	Y	Y	Y	Y
Sun Blade T6340	Y	Y	Y	Y	Y	Y
Sun Netra CP3260	Y	Y	Y	Y	Y	Y
Sun Netra T5220	Y	Y	Y	Y	Y	Y
Sun Netra T5440	Y	Y	Y	Y	Y	Y

## Guidelines and Restrictions on Oracle VM Server for SPARC Running Oracle Solaris Cluster

Guidelines and restrictions are documented in the Release Notes, Software Installation Guide, and the Data Service for Oracle VM Server for SPARC Guide for your Oracle Solaris Cluster version.

Restrictions include:

- Exporting Storage from I/O Domains – I/O domain clusters cannot export storage devices to guest domain clusters. Non-clustered I/O domains must be used.
- Fencing – When a service domain exports a storage LUN to more than one guest domain cluster node, the cluster nodes that the LUN is exported to must disable fencing for this LUN. For more information, see [SPARC: Guidelines for Oracle VM Server for SPARC Logical Domains as Cluster Nodes](#) in the *Installing and Configuring an Oracle Solaris Cluster 4.4 Environment Guide*.

The server model, and version of Oracle Solaris and Oracle VM Server for SPARC, may also specify guidelines and restrictions in their documentation sets.

## Oracle VM Server for SPARC Virtual HBA

Oracle Solaris Cluster supports Oracle VM Server for SPARC virtual SCSI HBA (vHBA). Support starts with:

- Oracle Solaris Cluster 4.3
- Oracle VM Server for SPARC 3.3

VSAN on N\_Port ID Virtualization (NPIV) enables support of VSANs/vHBAs for different guest domain clusters on a shared HBA port. Support starts with:

- Oracle Solaris 11.3 SRU 10
- Oracle Solaris Cluster 4.3 SRU 3

Oracle Solaris I/O multipathing (MPxIO) support starts with:

- Oracle Solaris 11.3 SRU 13
- Oracle Solaris Cluster 4.3 SRU 3

Refer to Oracle Solaris Cluster 4.x Requirements when using Virtual HBA in Oracle VM Server (Doc ID 2094724.1) on My Oracle Support for details and requirements.

## PCIe Single Root I/O Virtualization From Oracle VM Server for SPARC

Oracle Solaris Cluster supports PCIe Single Root I/O Virtualization (SR-IOV), a feature introduced with Oracle VM Server for SPARC 2.2.

- Support starts with Oracle VM Server for SPARC 2.2. See [Table 7, “Oracle VM Server for SPARC on Oracle Solaris Cluster Versions 4.0 to 4.1 Support Matrix,” on page 27](#) for supported Oracle Solaris Cluster releases.
- Hardware support includes Oracle Solaris Cluster supported servers and Ethernet network adapters as supported by Oracle VM Server for SPARC releases.
- Hardware support includes Oracle Solaris Cluster supported and InfiniBand HCAs as supported by Oracle VM Server for SPARC releases.
- Hardware support includes Oracle Solaris Cluster supported servers and Fibre Channel HBAs as supported by Oracle VM Server for SPARC releases.

Refer to Oracle VM Server for SPARC PCIe Direct I/O and SR-IOV Features (Doc ID 1325454.1) on My Oracle Support and the respective Oracle VM Server for SPARC Release Notes for details and requirements.

## Oracle VM Server for SPARC Mixed Configurations

It is possible to configure multiple clusters using the same physical servers with different domains as cluster nodes. It is also possible to run different versions of Oracle Solaris Cluster and Oracle Solaris in these clusters.

Oracle Solaris Cluster also supports the coexistence of the following on the same set of physical servers:

- Control domain clusters – Oracle Solaris Cluster running in static/non-migrating control domains.
- I/O domain clusters – Oracle Solaris Cluster running in static/non-migrating I/O domains.
- Guest domain clusters – Oracle Solaris Cluster running in guest domains.
- Cluster managed domains – Cluster resources managed by the HA data service for Oracle VM Server for SPARC. The HA data service for Oracle VM Server for SPARC runs in a control domain cluster.

Supported versions are:

- Oracle Solaris Cluster: 3.3, 3.3 5/11, 3.3 3/13, 4.0, 4.1, 4.2, 4.3, 4.4 – Includes patches and SRUs



- Oracle Solaris: 10, 11 – Includes updates, patches, and SRUs as supported by Oracle Solaris Cluster release
- Oracle VM Server for SPARC: 2.1, 2.2, 3.0, 3.1, 3.1.1, 3.1.1.1, 3.1.1.2, 3.2, 3.2.0.1, 3.3, 3.3.0.1, 3.4, 3.4.0.1, 3.4.0.2, 3.4.0.3, 3.5, 3.6 – As supported by Oracle Solaris Cluster release

## Oracle Solaris Cluster HA for Oracle VM Server for SPARC Data Service

The Oracle Solaris Cluster HA for Oracle VM Server for SPARC data service provides a mechanism for orderly start-up and shutdown, fault monitoring, and automatic failover of Oracle VM Server for SPARC guest domain services.

See the Oracle VM Server for SPARC application discussions in:

- [Table 11, “Data Services for Oracle Solaris Cluster 4.4 on SPARC,” on page 38](#)
- [Table 24, “Data Services for Oracle Solaris Cluster 4.3 on SPARC,” on page 54](#)
- [Table 42, “Data Services for Oracle Solaris Cluster 4.2 on SPARC,” on page 80](#)
- [Table 56, “Data Services for Oracle Solaris Cluster 4.1 on SPARC,” on page 102](#)

## Guest Domains on Oracle Solaris Cluster

A protected guest domain service may be a black box. A protected guest domain service may also be a single-node Oracle Solaris Cluster, which requires one of the following configurations in the guest domain.

Guest domain on Oracle Solaris Cluster 4.4

- Oracle Solaris Cluster 4.4 and Oracle Solaris 11.4
- Oracle VM Server for SPARC 3.6

Guest domain on Oracle Solaris Cluster 4.3 and Oracle Solaris Cluster 4.2

- Oracle Solaris Cluster 4.2 SRU 5 (and later SRUs), 4.3 (and SRUs)
- Oracle Solaris 11.2 SRU 13 (and SRUs), Oracle Solaris 11.3 (and SRUs)
- Oracle VM Server for SPARC 3.2.0.1, 3.3, 3.3.0.1, 3.4, 3.4.0.1, 3.4.0.2, 3.4.0.3 as released with Oracle Solaris version

Guest domain on Oracle Solaris Cluster 4.2

- Oracle Solaris Cluster 4.2 (and SRUs earlier than 5)
- Oracle Solaris 11.1 (and SRUs), S11.2 (and SRUs earlier than 13)

- Oracle VM Server for SPARC 3.0, 3.1, 3.1.1, 3.1.1.1, 3.1.1.2, 3.2, 3.2.0.1 as released with Oracle Solaris version

Guest domain on Oracle Solaris Cluster 4.1 SRU 8

- Oracle Solaris Cluster 4.1 SRU 8 (and later SRUs)
- Oracle Solaris 11.2 (and SRUs earlier than 13)
- Oracle VM Server for SPARC 3.1.1.1, 3.1.1.2, 3.2, 3.2.0.1 as released with Oracle Solaris version

Guest domain on Oracle Solaris Cluster 4.1 SRU 4

- Oracle Solaris Cluster 4.1 SRU 4 (and later SRUs)
- Oracle Solaris 11.1 (and SRUs)
- Oracle VM Server for SPARC 3.0, 3.1, 3.1.1 as released with Oracle Solaris version

Guest domain on Oracle Solaris Cluster 3.3 3/13

- Oracle Solaris Cluster 3.3 3/13 with patch 145333-24 (or later)
- Oracle Solaris 10 8/11, 10 3/13
- Oracle VM Server for SPARC 3.0, 3.1, 3.1.1.1

Applications and data services that run in a single-node cluster configuration are supported by the Oracle Solaris Cluster release that is running in the protected guest domain.

## Control Domains

Control domain requirements for Oracle Solaris Cluster 4 are identical to guest domain requirements as described in [“Guest Domains on Oracle Solaris Cluster” on page 33](#).

## Volume Managers Supported on Oracle Solaris Cluster

A volume manager is optionally run on each node of the cluster.

**TABLE 10** Oracle Solaris Cluster 4 Supported Volume Managers

Volume Manager	Platform/Version	Oracle Solaris	Notes
Solaris Volume Manager (SVM)	SPARC and x64	SVM is bundled with Oracle Solaris. Details in <a href="#">“Oracle Solaris Releases” on page 20</a> .	See the Oracle Solaris Cluster Release Notes for patch and other requirements.

Volume Manager	Platform/Version	Oracle Solaris	Notes
Solaris Volume Manager for Solaris Cluster (Multi-Owner Disk Set)	SPARC and x64	SVM for Solaris Cluster is bundled with Oracle Solaris. Details in <a href="#">“Oracle Solaris Releases”</a> on page 20.	Only supported with Oracle RAC clusters.  See the respective Oracle Solaris Cluster Release Notes for patch and other requirements.



## Data Service Support for Oracle Solaris Cluster 4.4

---

This chapter covers data service support for Oracle Solaris Cluster 4.4 in the following sections:

- [Table 11, “Data Services for Oracle Solaris Cluster 4.4 on SPARC,” on page 38](#)
- [Table 12, “Data Services for Oracle Solaris Cluster 4.4 on x64,” on page 40](#)
- [“Oracle Database on Oracle Solaris Cluster 4.4” on page 42](#)
- [“Oracle RAC on Oracle Solaris Cluster 4.4” on page 44](#)
- [“Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4” on page 47](#)

### Application Services on Oracle Solaris Cluster 4.4

An application service is an application along with a data service which makes the application highly available or scalable in Oracle Solaris Cluster.

- **Data Services** – All Oracle Solaris Cluster 4.4 data services are supported in the global zone. Many data services are supported with Zone Cluster.
- All Oracle Solaris Cluster 4.4 data services are supported with IPv4. Support of IPv6 environments is noted in the preceding data services tables.
- Most data services are capable of being used on a cluster node running Oracle Solaris 11.4 in FIPS 140-2 mode, except as noted in the Data Services tables.
- **Zone Clusters** – Oracle Solaris Cluster 4.4 Zone Clusters support both `solaris` and `solaris10` branded zones. The zone cluster notation in the Data Services tables indicates the `solaris` brand. The `solaris10` branded zones are supported with Oracle Solaris Cluster 3.3 3/13 data services, and some Oracle Solaris Cluster 3.3 5/11 data services, as indicated in the following tables:
  - [Table 22, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4 on SPARC,” on page 47](#)

- [Table 23, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4 on x64,” on page 49](#)

**TABLE 11** Data Services for Oracle Solaris Cluster 4.4 on SPARC

Application	Application Version	Comments for Oracle Solaris Cluster 4.4 on SPARC
Apache Tomcat	8.5	<ul style="list-style-type: none"> <li>■ Multiple master, scalable</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> </ul>
Apache Web Server	2.4	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Supports both HTTPS and HTTP</li> <li>■ Resource Type: SUNW.apache</li> </ul>
Generic Data Service (GDS) (SUNW.gds)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Resource type: SUNW.gds</li> </ul>
Generic Data Service version 2 (GDSv2) (ORCL.gds and ORCL.gds_proxy)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable, proxy</li> <li>■ Global zone, zone cluster</li> <li>■ Resource type: ORCL.gds_proxy and ORCL.gds_proxy</li> </ul>
MySQL: <ul style="list-style-type: none"> <li>■ MySQL Community Edition</li> <li>■ MySQL Standard Edition</li> <li>■ MySQL Enterprise Edition</li> </ul>	5.5 5.6 5.7	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Data service supports MySQL replication in Oracle Solaris Disaster Recovery Framework. See <a href="#">Oracle Solaris Cluster Geographic Edition Data Replication Guide for MySQL</a></li> <li>■ Resource type: ORCL.mysql</li> </ul>
NFS	V3 V4 V4.1	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> <li>■ Resource type: SUNW.nfs</li> </ul>
Oracle Database (HA-Oracle)	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.2</li> </ul> 12c Release 2: <ul style="list-style-type: none"> <li>■ 12.2.0.1</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 16, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC,” on page 44</a></li> <li>■ 12.1.0.2: Details in <a href="#">Table 15, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.4 on SPARC,” on page 43</a></li> <li>■ 12.2.0.1: Details in <a href="#">Table 14, “HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC,” on page 43</a></li> <li>■ 18c: Requires at least Oracle Solaris Cluster 4.4 SRU 4. See details in <a href="#">Table 13, “HA-Oracle 18c Matrix for Oracle Solaris Cluster 4.4 on SPARC,” on page 43.</a></li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.4 on SPARC
	18c: <ul style="list-style-type: none"> <li>Starting with update 18.3</li> </ul>	
Oracle E-Business Suite	12.2.8	<ul style="list-style-type: none"> <li>Failover, Multi-master</li> <li>Global zone, zone cluster</li> <li>Requires Oracle E-Business Suite AD/TKX Delta level as detailed within the appropriate Oracle E-Business Suite Release 12.2.x Readme</li> </ul>
Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>Failover, multiple master</li> <li>Global zone, zone cluster</li> <li>Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, 12cR2, and 18c Oracle databases (single instance or RAC) running on Solaris (SPARC or x64)</li> <li>Interrogates remote 11gR2, 12cR1, 12cR2, and 18c Oracle databases (single instance or RAC) running on Oracle Linux on the following platforms: Oracle servers, Oracle Exadata, Oracle Database Appliance</li> <li>Can be used to monitor 12c and 18c RAC Pluggable Databases</li> <li>18c: Requires at least Oracle Solaris Cluster 4.4 SRU 4.</li> <li>Resource type: <code>ORCL.oracle_external_proxy</code></li> </ul>
Oracle Real Application Clusters (RAC) Enterprise Edition	11g Release 2: <ul style="list-style-type: none"> <li>11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>12.1.0.2</li> </ul> 12c Release 2: <ul style="list-style-type: none"> <li>12.2.0.1</li> </ul> 18c: <ul style="list-style-type: none"> <li>Starting with update 18.3</li> </ul>	<ul style="list-style-type: none"> <li>Global zone, zone cluster</li> <li>Supports administrator and policy managed databases</li> <li>18c: Requires at least Oracle Solaris Cluster 4.4 SRU 4.</li> <li>Resource types: <code>SUNW.oracle_server</code>, <code>SUNW.oracle_listener</code>, <code>SUNW.crs_framework</code>, <code>SUNW.rac_framework</code>, <code>SUNW.scalable_asm_instance_proxy</code>, <code>SUNW.scalable_asm_diskgroup_proxy</code>, <code>SUNW.scalable_rac_server_proxy</code></li> </ul>
Oracle Solaris Zones	Brand types: <p><code>solaris</code>, <code>solaris10</code>, and <code>solaris-kz</code></p>	<ul style="list-style-type: none"> <li>Failover, multiple master</li> <li>Global zone</li> <li><code>solaris-kz</code> branded zones: Warm and live migration supported</li> <li><code>solaris-kz</code> branded zones on NFS URI supported from ZFSSA</li> <li>Resource types: <p><code>ORCL.ha-zone_sczbt</code>, <code>ORCL.ha-zone_sczsh</code>, <code>ORCL.ha-zone_scsmf</code></p> </li> </ul>
Oracle VM Server for SPARC	See <a href="#">“Support for Oracle VM Server for SPARC” on page 25</a>	<ul style="list-style-type: none"> <li>Supported on SPARC only</li> <li>Global zone</li> <li>Resource type: <code>SUNW.ldom</code></li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.4 on SPARC
Oracle WebLogic Server	12.2.1	<ul style="list-style-type: none"> <li>■ Failover, multiple master, multi-instance</li> <li>■ Global zone, zone cluster</li> </ul>
SAP NetWeaver	<p>Versions that run on SAP kernels:</p> <ul style="list-style-type: none"> <li>■ 720_EXT, minimum patch level 300</li> <li>■ 721_EXT, minimum patch level 130</li> <li>■ 722, minimum patch level 25</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> <li>■ 745, minimum patch level 15</li> <li>■ 749, minimum patch level 115</li> <li>■ 753, minimum patch level 90</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ SAP certified. For information, see:                             <ul style="list-style-type: none"> <li>■ <a href="https://wiki.scn.sap.com/wiki/display/SI/Certified+HA-Interface+Partners">https://wiki.scn.sap.com/wiki/display/SI/Certified+HA-Interface+Partners</a>– Search for "Solaris Cluster" as the Solution Name.</li> <li>■ SAP Note 1740958 – Central Note: SAP on Solaris Cluster 4.x and Solaris 11</li> </ul> </li> <li>■ Supports all SAP versions based on the listed kernels, e.g., SAP NetWeaver 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3. 7.1, 7.1 EHP1, 7.3, 7.3 EHP1, 7.4, and all products based on those examples</li> <li>■ SAP Customer Relationship Management 6.0 (CRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Enterprise Resource Planning 6.0, 6.0 EHP1, 6.0 HEP2, 6.0 EHP3, 6.0 EHP4, 6.0 EHP5, 6.0 EHP6, 6.0 EHP7</li> <li>■ SAP NetWeaver Composition Environment 7.1, 7.1 EHP1, 7.2</li> <li>■ SAP NetWeaver J2EE (Advanced) Adapter Engine 7.0, 7.0 EPH1, 7.0 EPH2, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Mobile Infrastructure 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3 EHP1, 7.4</li> <li>■ SAP NetWeaver Partner Connectivity Kit 7.0, 7.0 EPH1, 7.0 EPH2, 7.3</li> <li>■ SAP NetWeaver Process Integration 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Process Orchestration 7.3 EPH1, 7.4</li> <li>■ SAP Solution Manager 7.0 EHP1, 7.1</li> <li>■ SAP Supplier Relationship Management 5.0, 6.0 (SRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Supply Chain Management 5.1 (SCM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> </ul>

**TABLE 12** Data Services for Oracle Solaris Cluster 4.4 on x64

Application	Application Version	Comments for Oracle Solaris Cluster 4.4 on x64
Apache Tomcat	8.5	<ul style="list-style-type: none"> <li>■ Multiple master, scalable</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> </ul>
Apache Web Server	2.4	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Supports both HTTPS and HTTP</li> <li>■ Resource type: SUNW.gds</li> </ul>



Application	Application Version	Comments for Oracle Solaris Cluster 4.4 on x64
Generic Data Service (GDS) (SUNW.gds)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
Generic Data Service version 2 (GDSv2) (ORCL.gds and ORCL.gds_proxy)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable, proxy</li> <li>■ Global zone, zone cluster</li> <li>■ Resource type: ORCL.gds_proxy and ORCL.gds_proxy</li> </ul>
MySQL: <ul style="list-style-type: none"> <li>■ MySQL Community Edition</li> <li>■ MySQL Standard Edition</li> <li>■ MySQL Enterprise Edition</li> </ul>	5.5 5.6 5.7	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ For multiple master, scalable: Global zone, zone cluster</li> <li>■ Data service supports MySQL replication in Oracle Solaris Disaster Recovery Framework. See <a href="#">Oracle Solaris Cluster Geographic Edition Data Replication Guide for MySQL</a></li> <li>■ Resource type: ORCL.mysql</li> </ul>
NFS	V3 V4 V4.1	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> <li>■ Resource type: SUNW.nfs</li> </ul>
Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC) running on Solaris (SPARC or x64)</li> <li>■ Interrogates remote 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC) running on Oracle Linux on the following platforms: Oracle servers, Oracle Exadata, Oracle Database Appliance</li> <li>■ Can be used to monitor 12c RAC Pluggable Databases</li> </ul>
Oracle Solaris Zones	Brand types: solaris, solaris10 and solaris-kz	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone</li> <li>■ solaris-kz branded zones: Warm and live migration supported</li> <li>■ solaris-kz branded zones on NFS URI supported from ZFSSA</li> <li>■ Resource types: ORCL.ha-zone_sczbt, ORCL.ha-zone_sczsh, ORCL.ha-zone_scsmf</li> </ul>
Oracle WebLogic Server	12.2.1	<ul style="list-style-type: none"> <li>■ Failover, multiple master, multi-instance</li> <li>■ Global zone, zone cluster</li> </ul>
SAP NetWeaver	Versions that run on SAP kernels: <ul style="list-style-type: none"> <li>■ 720_EXT, minimum</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ See SAP NetWeaver entry in <a href="#">Table 11, “Data Services for Oracle Solaris Cluster 4.4 on SPARC,”</a> on page 38</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.4 on x64
	patch level 300 ■ 721_EXT, minimum patch level 130 ■ 722, minimum patch level 25 ■ 740, minimum patch level 36 ■ 741, minimum patch level 11 ■ 742, minimum patch level 28 ■ 745, minimum patch level 15 ■ 749, minimum patch level 115 ■ 753, minimum patch level 90	

## Oracle Database on Oracle Solaris Cluster 4.4

The following tables contain supplemental HA-Oracle information for [Table 11, “Data Services for Oracle Solaris Cluster 4.4 on SPARC,”](#) on page 38 and [Table 12, “Data Services for Oracle Solaris Cluster 4.4 on x64,”](#) on page 40:

- [Table 13, “HA-Oracle 18c Matrix for Oracle Solaris Cluster 4.4 on SPARC,”](#) on page 43
- [Table 14, “HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC,”](#) on page 43
- [Table 15, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.4 on SPARC,”](#) on page 43
- [Table 16, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC,”](#) on page 44

**TABLE 13** HA-Oracle 18c Matrix for Oracle Solaris Cluster 4.4 on SPARC

HA-Oracle 18c on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
HSM					
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS					
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y		Y
HW RAID	N/A	N/A	Y	Y	Y

**TABLE 14** HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC

HA-Oracle 12c Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
HSM					
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS					
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y		Y
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support

**TABLE 15** HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.4 on SPARC

HA-Oracle 12c Release 1 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
HSM					
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y

HA-Oracle 12c Release 1 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS					
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y		Y
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support

**TABLE 16** HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC

HA-Oracle 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
HSM					
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y
ZFS Storage Appliance (NFS)	N/A	N/A	Y	Y	Y
ACFS					
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y		Y
HW RAID	N/A	N/A	Y	Y	Y

## Oracle RAC on Oracle Solaris Cluster 4.4

Oracle Real Application Clusters (RAC) Enterprise Edition is supported with Oracle Solaris Cluster. Refer to the following tables for Oracle RAC support details. These tables contain supplemental information to [Table 11, “Data Services for Oracle Solaris Cluster 4.4 on SPARC,” on page 38](#) and [Table 12, “Data Services for Oracle Solaris Cluster 4.4 on x64,” on page 40](#):

- [Table 17, “Oracle RAC 18c Matrix for Oracle Solaris Cluster 4.4 on SPARC,” on page 45](#)
- [Table 18, “Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC,” on page 45](#)

- [Table 19, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.4 on SPARC,” on page 45](#)
- [Table 20, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC,” on page 46](#)
- [Table 21, “Oracle RAC Reliable Datagram Sockets \(RDS\) v3 Matrix for Oracle Solaris Cluster 4.4 on SPARC,” on page 46](#)

**TABLE 17** Oracle RAC 18c Matrix for Oracle Solaris Cluster 4.4 on SPARC

Oracle RAC 18c on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
HSM					
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS					
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager		N/A			
HW RAID	N/A	N/A	Y	Y	Y

**TABLE 18** Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC

Oracle RAC 12c Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
HSM					
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS					
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager		N/A			
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support

**TABLE 19** Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.4 on SPARC

Oracle RAC 12c Release 1 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster <sup>b</sup>	Oracle VM Server for SPARC
HSM					
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y

Oracle RAC 12c Release 1 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster <sup>b</sup>	Oracle VM Server for SPARC
ACFS					
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager		N/A			
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle RAC 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646

**TABLE 20** Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.4 on SPARC

Oracle RAC 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
HSM					
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS <sup>b</sup>					
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y		Y
Solaris Volume Manager	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle RAC 11.2.0.4 required for ACFS support

**TABLE 21** Oracle RAC Reliable Datagram Sockets (RDS) v3 Matrix for Oracle Solaris Cluster 4.4 on SPARC

Oracle RAC Version(s)	Global Zone	Zone Cluster	Oracle VM Server for SPARC
12.1.0.1, 12.1.0.2, 12.2.0.1	Y	Y	Y
11.2.0.3, 11.2.0.4	Y	Y	Y

## Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4

Refer to the following tables for support details about data services in solaris10 branded zone clusters.

- [Table 22, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4 on SPARC,” on page 47](#)
- [Table 23, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4 on x64,” on page 49](#)

**TABLE 22** Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4 on SPARC

Data Service	Application Version	Comments
Generic Data Service (GDS) based services	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ A GDS-based data service can run in a solaris10 branded Zone Cluster provided that the application is also configured to run in a solaris10 branded zone</li> </ul>
HA for Apache	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Proxy Server	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Tomcat	3.3 4.0, 4.1 5.0, 5.5, 5.5.x 6.0 7.0.x 8.5.x	Failover, multiple master, scalable
HA for Domain Name Service (DNS)	Version shipped with Oracle Solaris	Failover
HA for Informix	V9.4 10	Failover

Data Service	Application Version	Comments
	11, 11.5	
HA for MySQL	3.23.54a - 4.0.23 4.1.6 - 4.1.22 5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6	Failover, multiple master, scalable
HA for Oracle	10g Release 2: ■ 10.2.0.5 11g Release 1: ■ 11.1.0.7 11g Release 2: ■ 11.2.0.4	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patch</li> <li>■ Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.4</li> </ul> </li> </ul>
HA for Oracle Application Server	10.1.2, 10.1.3.1	Failover
HA for Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Proxies a remote Oracle DB/RAC to reflect the DB state/status as a RGM resource state/status</li> <li>■ Remote Oracle DB/RAC must be on Oracle Solaris (SPARC or x86)</li> <li>■ &gt;Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC)</li> </ul>
HA for Oracle Web Tier	11.1.1.x	Failover
HA for Oracle WebLogic Server	10.3, 10.3.3, 10.3.4, 10.3.5, 10.3.6	<ul style="list-style-type: none"> <li>■ Failover, multiple master (clustered WLS)</li> <li>■ Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> </ul>
HA for Samba	2.2.2 - 3.5.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ "Clustered" Samba is not supported</li> </ul>
HA for Sun GlassFish Message Queue, formerly HA for Sun Java System Message Queue and HA for Sun One Message Queue	4.4, 4.4.u1	Failover
HA for Sun Java System Application Server	All versions until JES 5 U1, 9.1, 9.1 UR2, GlassFish V2 UR2	Failover
HA for Sun Java System Web Proxy Server	Up to and including 4.0	Failover



Data Service	Application Version	Comments
HA for Sun Java System Web Server	All versions up to and including JES 5 U1 are supported. All releases up to and including 7.0, 7.0 U1, 7.0 U2 and all future updates of 7.0 release.	Failover, scalable
HA for WebSphere Message Broker	6.0 7.0	Failover
HA for WebSphere MQ	6.0 7.0	Failover
Oracle Real Application Clusters (RAC) Enterprise Edition	10g Release 2: <ul style="list-style-type: none"> <li>■ 10.2.0.5</li> </ul> 11g Release 1: <ul style="list-style-type: none"> <li>■ 11.1.0.7</li> </ul> 11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul>	<ul style="list-style-type: none"> <li>■ 10.2.0.5: <ul style="list-style-type: none"> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11, or Oracle Solaris Cluster 3.3 3/13, with at least patches 145333-23 and 145335-17</li> <li>■ At least Oracle Solaris 10 1/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.4</li> </ul> </li> </ul> </li> <li>■ 11.2.0.3, 11.2.0.4: <ul style="list-style-type: none"> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11, or Oracle Solaris Cluster 3.3 3/13, with at least patches 145333-23 and 145335-17</li> <li>■ At least Oracle Solaris 10 1/13</li> <li>■ No UDLM</li> <li>■ No SVM</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.4</li> </ul> </li> </ul> </li> </ul>

**TABLE 23** Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.4 on x64

Data Service	Application Version	Comments
Generic Data Service (GDS) based services	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ A GDS-based data service can run in a solaris10 branded Zone Cluster provided that the application is also configured to run in a solaris10 branded zone</li> </ul>
HA for Apache	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul>

Data Service	Application Version	Comments
		<b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.
HA for Apache Proxy Server	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.
HA for Apache Tomcat	3.3 4.0, 4.1 5.0, 5.5, 5.5.x 6.0 7.0.x 8.5.x	Failover, multiple master, scalable
HA for Domain Name Service (DNS)	Version shipped with Oracle Solaris	Failover
HA for Informix	V9.4 10 11, 11.5	Failover
HA for MySQL	3.23.54a - 4.0.23 4.1.6 - 4.1.22 5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6	Failover, multiple master, scalable
HA for MySQL Cluster	7.0.x (for x >= 7) 7.1.x (for x >= 0) 7.2.x (for x >= 0)	Failover
HA for Oracle Application Server	10.1.2, 10.1.3.1	Failover
HA for Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Proxies a remote Oracle DB/RAC to reflect the DB state/status as a RGM resource state/status</li> <li>■ Remote Oracle DB/RAC must be on Oracle Solaris (SPARC or x86)</li> <li>■ &gt;Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC)</li> </ul>
HA for Oracle Web Tier	11.1.1.x	Failover

Data Service	Application Version	Comments
HA for Oracle WebLogic Server	10.3, 10.3.3, 10.3.4, 10.3.5, 10.3.6	<ul style="list-style-type: none"> <li>■ Failover, multiple master (clustered WLS)</li> <li>■ Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> </ul>
HA for PostgreSQL	7.3.x  8.0.x, 8.1.x, 8.2.x, 8.3.x, 8.4.x  9.0.x, 9.1.x, 9.2.x, 9.3.x, 9.4.x, 9.5.x, 9.6.x	Failover
HA for Samba	2.2.2 - 3.5.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ "Clustered" Samba is not supported</li> </ul>
HA for SAP liveCache	7.6, 7.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.01.09</li> <li>■ 7.7 needs at least 7.7.07.14 (with SCM 7.0)</li> <li>■ 7.7.04.38 and later supported with SCM 5.1</li> </ul> <p><b>Note</b> - SAP note 1461682 specifies corrective steps to make at install time.</p>
HA for SAP MaxDB	7.6, 7.7, 7.8	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.01.09</li> <li>■ 7.8 support requires at least patch 147092-05</li> </ul>
HA for SAP NetWeaver	Versions that run on SAP kernels: <ul style="list-style-type: none"> <li>■ 720 or 720_EXT, minimum patch level 300</li> <li>■ 721 or 721_EXT, minimum patch level 130</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> <li>■ 749, minimum patch level 115</li> <li>■ 753, minimum patch level 90</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ See SAP NetWeaver entry in <a href="#">Table 40, "Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on SPARC,"</a> on page 70</li> </ul>
HA for Sun GlassFish Message Queue, formerly HA for Sun Java System Message Queue and	4.4, 4.4.u1	Failover

Data Service	Application Version	Comments
HA for Sun One Message Queue		
HA for Sun Java System Application Server	All versions until JES 5 U1, 9.1, 9.1 UR2, GlassFish V2 UR2	Failover
HA for Sun Java System Web Proxy Server	Up to and including 4.0	Failover
HA for Sun Java System Web Server	All versions up to and including JES 5 U1 are supported. All releases up to and including 7.0, 7.0 U1, 7.0 U2 and all future updates of 7.0 release.	Failover, scalable
HA for Sybase Adaptive Server Enterprise (ASE)	15.0, 15.0.1, 15.0.2, 15.0.3	Failover
HA for TimesTen	11.2.1.x (for x >= 4) 11.2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Supported configurations: <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable / multi master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: active-standby</li> </ul>
HA for WebSphere Message Broker	6.0 7.0	Failover
HA for WebSphere MQ	6.0 7.0	Failover

## Data Service Support for Oracle Solaris Cluster 4.3

---

This chapter covers data service support for Oracle Solaris Cluster 4.3 in the following sections:

- [Table 24, “Data Services for Oracle Solaris Cluster 4.3 on SPARC,” on page 54](#)
- [Table 25, “Data Services for Oracle Solaris Cluster 4.3 on x64,” on page 59](#)
- [“Oracle Database on Oracle Solaris Cluster 4.3” on page 63](#)
- [“Oracle RAC on Oracle Solaris Cluster 4.3” on page 66](#)
- [“Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3” on page 70](#)

### Application Services on Oracle Solaris Cluster 4.3

An application service is an application along with a data service which makes the application highly available or scalable in Oracle Solaris Cluster.

- **Data Services** – All Oracle Solaris Cluster 4.3 data services are supported in the global zone. Many data services are supported with the Oracle Solaris HA-container data service failover zone and Zone Cluster.
- All Oracle Solaris Cluster 4.3 data services are supported with IPv4. Support of IPv6 environments is noted in the preceding data services tables.
- Most data services are capable of being used on a cluster node running Oracle Solaris 11.3 in FIPS 140-2 mode, except as noted in the Data Services tables.
- **Zone Clusters** – Oracle Solaris Cluster 4.3 Zone Clusters support both `solaris` and `solaris10` branded zones. The zone cluster notation in the Data Services tables indicates the `solaris` brand. The `solaris10` branded zones are supported with Oracle Solaris Cluster 3.3 3/13 data services, and some Oracle Solaris Cluster 3.3 5/11 data services, as indicated in the following tables:
  - [Table 40, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on SPARC,” on page 70](#)

- [Table 41, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on x64,” on page 74](#)

**TABLE 24** Data Services for Oracle Solaris Cluster 4.3 on SPARC

Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on SPARC
Apache Tomcat	6.0: starting with 6.0.28  7.0: starting with 7.0.06  8.5.x	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> </ul>
Apache Web Server	2.2.x  2.4.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Supports both HTTPS and HTTP</li> <li>■ 2.2.x shipped with Oracle Solaris 11.2 or Oracle Solaris 11.3, and the same versions from the Apache web site</li> <li>■ 2.4.x versions from the Apache web site</li> </ul>
Domain Name Service (DNS)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Dynamic Host Configuration Protocol (DHCP)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Generic Data Service (GDS) (SUNW.gds)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
Generic Data Service version 2 (GDSv2) (ORCL.gds and ORCL.gds_proxy)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable, proxy</li> <li>■ Global zone, zone cluster</li> </ul>
IBM WebSphere MQ	7.5, 8.0	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
MySQL: <ul style="list-style-type: none"> <li>■ MySQL Community Edition</li> <li>■ MySQL Standard Edition</li> <li>■ MySQL Enterprise Edition</li> </ul>	3.23.54a - 4.0.23  4.1.6 - 4.1.22  5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6, 5.7	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: Global zone, zone cluster</li> <li>■ Data service supports MySQL replication in Oracle Solaris Cluster Geographic Edition. See <a href="#">“MySQL for Data Replication” on page 133</a>.</li> </ul>
MySQL Cluster and MySQL Cluster CGE	7.0: starting with 7.0.7  7.1: starting with 7.1.0	<ul style="list-style-type: none"> <li>■ Multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on SPARC
	7.2: starting with 7.2.0  7.5: starting with 7.5.0., running on Oracle Solaris 11 with the Solaris Studio 12.5 libraries  MySQL Cluster 7.5.x requires at least Oracle Solaris Cluster 4.3	
NFS	V3  V4	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Oracle Business Intelligence Enterprise Edition	10.1.3: starting with 10.1.3.0  11.1.1.7	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ This data service must not be used if Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>
Oracle Communications ASAP	7.2  7.3	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ 7.3 requires at least Oracle Solaris Cluster 4.3 SRU 1</li> </ul>
Oracle Database (HA-Oracle)	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul> 12c Release 2: <ul style="list-style-type: none"> <li>■ 12.2.0.1</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 30, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”</a> on page 66</li> <li>■ 12.1.0.1, 12.1.0.2: Details in <a href="#">Table 28, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”</a> on page 65</li> <li>■ 12.2.0.1: Details in <a href="#">Table 26, “HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”</a> on page 64</li> </ul>
Oracle E-Business Suite	12.1.3  12.2.4, 12.2.5, 12.2.6, 12.2.7, 12.2.8	<ul style="list-style-type: none"> <li>■ Failover, Multi-master</li> <li>■ Global zone, zone cluster</li> <li>■ Starting with Oracle Solaris Cluster 4.3 SRU2, this data service may be used when Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> <li>■ 12.2.4, 12.2.5, 12.2.6, 12.2.7: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 4.3 SRU 3 and later SRUs</li> <li>■ Requires Oracle E-Business Suite AD/TKX Delta level as detailed within the appropriate Oracle E-Business Suite Release 12.2.x Readme</li> </ul> </li> </ul>
Oracle Essbase	11.1.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on SPARC
Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC) running on Solaris (SPARC or x64)</li> <li>■ Interrogates remote 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC) running on Oracle Linux on the following platforms: Oracle servers, Oracle Exadata, Oracle Database Appliance</li> <li>■ Can be used to monitor 12c RAC Pluggable Databases</li> </ul>
Oracle GlassFish Server Message Queue	4.5.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ This data service must not be used if Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>
Oracle GoldenGate	11.2.1, 12.1.2.x, 12.2.0.x	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle iPlanet Web Server	7.0.15	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ This data service must not be used if Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>
Oracle JD Edwards EnterpriseOne Enterprise Server	9.1.2, 9.1.3, 9.1.4, 9.1.5.5	<ul style="list-style-type: none"> <li>■ Failover, multiple instance, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ Version 9.1.5.5 requires Oracle Solaris 11.2</li> </ul>
Oracle Real Application Clusters (RAC) Enterprise Edition	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul> 12c Release 2: <ul style="list-style-type: none"> <li>■ 12.2.0.1</li> </ul>	<ul style="list-style-type: none"> <li>■ Global zone, zone cluster</li> <li>■ Supports administrator and policy managed databases</li> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 36, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”</a> on page 69</li> <li>■ 12.1.0.1, 12.1.0.2: Details in <a href="#">Table 34, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”</a> on page 68</li> <li>■ 12.2.0.1: Details in <a href="#">Table 32, “Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 SRU 7 and Higher on SPARC,”</a> on page 67</li> </ul>
Oracle Siebel	8.1.1.11, 8.1.1.14  8.2.2.2  Innovation Pack 2015	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ This data service must not be used if Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> <li>■ Oracle Siebel 8.1.1.x support with Oracle Solaris 11.3 (and SRUs) only</li> <li>■ Oracle Siebel 8.1.1.x support with Oracle Solaris Cluster 4.3 SRU 3 (and later SRUs), or Oracle Solaris Cluster 4.3 releases prior to SRU 3 with a workaround – see instructions in MOS, Bug ID 22698512</li> </ul>



Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on SPARC
		<ul style="list-style-type: none"> <li>■ Oracle Siebel Innovation Pack 2015 support with Oracle Solaris Cluster 4.3 SRU 3 (and later SRUs)</li> </ul>
Oracle Solaris Zones	Brand types: solaris, solaris10, and solaris-kz	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone</li> <li>■ solaris-kz branded zones: Warm and live migration supported</li> <li>■ solaris-kz branded zones on NFS URI supported from ZFSSA</li> </ul>
Oracle TimesTen	11g: <ul style="list-style-type: none"> <li>■ 11.2.2.x</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Supported configs: <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable / multiple master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: Active-standby</li> </ul>
Oracle Traffic Director	11.1.1.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported on Engineered Systems only</li> </ul>
Oracle VM Server for SPARC	See <a href="#">“Support for Oracle VM Server for SPARC” on page 25</a>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> <li>■ Version 3.4 and later require at least Oracle Solaris Cluster 4.3 SRU 4</li> </ul>
Oracle Web Tier	11.1.1.4, 11.1.1.5  12.2.1.0.0, 12.2.1.1.0, 12.2.1.2.0 and 12.2.1.3.0	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Versions 12.2.x and greater require at least Oracle Solaris Cluster 4.3 SRU9</li> </ul>
Oracle WebLogic Server	10.3.3, 10.3.4, 10.3.5, 10.3.6  12.1.1.0, 12.1.2.0, 12.1.3.0  12.2.1.2 requires at least Oracle Solaris Cluster 4.3	<ul style="list-style-type: none"> <li>■ Failover, multiple master, multi-instance</li> <li>■ Global zone, zone cluster</li> <li>■ Sockets Direct Protocol (SDP) support: <ul style="list-style-type: none"> <li>■ 10.3.5 and 10.3.6 are supported in Engineered Systems</li> </ul> </li> </ul>
PeopleSoft Application Server	PeopleTools 8.52, 8.53	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
PeopleSoft Process Scheduler	PeopleTools 8.52, 8.53	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
PostgreSQL	9.0.x, 9.1.x, 9.2.x, 9.3.x, 9.4.x, 9.5.x, 9.6.x	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Failover zone, global zone, zone cluster</li> <li>■ Starting with Oracle Solaris Cluster 4.3 SRU 2, this data service may be used when Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on SPARC
Samba	3.6.23 as shipped with Oracle Solaris 11.2  4.4.x	<ul style="list-style-type: none"> <li>■ Samba (smbc, nmbd): Failover</li> <li>■ Winbind: Failover</li> <li>■ Global zone, zone cluster</li> <li>■ For Samba 4, smb.conf requires client max protocol = SMB2</li> <li>■ This data service must not be used if Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>
SAP liveCache	7.7, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP MaxDB	7.8, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP NetWeaver	<p>Versions that run on SAP kernels:</p> <ul style="list-style-type: none"> <li>■ 720_EXT, minimum patch level 300</li> <li>■ 721_EXT, minimum patch level 130</li> <li>■ 722, minimum patch level 25</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> <li>■ 745, minimum patch level 15</li> <li>■ 749, minimum patch level 115</li> <li>■ 753, minimum patch level 90</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ SAP certified. For information, see:                             <ul style="list-style-type: none"> <li>■ <a href="https://www.sap.com/index.html">https://www.sap.com/index.html</a> – Click on Our Partners and then Find an SAP Partner. Expand Partner Information Center (PIC) and click on Partner Information Center. Select the Search for Solutions tab and search for "Solaris Cluster" as the Solution Name. Click on Solaris Cluster 4.</li> <li>■ SAP Note 1740958 – Central Note: SAP on Solaris Cluster 4.x and Solaris 11</li> </ul> </li> <li>■ Supports all SAP versions based on the listed kernels, e.g., SAP NetWeaver 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3. 7.1, 7.1 EHP1, 7.3, 7.3 EHP1, 7.4, and all products based on those examples</li> <li>■ SAP Customer Relationship Management 6.0 (CRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Enterprise Resource Planning 6.0, 6.0 EHP1, 6.0 HEP2, 6.0 EHP3, 6.0 EHP4, 6.0 EHP5, 6.0 EHP6, 6.0 EHP7, 6.0 EHP8</li> <li>■ SAP NetWeaver Composition Environment 7.1, 7.1 EHP1, 7.2</li> <li>■ SAP NetWeaver J2EE (Advanced) Adapter Engine 7.0, 7.0 EPH1, 7.0 EPH2, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Mobile Infrastructure 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3 EHP1, 7.4</li> <li>■ SAP NetWeaver Partner Connectivity Kit 7.0, 7.0 EPH1, 7.0 EPH2, 7.3</li> <li>■ SAP NetWeaver Process Integration 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Process Orchestration 7.3 EPH1, 7.4</li> <li>■ SAP Solution Manager 7.0 EHP1, 7.1</li> <li>■ SAP Supplier Relationship Management 5.0, 6.0 (SRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Supply Chain Management 5.1 (SCM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> </ul>
Sybase Adaptive Server Enterprise (ASE)	15.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported in HA mode only – both asymmetric and symmetric</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on SPARC
		<ul style="list-style-type: none"> <li>■ The Companion Server feature is not supported</li> <li>■ This data service must not be used if Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>

**TABLE 25** Data Services for Oracle Solaris Cluster 4.3 on x64

Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on x64
Apache Tomcat	6.0: starting with 6.0.28  7.0: starting with 7.0.06  8.5.x	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> </ul>
Apache Web Server	2.2.x  2.4.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Supports both HTTPS and HTTP</li> <li>■ 2.2.x shipped with Oracle Solaris 11.2 or Oracle Solaris 11.3, and the same versions from the Apache web site</li> <li>■ 2.4.x versions from the Apache web site</li> </ul>
Domain Name Service (DNS)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Dynamic Host Configuration Protocol (DHCP)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Generic Data Service (GDS) (SUNW.gds)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
Generic Data Service version 2 (GDSv2) (ORCL.gds and ORCL.gds_proxy)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable, proxy</li> <li>■ Global zone, zone cluster</li> </ul>
IBM WebSphere MQ	7.5, 8.0	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
MySQL: <ul style="list-style-type: none"> <li>■ MySQL Community Edition</li> <li>■ MySQL Standard Edition</li> </ul>	3.23.54a - 4.0.23  4.1.6 - 4.1.22  5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6, 5.7	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: Global zone, zone cluster</li> <li>■ Data service supports MySQL replication in Oracle Solaris Cluster Geographic Edition. See <a href="#">“MySQL for Data Replication” on page 133</a>.</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on x64
<ul style="list-style-type: none"> <li>■ MySQL Enterprise Edition</li> </ul>		
MySQL Cluster and MySQL Cluster CGE	7.0: starting with 7.0.7  7.1: starting with 7.1.0  7.2: starting with 7.2.0  7.5: starting with 7.5.0., running on Oracle Solaris 11 with the Solaris Studio 12.5 libraries  MySQL Cluster 7.5.x requires at least Oracle Solaris Cluster 4.3	<ul style="list-style-type: none"> <li>■ Multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
NFS	V3  V4	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Oracle Database (HA-Oracle)	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul> 12c Release 2: <ul style="list-style-type: none"> <li>■ 12.2.0.1</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 30, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”</a> on page 66</li> <li>■ 12.1.0.1, 12.1.0.2: Details in <a href="#">Table 28, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”</a> on page 65</li> <li>■ 12.2.0.1: Details in <a href="#">Table 27, “HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 on x64,”</a> on page 64</li> </ul>
Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC) running on Solaris (SPARC or x64)</li> <li>■ Interrogates remote 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC) running on Oracle Linux on the following platforms: Oracle servers, Oracle Exadata, Oracle Database Appliance</li> <li>■ Can be used to monitor 12c RAC Pluggable Databases</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on x64
Oracle GlassFish Server Message Queue	4.5.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ This data service must not be used if Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>
Oracle GoldenGate	11.2.1, 12.1.2.x, 12.2.0.x	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle iPlanet Web Server	7.0.15	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ This data service must not be used if Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>
Oracle Real Application Clusters (RAC) Enterprise Edition	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul> 12c Release 2: <ul style="list-style-type: none"> <li>■ 12.2.0.1</li> </ul>	<ul style="list-style-type: none"> <li>■ Global zone, zone cluster</li> <li>■ Supports administrator and policy managed databases</li> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 30, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”</a> on page 66</li> <li>■ 12.1.0.1, 12.1.0.2: Details in <a href="#">Table 28, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”</a> on page 65</li> <li>■ 12.2.0.1: Details in <a href="#">Table 33, “Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 SRU 7 and Higher on x64,”</a> on page 67</li> </ul>
Oracle Solaris Zones	Brand types: solaris, solaris10 and solaris-kz	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone</li> <li>■ solaris-kz branded zones: Warm and live migration supported</li> <li>■ solaris-kz branded zones on NFS URI supported from ZFSSA</li> </ul>
Oracle TimesTen	11g: <ul style="list-style-type: none"> <li>■ 11.2.2.x</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Supported configurations:               <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable / multiple master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: Active-standby</li> </ul>
Oracle Traffic Director	11g: <ul style="list-style-type: none"> <li>■ 11.1.1.7</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported on Engineered Systems only</li> </ul>
Oracle Web Tier	11.1.1.4, 11.1.1.5  12.2.1.0.0, 12.2.1.1.0, 12.2.1.2.0 and 12.2.1.3.0	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Versions 12.2.x and greater require at least Oracle Solaris Cluster 4.3 SRU9</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on x64
Oracle WebLogic Server	10.3.3, 10.3.4, 10.3.5, 10.3.6  12.1.1.0, 12.1.2.0, 12.1.3.0  12.2.1.2 requires at least Oracle Solaris Cluster 4.3	<ul style="list-style-type: none"> <li>■ Failover, multiple master, multi-instance</li> <li>■ Global zone, zone cluster</li> <li>■ Sockets Direct Protocol (SDP) support:                             <ul style="list-style-type: none"> <li>■ 10.3.5 and 10.3.6 are supported in Engineered Systems</li> </ul> </li> </ul>
PostgreSQL	9.0.x, 9.1.x, 9.2.x, 9.3.x, 9.4.x, 9.5.x, 9.6.x	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Failover zone, global zone, zone cluster</li> <li>■ Starting with Oracle Solaris Cluster 4.3 SRU 2, this data service may be used when Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>
Samba	3.6.23 as shipped with Oracle Solaris 11.2  4.4.x	<ul style="list-style-type: none"> <li>■ Samba (smbc, nmbd): Failover</li> <li>■ Winbind: Failover</li> <li>■ Global zone, zone cluster</li> <li>■ For Samba 4, smb.conf requires client max protocol = SMB2</li> <li>■ This data service must not be used if Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>
SAP liveCache	7.7, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP MaxDB	7.8, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP NetWeaver	Versions that run on SAP kernels: <ul style="list-style-type: none"> <li>■ 720_EXT, minimum patch level 300</li> <li>■ 721_EXT, minimum patch level 130</li> <li>■ 722, minimum patch level 25</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ See SAP NetWeaver entry in <a href="#">Table 24, “Data Services for Oracle Solaris Cluster 4.3 on SPARC,”</a> on page 54</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.3 on x64
	<ul style="list-style-type: none"> <li>■ 742, minimum patch level 28</li> <li>■ 745, minimum patch level 15</li> <li>■ 749, minimum patch level 115</li> <li>■ 753, minimum patch level 90</li> </ul>	
Sybase Adaptive Server Enterprise (ASE)	15.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported in HA mode only – both asymmetric and symmetric</li> <li>■ The Companion Server feature is not supported</li> <li>■ This data service must not be used if Oracle Solaris is configured to use FIPS 140-2 compliant encryption</li> </ul>

## Oracle Database on Oracle Solaris Cluster 4.3

The following tables contain supplemental HA-Oracle information for [Table 24, “Data Services for Oracle Solaris Cluster 4.3 on SPARC,”](#) on page 54 and [Table 25, “Data Services for Oracle Solaris Cluster 4.3 on x64,”](#) on page 59:

- [Table 26, “HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”](#) on page 64
- [Table 27, “HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 on x64,”](#) on page 64
- [Table 28, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”](#) on page 65
- [Table 29, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on x64,”](#) on page 65
- [Table 30, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”](#) on page 66
- [Table 31, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on x64,”](#) on page 66

**TABLE 26** HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC

HA-Oracle 12c Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
HSM	Y	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS					
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y
HW RAID	N/A	N/A	Y	Y	Y

**Note** - HA-Oracle 12.2.0.1 support starts with Oracle Solaris Cluster 4.3 SRU 7 and Oracle Solaris 11.3.

- a – Includes Direct NFS (dNFS) support

**TABLE 27** HA-Oracle 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 on x64

HA-Oracle 12c Release 2 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
UFS	Y	Y	Y	Y
HSM	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y
PxFS	Y	Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y
ACFS				
Clustered ASM	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y

**Note** - HA-Oracle 12.2.0.1 support starts with Oracle Solaris Cluster 4.3 SRU 7 and Oracle Solaris 11.3.

- a – Includes Direct NFS (dNFS) support



**TABLE 28** HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on SPARC

HA-Oracle 12c Release 1 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
HSM	Y	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS <sup>b</sup>	Y	N/A	Y	Y <sup>c</sup>	Y
Clustered ASM <sup>b</sup>	Y	Y	Y	Y <sup>c</sup>	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – No Oracle 12.1.0.1 Grid Infrastructure with Oracle Solaris 11.3
- c – Oracle Database 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646

**TABLE 29** HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on x64

HA-Oracle 12c Release 1 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
UFS	Y	Y	Y	Y
HSM	Y	Y	Y	Y
ZFS	Y	Y	N/A	Y
PxFS	Y	Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y
ACFS <sup>b</sup>	Y	N/A	Y	Y <sup>c</sup>
Clustered ASM <sup>b</sup>	Y	Y	Y	Y <sup>c</sup>
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – No Oracle 12.1.0.1 Grid Infrastructure with Oracle Solaris 11.3
- c – Oracle Database 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646

**TABLE 30** HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC

HA-Oracle 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Global Zone	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
HSM	Y	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS <sup>b</sup>	Y	N/A	Y	Y	Y
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle 11.2.0.4 required for ACFS support

**TABLE 31** HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on x64

HA-Oracle 11g Release 2 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
UFS	Y	Y	Y	Y
HSM	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y
PxFS	Y	Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y
ACFS <sup>b</sup>	Y	N/A	Y	Y
Clustered ASM	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle 11.2.0.4 required for ACFS support

## Oracle RAC on Oracle Solaris Cluster 4.3

Oracle Real Application Clusters (RAC) Enterprise Edition is supported with Oracle Solaris Cluster. Refer to the following tables for Oracle RAC support details. These tables contain

supplemental information to [Table 24, “Data Services for Oracle Solaris Cluster 4.3 on SPARC,”](#) on page 54 and [Table 25, “Data Services for Oracle Solaris Cluster 4.3 on x64,”](#) on page 59:

- [Table 32, “Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 SRU 7 and Higher on SPARC,”](#) on page 67
- [Table 33, “Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 SRU 7 and Higher on x64,”](#) on page 67
- [Table 34, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”](#) on page 68
- [Table 35, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on x64,”](#) on page 68
- [Table 36, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”](#) on page 69
- [Table 37, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on x64,”](#) on page 69
- [Table 38, “Oracle RAC Reliable Datagram Sockets \(RDS\) v3 Matrix for Oracle Solaris Cluster 4.3 on SPARC,”](#) on page 69
- [Table 39, “Oracle RAC Reliable Datagram Sockets \(RDS\) v3 Matrix for Oracle Solaris Cluster 4.3 on x64,”](#) on page 70

**TABLE 32** Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 SRU 7 and Higher on SPARC

Oracle RAC 12c Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
Shared HSM	Y		Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS					
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager		N/A			
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support

**TABLE 33** Oracle RAC 12c Release 2 Matrix for Oracle Solaris Cluster 4.3 SRU 7 and Higher on x64

Oracle RAC 12c Release 2 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
Shared HSM	Y		Y	Y

Oracle RAC 12c Release 2 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y
ACFS				
Clustered ASM	Y	Y	Y	Y
Solaris Volume Manager		N/A		
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support

**TABLE 34** Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on SPARC

Oracle RAC 12c Release 1 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster <sup>b</sup>	Oracle VM Server for SPARC
Shared HSM	Y		Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS	Y	N/A	Y	Y	Y
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y <sup>d</sup>	N/A	Y <sup>d</sup>	Y <sup>d</sup>	Y <sup>d</sup>
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle RAC 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646
- d – Only supported with Oracle RAC 12.1.0.1 on Oracle Solaris 11.2.
- No support for Oracle Grid Infrastructure and RAC 12.1.0.1 on Oracle Solaris 11.3

**TABLE 35** Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.3 on x64

Oracle RAC 12c Release 1 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster <sup>b</sup>
Shared HSM	Y		Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y
ACFS	Y	N/A	Y	Y
Clustered ASM	Y	Y	Y	Y
Solaris Volume Manager	Y <sup>d</sup>	N/A	Y <sup>d</sup>	Y <sup>d</sup>
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support

- b – Oracle RAC 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646
- d – Only supported with Oracle RAC 12.1.0.1 on Oracle Solaris 11.2 .
- No support for Oracle Grid Infrastructure and RAC 12.1.0.1 on Oracle Solaris 11.3

**TABLE 36** Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on SPARC

Oracle RAC 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
Shared HSM	Y		Y	Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS <sup>b</sup>	Y	N/A	Y	Y	Y
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y
Solaris Volume Manager	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle RAC 11.2.0.4 required for ACFS support

**TABLE 37** Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.3 on x64

Oracle RAC 11g Release 2 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
Shared HSM	Y		Y	Y
ZFS Storage Appliance (NFS) <sup>a</sup>	N/A	N/A	Y	Y
ACFS <sup>b</sup>	Y	N/A	Y	Y
Clustered ASM	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle RAC 11.2.0.4 required for ACFS support

**TABLE 38** Oracle RAC Reliable Datagram Sockets (RDS) v3 Matrix for Oracle Solaris Cluster 4.3 on SPARC

Oracle RAC Version(s)	Global Zone	Zone Cluster	Oracle VM Server for SPARC
12.1.0.1, 12.1.0.2, 12.2.0.1	Y	Y	Y
11.2.0.3, 11.2.0.4	Y	Y	Y

**TABLE 39** Oracle RAC Reliable Datagram Sockets (RDS) v3 Matrix for Oracle Solaris Cluster 4.3 on x64

Oracle RAC Version(s)	Global Zone	Zone Cluster
12.1.0.1, 12.1.0.2, 12.2.0.1	Y	Y
11.2.0.3, 11.2.0.4	Y	Y

## Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3

Refer to the following tables for support details about data services in solaris10 branded zone clusters.

- [Table 40, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on SPARC,” on page 70](#)
- [Table 41, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on x64,” on page 74](#)

**TABLE 40** Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on SPARC

Data Service	Application Version	Comments
Generic Data Service (GDS) based services	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ A GDS-based data service can run in a solaris10 branded Zone Cluster provided that the application is also configured to run in a solaris10 branded zone</li> </ul>
HA for Apache	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Proxy Server	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Tomcat	3.3 4.0, 4.1 5.0, 5.5, 5.5.x 6.0	Failover, multiple master, scalable

Data Service	Application Version	Comments
	7.0.x 8.5.x	
HA for Domain Name Service (DNS)	Version shipped with Oracle Solaris	Failover
HA for Informix	V9.4 10 11, 11.5	Failover
HA for MySQL	3.23.54a - 4.0.23 4.1.6 - 4.1.22 5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6	Failover, multiple master, scalable
HA for MySQL Cluster	7.0.x (for x >= 7) 7.1.x (for x >= 0) 7.2.x (for x >= 0)	Failover
HA for Oracle	10g Release 2: <ul style="list-style-type: none"> <li>■ 10.2.0.5</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patch</li> <li>■ Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.2</li> <li>■ Oracle Solaris 11.3</li> </ul> </li> </ul>
HA for Oracle Application Server	10.1.2, 10.1.3.1	Failover
HA for Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Proxies a remote Oracle DB/RAC to reflect the DB state/status as a RGM resource state/status</li> <li>■ Remote Oracle DB/RAC must be on Oracle Solaris (SPARC or x86)</li> <li>■ &gt;Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC)</li> </ul>
HA for Oracle Web Tier	11.1.1.x	Failover
HA for Oracle WebLogic Server	10.3, 10.3.3, 10.3.4, 10.3.5, 10.3.6	<ul style="list-style-type: none"> <li>■ Failover, multiple master (clustered WLS)</li> <li>■ Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> </ul>
HA for PostgreSQL	7.3.x 8.0.x, 8.1.x, 8.2.x, 8.3.x, 8.4.x	Failover

Data Service	Application Version	Comments
	9.0.x, 9.1.x, 9.2.x, 9.3.x, 9.4.x, 9.5.x, 9.6.x	
HA for Samba	2.2.2 - 3.5.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ "Clustered" Samba is not supported</li> </ul>
HA for SAP liveCache	7.6, 7.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.01.09</li> <li>■ 7.7 needs at least 7.7.07.14 (with SCM 7.0)</li> <li>■ 7.7.04.38 and later supported with SCM 5.1</li> </ul> <p><b>Note</b> - SAP note 1461682 specifies corrective steps to make at install time.</p>
HA for SAP MaxDB	7.6, 7.7, 7.8	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.01.09</li> <li>■ 7.8 support requires at least patch 147092-05</li> </ul>
HA for SAP NetWeaver	<p>Versions that run on SAP kernels:</p> <ul style="list-style-type: none"> <li>■ 720 or 720_EXT, minimum patch level 300</li> <li>■ 721 or 721_EXT, minimum patch level 130</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> <li>■ 749, minimum patch level 115</li> <li>■ 753, minimum patch level 90</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ See SAP NetWeaver entry in <a href="#">Table 40, "Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on SPARC,"</a> on page 70</li> </ul>
HA for Sun GlassFish Message Queue, formerly HA for Sun Java System Message Queue and HA for Sun One Message Queue	4.4, 4.4.u1	Failover
HA for Sun Java System Application Server	All versions until JES 5 U1, 9.1, 9.1 UR2, GlassFish V2 UR2	Failover



Data Service	Application Version	Comments
HA for Sun Java System Web Proxy Server	Up to and including 4.0	Failover
HA for Sun Java System Web Server	All versions up to and including JES 5 U1 are supported. All releases up to and including 7.0, 7.0 U1, 7.0 U2 and all future updates of 7.0 release.	Failover, scalable
HA for Sybase Adaptive Server Enterprise (ASE)	15.0, 15.0.1, 15.0.2, 15.0.3	Failover
HA for TimesTen	11.2.1.x (for x >= 4) 11.2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Supported configurations: <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable / multi master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: active-standby</li> </ul>
HA for WebSphere Message Broker	6.0 7.0	Failover
HA for WebSphere MQ	6.0 7.0	Failover
Oracle Real Application Clusters (RAC) Enterprise Edition	10g Release 2: <ul style="list-style-type: none"> <li>■ 10.2.0.5</li> </ul> 11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul>	<ul style="list-style-type: none"> <li>■ 10.2.0.5: <ul style="list-style-type: none"> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patches</li> <li>■ Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1</li> </ul> </li> </ul> </li> <li>■ 11.2.0.3, 11.2.0.4: <ul style="list-style-type: none"> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ No UDLM</li> <li>■ No SVM</li> <li>■ Oracle Solaris Cluster 3.3 5/11 + patches</li> <li>■ Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.2 starting with SRU 1</li> <li>■ Oracle Solaris 11.3</li> </ul> </li> </ul> </li> </ul>

**TABLE 41** Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on x64

Data Service	Application Version	Comments
Generic Data Service (GDS) based services	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ A GDS-based data service can run in a solaris10 branded Zone Cluster provided that the application is also configured to run in a solaris10 branded zone</li> </ul>
HA for Apache	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Proxy Server	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Tomcat	3.3 4.0, 4.1 5.0, 5.5, 5.5.x 6.0 7.0.x 8.5.x	Failover, multiple master, scalable
HA for Domain Name Service (DNS)	Version shipped with Oracle Solaris	Failover
HA for Informix	V9.4 10 11, 11.5	Failover
HA for MySQL	3.23.54a - 4.0.23 4.1.6 - 4.1.22 5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6	Failover, multiple master, scalable
HA for MySQL Cluster	7.0.x (for x >= 7) 7.1.x (for x >= 0) 7.2.x (for x >= 0)	Failover
HA for Oracle	10g Release 2: <ul style="list-style-type: none"> <li>■ 10.2.0.4, 10.2.0.5</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Zone Cluster requirements:</li> </ul>

Data Service	Application Version	Comments
		<ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patch</li> <li>■ Oracle Solaris Cluster 3.3 3/13</li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.2</li> <li>■ Oracle Solaris 11.3</li> </ul> </li> </ul>
HA for Oracle Application Server	10.1.2, 10.1.3.1	Failover
HA for Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Proxies a remote Oracle DB/RAC to reflect the DB state/status as a RGM resource state/status</li> <li>■ Remote Oracle DB/RAC must be on Oracle Solaris (SPARC or x86)</li> <li>■ &gt;Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC)</li> </ul>
HA for Oracle Web Tier	11.1.1.x	Failover
HA for Oracle WebLogic Server	10.3, 10.3.3, 10.3.4, 10.3.5, 10.3.6	<ul style="list-style-type: none"> <li>■ Failover, multiple master (clustered WLS)</li> <li>■ Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> </ul>
HA for PostgreSQL	7.3.x  8.0.x, 8.1.x, 8.2.x, 8.3.x, 8.4.x  9.0.x, 9.1.x, 9.2.x, 9.3.x, 9.4.x, 9.5.x, 9.6.x	Failover
HA for Samba	2.2.2 - 3.5.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ "Clustered" Samba is not supported</li> </ul>
HA for SAP liveCache	7.6, 7.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.01.09</li> <li>■ 7.7 needs at least 7.7.07.14 (with SCM 7.0)</li> <li>■ 7.7.04.38 and later supported with SCM 5.1</li> </ul> <p><b>Note</b> - SAP note 1461682 specifies corrective steps to make at install time.</p>
HA for SAP MaxDB	7.6, 7.7, 7.8	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.01.09</li> <li>■ 7.8 support requires at least patch 147092-05</li> </ul>
HA for SAP NetWeaver	<p>Versions that run on SAP kernels:</p> <ul style="list-style-type: none"> <li>■ 720 or 720_EXT, minimum patch level 300</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ See SAP NetWeaver entry in <a href="#">Table 40, "Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on SPARC,"</a> on page 70</li> </ul>

Data Service	Application Version	Comments
	<ul style="list-style-type: none"> <li>■ 721 or 721_EXT, minimum patch level 130</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> <li>■ 749, minimum patch level 115</li> <li>■ 753, minimum patch level 90</li> </ul>	
HA for Sun GlassFish Message Queue, formerly HA for Sun Java System Message Queue and HA for Sun One Message Queue	4.4, 4.4.u1	Failover
HA for Sun Java System Application Server	All versions until JES 5 U1, 9.1, 9.1 UR2, GlassFish V2 UR2	Failover
HA for Sun Java System Web Proxy Server	Up to and including 4.0	Failover
HA for Sun Java System Web Server	All versions up to and including JES 5 U1 are supported. All releases up to and including 7.0, 7.0 U1, 7.0 U2 and all future updates of 7.0 release.	Failover, scalable
HA for Sybase Adaptive Server Enterprise (ASE)	15.0, 15.0.1, 15.0.2, 15.0.3	Failover
HA for TimesTen	11.2.1.x (for x >= 4) 11.2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Supported configurations:                             <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable / multi master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: active-standby</li> </ul>
HA for WebSphere Message Broker	6.0 7.0	Failover

Data Service	Application Version	Comments
HA for WebSphere MQ	6.0 7.0	Failover
Oracle Real Application Clusters (RAC) Enterprise Edition	10g Release 2: <ul style="list-style-type: none"> <li>■ 10.2.0.5</li> </ul> 11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul>	<ul style="list-style-type: none"> <li>■ 10.2.0.5: <ul style="list-style-type: none"> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patches</li> <li>■ Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1</li> </ul> </li> </ul> </li> <li>■ 11.2.0.3, 11.2.0.4: <ul style="list-style-type: none"> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ No UDLM</li> <li>■ No SVM</li> <li>■ Oracle Solaris Cluster 3.3 5/11 + patches</li> <li>■ Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.2 starting with SRU 1</li> <li>■ Oracle Solaris 11.3</li> </ul> </li> </ul> </li> </ul>



## Data Service Support for Oracle Solaris Cluster 4.2

---

This chapter covers data service support for Oracle Solaris Cluster 4.2.

### Application Services on Oracle Solaris Cluster 4.2

An application service is an application along with a data service which makes the application highly available or scalable in Oracle Solaris Cluster.

**Data Services** – All Oracle Solaris Cluster 4.2 data services are supported in the global zone. Many data services are supported with the Oracle Solaris HA-container data service failover zone and Zone Cluster as noted in the following tables:

- [Table 42, “Data Services for Oracle Solaris Cluster 4.2 on SPARC,” on page 80](#)
- [Table 43, “Data Services for Oracle Solaris Cluster 4.2 on x64,” on page 83](#)

All Oracle Solaris Cluster 4.2 data services are supported with IPv4. Support of IPv6 environments will be noted in the preceding data services tables.

**Zone Clusters** – Oracle Solaris Cluster 4.2 Zone Clusters support both `solaris` and `solaris10` branded zones. The "zone cluster" notation in the Data Services tables indicates the `solaris` brand. The `solaris10` brand zones are supported with Oracle Solaris Cluster 3.3 3/13 data services and some Oracle Solaris Cluster 3.3 5/11 data services, as indicated in the following tables:

- [Table 54, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in `solaris10` Branded Zone Clusters for Oracle Solaris Cluster 4.2 SPARC,” on page 91](#)
- [Table 55, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in `solaris10` Branded Zone Clusters for Oracle Solaris Cluster 4.2 x64,” on page 96](#)

**TABLE 42** Data Services for Oracle Solaris Cluster 4.2 on SPARC

Application	Application Version	Comments for Oracle Solaris Cluster 4.2 on SPARC
Apache Tomcat	6.0: starting with 6.0.28  7.0: starting with 7.0.06	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> </ul>
Apache Web Server	2.2.x  2.4.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Both non-SSL-aware Apache and SSL-aware Apache are supported. Notes for configuring SSL-aware Apache with this data service is in Oracle Bug 20525331 available in MOS.</li> <li>■ 2.2.x shipped with Oracle Solaris 11.1, Oracle Solaris 11.2 or Oracle Solaris 11.3, and the same versions from the Apache web site</li> <li>■ 2.4.x versions from the Apache web site</li> </ul>
Domain Name Service (DNS)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Dynamic Host Configuration Protocol (DHCP)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Generic Data Service (GDS) (SUNW.gds)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
Generic Data Service version 2 (GDSv2) (ORCL.gds and ORCL.gds_proxy)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable, proxy</li> <li>■ Global zone, zone cluster</li> </ul>
MySQL: <ul style="list-style-type: none"> <li>■ MySQL Community Edition</li> <li>■ MySQL Standard Edition</li> <li>■ MySQL Enterprise Edition</li> </ul>	3.23.54a - 4.0.23  4.1.6 - 4.1.22  5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6, 5.7	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> <li>■ MySQL 5.7 requires Oracle Solaris 11.2 (and SRUs) or 11.3 (and SRUs)</li> <li>■ Data service supports MySQL replication in Oracle Solaris Cluster Geographic Edition. See <a href="#">“MySQL for Data Replication” on page 133</a>.</li> </ul>
MySQL Cluster and MySQL Cluster CG	7.0: starting with 7.0.7  7.1: starting with 7.1.0  7.2: starting with 7.2.0	<ul style="list-style-type: none"> <li>■ Multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
NFS	V3  V4	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>



Application	Application Version	Comments for Oracle Solaris Cluster 4.2 on SPARC
Oracle Business Intelligence Enterprise Edition	10.1.3: starting with 10.1.3.0  11.1.1.7	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle Database (HA-Oracle)	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ 11.2.0.3, 11.2.0.4: See <a href="#">Table 46, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 SPARC,”</a> on page 88</li> <li>■ 12.1.0.1, 12.1.0.2: See <a href="#">Table 44, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 SPARC,”</a> on page 87</li> </ul>
Oracle E-Business Suite	12.1.3	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC) running on Solaris (SPARC or x64)</li> <li>■ DONE.Interrogates remote 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC) running on Oracle Linux on the following platforms: Oracle servers, Oracle Exadata, Oracle Database Appliance</li> <li>■ Can be used to monitor 12c RAC Pluggable Databases</li> </ul>
Oracle GlassFish Server Message Queue	4.5.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle GoldenGate	11.2.1, 12.1.2.x, 12.2.0.x	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle iPlanet Web Server	7.0.15	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle JD Edwards EnterpriseOne Enterprise Server	9.1.2, 9.1.3, 9.1.4	<ul style="list-style-type: none"> <li>■ Failover, multiple instance, multiple master</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle Real Application Clusters (RAC) Enterprise Edition	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul>	<ul style="list-style-type: none"> <li>■ Global zone, zone cluster</li> <li>■ Supports administrator and policy managed databases</li> <li>■ 11.2.0.3, 11.2.0.4: See <a href="#">Table 50, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 SPARC,”</a> on page 90</li> <li>■ 12.1.0.1, 12.1.0.2: See <a href="#">Table 48, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 SPARC,”</a> on page 89</li> </ul>
Oracle Siebel	8.2.2.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle Solaris Zones	Brand types:	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.2 on SPARC
	solaris, solaris10, and solaris-kz	<ul style="list-style-type: none"> <li>■ Global zone</li> </ul>
Oracle TimesTen	11g: <ul style="list-style-type: none"> <li>■ 11.2.2.x</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Supported configurations:                             <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable/multiple master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: Active-standby</li> </ul>
Oracle Traffic Director	11.1.1.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported in Engineered Systems only</li> </ul>
Oracle VM Server for SPARC	See <a href="#">“Support for Oracle VM Server for SPARC”</a> on page 25.	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle Web Tier	11.1.1.4, 11.1.1.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle WebLogic Server	10.3.3, 10.3.4, 10.3.5, 10.3.6  12.1.1.0, 12.1.2.0, 12.1.3.0	<ul style="list-style-type: none"> <li>■ Failover, multiple master, multi-instance</li> <li>■ Global zone, zone cluster</li> <li>■ Sockets Direct Protocol (SDP) support:                             <ul style="list-style-type: none"> <li>■ 10.3.5 and 10.3.6 are supported in Engineered Systems</li> </ul> </li> </ul>
PeopleSoft Application Server	PeopleTools 8.52, 8.53	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
PeopleSoft Process Scheduler	PeopleTools 8.52, 8.53	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
PostgreSQL	9.0.x, 9.1.x, 9.2.x, 9.3.x, 9.4.x, 9.5.x	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Failover zone, global zone, zone cluster</li> </ul>
Samba	3.6.6, 3.6.12 and 3.6.23 as shipped with Oracle Solaris 11.1 or Oracle Solaris 11.2	<ul style="list-style-type: none"> <li>■ Samba (smbc, nmbd): Failover</li> <li>■ Winbind: Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP liveCache	7.7, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP MaxDB	7.8, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP NetWeaver	Versions that run on SAP kernels:	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ SAP certified. For information, see:</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.2 on SPARC
	<ul style="list-style-type: none"> <li>■ 720_EXT, minimum patch level 300</li> <li>■ 721_EXT, minimum patch level 130</li> <li>■ 722, minimum patch level 25</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> <li>■ 745, minimum patch level 15</li> </ul>	<ul style="list-style-type: none"> <li>■ <a href="http://www.sap.com">www.sap.com</a> – Click on Our Partners and then Find an SAP Partner. Expand Partner Information Center (PIC) and click on Partner Information Center. Select the Search for Solutions tab and search for "Solaris Cluster" as the Solution Name. Click on Solaris Cluster 4.</li> <li>■ SAP Note 1740958 – Central Note: SAP on Solaris Cluster 4.x and Solaris 11</li> <li>■ Supports all SAP versions based on the listed kernels, e.g., SAP NetWeaver 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3. 7.1, 7.1 EHP1, 7.3, 7.3 EHP1, 7.4, and all products based on those, e.g., <ul style="list-style-type: none"> <li>■ SAP Customer Relationship Management 6.0 (CRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Enterprise Resource Planning 6.0, 6.0 EHP1, 6.0 EHP2, 6.0 EHP3, 6.0 EHP4, 6.0 EHP5, 6.0 EHP6, 6.0 EHP7</li> <li>■ SAP NetWeaver Composition Environment 7.1, 7.1 EHP1, 7.2</li> <li>■ SAP NetWeaver J2EE (Advanced) Adapter Engine 7.0, 7.0 EPH1, 7.0 EPH2, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Mobile Infrastructure 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3 EHP1, 7.4</li> <li>■ SAP NetWeaver Partner Connectivity Kit 7.0, 7.0 EPH1, 7.0 EPH2, 7.3</li> <li>■ SAP NetWeaver Process Integration 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Process Orchestration 7.3 EPH1, 7.4</li> <li>■ SAP Solution Manager 7.0 EHP1, 7.1</li> <li>■ SAP Supplier Relationship Management 5.0, 6.0 (SRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Supply Chain Management 5.1 (SCM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> </ul> </li> </ul>
Sybase Adaptive Server Enterprise (ASE)	15.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported in HA mode only – both asymmetric and symmetric</li> <li>■ The Companion Server feature is not supported</li> </ul>

**TABLE 43** Data Services for Oracle Solaris Cluster 4.2 on x64

Application	Application Version	Comments for Oracle Solaris Cluster 4.2 on x64
Apache Tomcat	6.0: starting with 6.0.28  7.0: starting with 7.0.06	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> </ul>
Apache Web Server	2.2.x  2.4.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.2 on x64
		<ul style="list-style-type: none"> <li>■ Both non-SSL-aware Apache and SSL-aware Apache are supported. Notes for configuring SSL-aware Apache with this data service is in Oracle Bug 20525331 available in MOS.</li> <li>■ 2.2.x shipped with Oracle Solaris 11.1, Oracle Solaris 11.2 or Oracle Solaris 11.3, and the same versions from the Apache web site</li> <li>■ 2.4.x versions from the Apache web site</li> </ul>
Domain Name Service (DNS)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Dynamic Host Configuration Protocol (DHCP)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Generic Data Service (GDS) (SUNW.gds)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
Generic Data Service version 2 (GDSv2) (ORCL.gds and ORCL.gds_proxy)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable, proxy</li> <li>■ Global zone, zone cluster</li> </ul>
MySQL: <ul style="list-style-type: none"> <li>■ MySQL Community Edition</li> <li>■ MySQL Standard Edition</li> <li>■ MySQL Enterprise Edition</li> </ul>	3.23.54a - 4.0.23 4.1.6 - 4.1.22 5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6, 5.7	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> <li>■ MySQL 5.7 requires Oracle Solaris 11.2 (and SRUs) or 11.3 (and SRUs)</li> <li>■ Data service supports MySQL replication in Oracle Solaris Cluster Geographic Edition. See <a href="#">“MySQL for Data Replication” on page 133</a>.</li> </ul>
MySQL Cluster and MySQL Cluster CGE	7.0: starting with 7.0.7 7.1: starting with 7.1.0 7.2: starting with 7.2.0	<ul style="list-style-type: none"> <li>■ Multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
NFS	V3 V4	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Oracle Database (HA-Oracle)	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 47, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 x64,” on page 88</a></li> <li>■ 12.1.0.1, 12.1.0.2: Details in <a href="#">Table 45, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 x64,” on page 87</a></li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.2 on x64
Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2 and 12cR1 Oracle databases (single instance or RAC) running on Solaris (SPARC or x64)</li> <li>■ Interrogates remote 11gR2 and 12cR1 Oracle databases (single instance or RAC) running on Oracle Linux on the following platforms: Oracle servers, Oracle Exadata, Oracle Database Appliance</li> <li>■ Can be used to monitor 12c RAC Pluggable Databases</li> </ul>
Oracle GlassFish Server Message Queue	4.5.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle GoldenGate	11.2.1, 12.1.2.x, 12.2.0.x	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle iPlanet Web Server	7.0.15	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle Real Application Clusters (RAC) Enterprise Edition	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul>	<ul style="list-style-type: none"> <li>■ Global zone, zone cluster</li> <li>■ Supports administrator and policy managed databases</li> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 51, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 x64,”</a> on page 91</li> <li>■ 12.1.0.1, 12.1.0.2: Details in <a href="#">Table 49, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 x64,”</a> on page 90</li> </ul>
Oracle Solaris Zones	Brand types:  solaris, solaris10, and solaris-kz	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone</li> </ul>
Oracle TimesTen	11g: <ul style="list-style-type: none"> <li>■ 11.2.2.x</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Supported configurations:               <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable/multiple master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: Active-standby</li> </ul>
Oracle Traffic Director	11g: <ul style="list-style-type: none"> <li>■ 11.2.2.x</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported in Engineered Systems only</li> </ul>
Oracle Web Tier	11.1.1.4, 11.1.1.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle WebLogic Server	10.3.3, 10.3.4, 10.3.5, 10.3.6	<ul style="list-style-type: none"> <li>■ Failover, multiple master, multi-instance</li> <li>■ Global zone, zone cluster</li> <li>■ Sockets Direct Protocol (SDP) support:</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.2 on x64
	12.1.1.0, 12.1.2.0, 12.1.3.0	<ul style="list-style-type: none"> <li>■ 10.3.5 and 10.3.6 are supported in Engineered Systems</li> </ul>
PostgreSQL	9.0.x, 9.1.x, 9.2.x, 9.3.x, 9.4.x, 9.5.x	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Failover zone, global zone, zone cluster</li> </ul>
Samba	3.6.6, 3.6.12 and 3.6.23 as shipped with Oracle Solaris 11.1 or Oracle Solaris 11.2	<ul style="list-style-type: none"> <li>■ Samba (smbc, nmbd): Failover</li> <li>■ Winbind: Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP liveCache	7.7, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP MaxDB	7.8, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP NetWeaver	<p>Versions that run on SAP kernels:</p> <ul style="list-style-type: none"> <li>■ 720_EXT, minimum patch level 300</li> <li>■ 721_EXT, minimum patch level 130</li> <li>■ 722, minimum patch level 25</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> <li>■ 745, minimum patch level 15</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ See SAP NetWeaver entry in <a href="#">Table 42, “Data Services for Oracle Solaris Cluster 4.2 on SPARC,”</a> on page 80</li> </ul>
Sybase Adaptive Server Enterprise (ASE)	15.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported in HA mode only – both asymmetric and symmetric</li> <li>■ The Companion Server feature is not supported</li> </ul>

## Oracle Database on Oracle Solaris Cluster 4.2

The following tables contain supplemental HA-Oracle information for [Table 42, “Data Services for Oracle Solaris Cluster 4.2 on SPARC,”](#) on page 80 and [Table 43, “Data Services for Oracle Solaris Cluster 4.2 on x64,”](#) on page 83:

- [Table 44, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 SPARC,”](#) on page 87
- [Table 45, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 x64,”](#) on page 87
- [Table 46, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 SPARC,”](#) on page 88
- [Table 47, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 x64,”](#) on page 88

**TABLE 44** HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 SPARC

HA-Oracle 12c Release 1 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
QFS	Y	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS	Y	N/A	Y	Y <sup>b</sup>	Y
Clustered ASM	Y	Y	Y	Y <sup>b</sup>	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle Database 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646

**TABLE 45** HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 x64

HA-Oracle 12c Release 1 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
UFS	Y	Y	Y	Y
QFS	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y

HA-Oracle 12c Release 1 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
PxFS	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y
ACFS	Y	N/A	Y	Y <sup>b</sup>
Clustered ASM	Y	Y	Y	Y <sup>b</sup>
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle Database 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646

**TABLE 46** HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 SPARC

HA-Oracle 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
QFS	Y	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS <sup>b</sup>	Y	N/A	Y	Y	Y
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y
HW RAID	N/A	N/A	Y	Y	Y

**TABLE 47** HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 x64

HA-Oracle 11g Release 2 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
UFS	Y	Y	Y	Y
QFS	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y
PxFS	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y
ACFS	Y	N/A	Y	Y
Clustered ASM	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y



- a – Includes Direct NFS (dNFS) support
- b – Oracle 11.2.0.4 required for ACFS support

## Oracle Real Application Clusters on Oracle Solaris Cluster 4.2

Oracle Real Application Clusters (RAC) Enterprise Edition is supported with Oracle Solaris Cluster. Refer to the following tables for Oracle RAC support details. These tables contain supplemental information to [Table 42, “Data Services for Oracle Solaris Cluster 4.2 on SPARC,”](#) on page 80 and [Table 43, “Data Services for Oracle Solaris Cluster 4.2 on x64,”](#) on page 83:

- [Table 48, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 SPARC,”](#) on page 89
- [Table 49, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 x64,”](#) on page 90
- [Table 50, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 SPARC,”](#) on page 90
- [Table 51, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 x64,”](#) on page 91
- [Table 52, “Oracle RAC Reliable Datagram Sockets \(RDS\) v3 Matrix for Oracle Solaris Cluster 4.2 SPARC,”](#) on page 91
- [Table 53, “Oracle RAC Reliable Datagram Sockets \(RDS\) v3 Matrix for Oracle Solaris Cluster 4.2 x64,”](#) on page 91

**TABLE 48** Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 SPARC

Oracle RAC 12c Release 1 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
Shared QFS	Y <sup>b</sup>	Y <sup>b, c, f</sup>	Y <sup>b</sup>	Y <sup>b, e</sup>	Y <sup>b</sup>
NFS Appliance <sup>a</sup>	N/A	N/A	Y <sup>b</sup>	Y <sup>b, e</sup>	Y <sup>b</sup>
ACFS	Y <sup>b</sup>	N/A	Y <sup>b</sup>	Y <sup>b, e</sup>	Y <sup>b</sup>
Clustered ASM	Y	Y <sup>c, d</sup>	Y	Y <sup>e</sup>	Y
Solaris Volume Manager	Y <sup>c, d, f</sup>	N/A	Y <sup>c, d, f</sup>	Y <sup>c, d, e, f</sup>	Y <sup>c, d, f</sup>
HW RAID	N/A	N/A	Y <sup>b</sup>	Y <sup>b, e</sup>	Y <sup>b</sup>

- a – Includes Direct NFS (dNFS) support
- b – Oracle RAC 12.1.0.2.0 starts with Oracle Solaris Cluster 4.2 SRU 4

- c – Starts with Oracle Solaris Cluster 4.2 SRU 3 and Oracle Solaris 11.2 SRU 6
- d – Oracle RAC 12.1.0.2.0 starts with Oracle Solaris Cluster 4.2 SRU 4 if using Solaris Volume Manager OBAN filesystem for the RAC database.
- e – Oracle RAC 12.1.0.2.0 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646
- f – Only supported with Oracle RAC 12.1.0.1.

**TABLE 49** Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.2 x64

Oracle RAC 12c Release 1 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
Shared QFS	Y <sup>b</sup>	Y <sup>b, c, f</sup>	Y <sup>b</sup>	Y <sup>b, e</sup>
NFS Appliance <sup>a</sup>	N/A	N/A	Y <sup>b</sup>	Y <sup>b, e</sup>
ACFS	Y <sup>b</sup>	N/A	Y <sup>b</sup>	Y <sup>b, e</sup>
Clustered ASM	Y	Y <sup>c, d</sup>	Y	Y <sup>e</sup>
Solaris Volume Manager	Y <sup>c, d, f</sup>	N/A	Y <sup>c, d, f</sup>	Y <sup>c, d, e, f</sup>
HW RAID	N/A	N/A	Y <sup>b</sup>	Y <sup>b, e</sup>

- a – Includes Direct NFS (dNFS) support
- b – Oracle RAC 12.1.2.0 starts with Oracle Solaris Cluster 4.2 SRU 4
- c – Starts with Oracle Solaris Cluster 4.2 SRU 3 and Oracle Solaris 11.2 SRU 6
- d – Oracle RAC 12.1.0.2.0 starts with Oracle Solaris Cluster 4.2 SRU 4 if using Solaris Volume Manager OBAN filesystem for the RAC database.
- e – Oracle RAC 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646
- f – Only supported with Oracle RAC 12.1.0.1.

**TABLE 50** Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 SPARC

Oracle RAC 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
Shared QFS	Y	Y <sup>c</sup>	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS <sup>b</sup>	Y	N/A	Y	Y	Y
Clustered ASM	Y	Y <sup>c</sup>	Y	Y	Y
Solaris Volume Manager	Y <sup>c</sup>	N/A	Y <sup>c</sup>	Y <sup>c</sup>	Y <sup>c</sup>
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support

- b – Oracle 11.2.0.4 required for ACFS support
- c – Starts with Oracle Solaris Cluster 4.2 SRU 3 and Oracle Solaris 11.2 SRU 6

**TABLE 51** Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.2 x64

Oracle RAC 11g Release 2 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
Shared QFS	Y	Y <sup>c</sup>	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y
ACFS <sup>b</sup>	Y	N/A	Y	Y
Clustered ASM	Y	Y <sup>c</sup>	Y	Y
Solaris Volume Manager	Y <sup>c</sup>	N/A	Y <sup>c</sup>	Y <sup>c</sup>
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle 11.2.0.4 required for ACFS support
- c – Starts with Oracle Solaris Cluster 4.2 SRU 3 and Oracle Solaris 11.2 SRU 6

**TABLE 52** Oracle RAC Reliable Datagram Sockets (RDS) v3 Matrix for Oracle Solaris Cluster 4.2 SPARC

Oracle RAC Version(s)	Global Zone	Zone Cluster	Oracle VM Server for SPARC
12.1.0.1, 12.1.0.2	Y	Y	Y
11.2.0.3, 11.2.0.4	Y	Y	Y

**TABLE 53** Oracle RAC Reliable Datagram Sockets (RDS) v3 Matrix for Oracle Solaris Cluster 4.2 x64

Oracle RAC Version(s)	Global Zone	Zone Cluster
12.1.0.1, 12.1.0.2	Y	Y
11.2.0.3, 11.2.0.4	Y	Y

**TABLE 54** Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.2 SPARC

Data Service	Application Version	Comments
Generic Data Service (GDS) based services	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ A GDS-based data service can run in a solaris10 branded Zone Cluster provided that the application is also configured to run in a solaris10 branded zone</li> </ul>
HA for Alliance Access	7.0	Failover

Data Service	Application Version	Comments
HA for Alliance Gateway	7.0	Failover
HA for Apache	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Proxy Server	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Tomcat	3.3 4.0, 4.1 5.0, 5.5, 5.5.x 6.0 7.0.x	Failover, multiple master, scalable
HA for Business Intelligence Enterprise Edition	10.1.3.x (for x >= 0)	Failover, multiple master (integrated with OBIEE built-in clustering)
HA for Domain Name Service (DNS)	Version shipped with Oracle Solaris	Failover
HA E-Business Suite	11.5.8, 11.5.9, 11.5.10 - 11.5.10cu 212.0, 12.1.x	Failover, multiple master, scalable (Parallel Concurrent Processing)
HA for Informix	V9.4 10 11, 11.5	Failover
HA for MySQL	3.23.54a - 4.0.23 4.1.6 - 4.1.22 5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6	Failover, multiple master, scalable
HA for MySQL Cluster	7.0.x (for x >= 7) 7.1.x (for x >= 0) 7.2.x (for x >= 0)	Failover
HA for Oracle	10g Release 2:	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Zone Cluster requirements:</li> </ul>

Data Service	Application Version	Comments
	<ul style="list-style-type: none"> <li>■ 10.2.0.4, 10.2.0.5</li> </ul> 11g Release 1: <ul style="list-style-type: none"> <li>■ 11.1.0.7</li> </ul> 11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.4</li> </ul>	<ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patch</li> <li>■ Oracle Solaris Cluster 3.3 3/13</li> <li>■ Global Zone requirements:               <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.2</li> <li>■ Oracle Solaris 11.3</li> </ul> </li> </ul>
HA for Oracle Application Server	9.0.2 - 9.0.3 (10g) 9.0.4 - 10.1.3.1	Failover
HA for Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Proxies a remote Oracle DB/RAC to reflect the DB state/status as a RGM resource state/status</li> <li>■ Remote Oracle DB/RAC must be on Oracle Solaris (SPARC or x86)</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2, and 12cR1 Oracle databases (single instance or RAC)</li> </ul>
HA for Oracle Web Tier	11.1.1.x	Failover
HA for Oracle WebLogic Server	10.3, 10.3.3, 10.3.4, 10.3.5, 10.3.6	<ul style="list-style-type: none"> <li>■ Failover, multiple master (clustered WLS)</li> <li>■ Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> </ul>
HA for PeopleSoft Application Server	PeopleTools 8.50, 8.51, 8.52	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> </ul>
HA for PeopleSoft Process Scheduler	PeopleTools 8.50, 8.51, 8.52	Failover
HA for PostgreSQL	7.3.x  8.0.x, 8.1.x, 8.2.x, 8.3.x, 8.4.x  9.0.x, 9.1.x, 9.2.x	Failover
HA for Samba	2.2.2 - 3.5.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ "Clustered" Samba is not supported</li> </ul>
HA for SAP liveCache	7.4, 7.5, 7.6, 7.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.03.09</li> <li>■ 7.7 needs at least 7.7.07.14 (with SCM 7.0)</li> <li>■ 7.7.04.38 and later supported with SCM 5.1</li> </ul> <p><b>Note</b> - SAP note 1461682 specifies corrective steps to make at install time.</p>
HA for SAP MaxDB	7.4, 7.5, 7.6, 7.7, 7.8	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least MaxDB 7.6.03.09 for S10 SPARC</li> <li>■ 7.8 support requires at least patch 147091-05</li> </ul>

Data Service	Application Version	Comments
HA for SAP NetWeaver	<p>Versions that run on SAP kernels:</p> <ul style="list-style-type: none"> <li>■ 720 or 720_EXT, minimum patch level 300</li> <li>■ 721 or 721_EXT, minimum patch level 130</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ SAP certified. For information, see: <ul style="list-style-type: none"> <li>■ <a href="http://www.sap.com">www.sap.com</a> – Click on Our Partners and then Find an SAP Partner. Expand Partner Information Center (PIC) and click on Partner Information Center. Select the Search for Solutions tab and search for "Solaris Cluster" as the Solution Name. Click on Solaris Cluster 3.3.</li> <li>■ SAP Note 1740305 – Central Note: HA SAP systems on Solaris Cluster 3.3</li> </ul> </li> <li>■ Supports all SAP versions based on the listed kernels, e.g., SAP NetWeaver 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3. 7.1, 7.1 EHP1, 7.3, 7.3 EHP1, 7.4, and all products based on those, e.g.,</li> <li>■ SAP Customer Relationship Management 6.0 (CRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Enterprise Resource Planning 6.0, 6.0 EHP1, 6.0 HEP2, 6.0 EHP3, 6.0 EHP4, 6.0 EHP5, 6.0 EHP6, 6.0 EHP7</li> <li>■ SAP NetWeaver Composition Environment 7.1, 7.1 EHP1, 7.2</li> <li>■ SAP NetWeaver J2EE (Advanced) Adapter Engine 7.0, 7.0 EPH1, 7.0 EPH2, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Mobile Infrastructure 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3 EHP1, 7.4</li> <li>■ SAP NetWeaver Partner Connectivity Kit 7.0, 7.0 EPH1, 7.0 EPH2, 7.3</li> <li>■ SAP NetWeaver Process Integration 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Process Orchestration 7.3 EPH1, 7.4</li> <li>■ SAP Solution Manager 7.0 EHP1, 7.1</li> <li>■ SAP Supplier Relationship Management 5.0, 6.0 (SRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Supply Chain Management 5.1 (SCM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> </ul>
HA for Siebel	8.0, 8.1.1, 8.2.2	Failover
HA for Sun GlassFish Message Queue, formerly HA for Sun Java System Message Queue and HA for Sun One Message Queue	4.4, 4.4u1, 4.5	Failover
HA for Sun Java System Application Server	All versions until JES 5 U1, 9.1, 9.1 UR2, GlassFish V2 UR2	Failover
HA for Sun Java System Web Proxy Server	Up to and including 4.0	Failover

Data Service	Application Version	Comments
HA for Sun Java System Web Server	All versions up to and including JES 5 U1 are supported. All releases up to and including 7.0, 7.0 U1, 7.0 U2 and all future updates of 7.0 release.	Failover, scalable
HA for Sybase Adaptive Server Enterprise (ASE)	15.0, 15.0.1, 15.0.2, 15.0.3  15.7.0	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Supported in HA mode only – both asymmetric and symmetric</li> <li>■ The Companion Server feature is not supported</li> <li>■ Application version 15.7.0 is supported on UFS and ZFS</li> </ul>
HA for TimesTen	11.2.1.x (for x >= 4)  11.2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Supported configurations: <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable / multi master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: active-standby</li> </ul>
HA for WebSphere Message Broker	5.0  6.0  7.0	Failover
HA for WebSphere MQ	5.3  6.0  7.0	Failover
Oracle Real Application Clusters (RAC) Enterprise Edition	10g Release 2: <ul style="list-style-type: none"> <li>■ 10.2.0.5</li> </ul> 11g Release 1: <ul style="list-style-type: none"> <li>■ 11.1.0.7</li> </ul> 11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul>	<ul style="list-style-type: none"> <li>■ Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> <li>■ 10.2.0.5, 11.1.0.7: <ul style="list-style-type: none"> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11, or Oracle Solaris Cluster 3.3 3/13, with at least patches 145333-23 and 145335-17</li> <li>■ At least Oracle Solaris 10 1/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1 starting with SRU 8, or Oracle Solaris 11.2</li> </ul> </li> </ul> </li> <li>■ 11.2.0.3, 11.2.0.4: <ul style="list-style-type: none"> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ No UDLM</li> <li>■ No SVM</li> <li>■ Oracle Solaris Cluster 3.3 5/11 + patches, or Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements:</li> </ul> </li> </ul>

Data Service	Application Version	Comments
		<ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1, or Oracle Solaris 11.2 starting with SRU 1</li> </ul>

**TABLE 55** Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.2 x64

Data Service	Application Version	Comments
Generic Data Service (GDS) based services	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ A GDS-based data service can run in a solaris10 branded Zone Cluster provided that the application is also configured to run in a solaris10 branded zone</li> </ul>
HA for Apache	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Proxy Server	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Tomcat	3.3 4.0, 4.1 5.0, 5.5, 5.5.x 6.0 7.0.x	Failover, multiple master, scalable
HA for Domain Name Service (DNS)	Version shipped with Oracle Solaris	Failover
HA for Informix	V9.4 10 11, 11.5	Failover
HA for MySQL	3.23.54a - 4.0.23 4.1.6 - 4.1.22 5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6	Failover, multiple master, scalable
HA for MySQL Cluster	7.0.x (for x >= 7) 7.1.x (for x >= 0)	Failover



Data Service	Application Version	Comments
	7.2.x (for x >= 0)	
HA for Oracle	10g Release 2: <ul style="list-style-type: none"> <li>■ 10.2.0.4, 10.2.0.5</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 10g Release 2 zone cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patch or Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ 10g Release 2 global zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1 or Oracle Solaris 11.2</li> </ul> </li> </ul>
HA for Oracle Application Server	10.1.2, 10.1.3.1	Failover
HA for Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Proxies a remote Oracle DB/RAC to reflect the DB state/status as a RGM resource state/status</li> <li>■ Remote Oracle DB/RAC must be on Oracle Solaris (SPARC or x86)</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2, and 12cR1 Oracle databases (single instance or RAC)</li> </ul>
HA for Oracle Web Tier	11.1.1.x	Failover
HA for Oracle WebLogic Server	10.3, 10.3.3, 10.3.4, 10.3.5, 10.3.6	<ul style="list-style-type: none"> <li>■ Failover, multiple master (clustered WLS)</li> <li>■ Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> </ul>
HA for PostgreSQL	7.3.x  8.0.x, 8.1.x, 8.2.x, 8.3.x, 8.4.x  9.0.x, 9.1.x, 9.2.x	Failover
HA for Samba	2.2.2 - 3.5.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ "Clustered" Samba is not supported</li> </ul>
HA for SAP liveCache	7.6, 7.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.01.09</li> <li>■ 7.7 needs at least 7.7.07.14 (with SCM 7.0)</li> <li>■ 7.7.04.38 and later supported with SCM 5.1</li> </ul> <p><b>Note</b> - SAP note 1461682 specifies corrective steps to make at install time.</p>
HA for SAP MaxDB	7.6, 7.7, 7.8	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.01.09</li> <li>■ 7.8 support requires at least patch 147092-05</li> </ul>
HA for SAP NetWeaver	Versions that run on SAP kernels: <ul style="list-style-type: none"> <li>■ 720 or 720_EXT, minimum patch level 300</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ See SAP NetWeaver entry in <a href="#">Table 40, "Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.3 on SPARC,"</a> on page 70</li> </ul>

Data Service	Application Version	Comments
	<ul style="list-style-type: none"> <li>■ 721 or 721_EXT, minimum patch level 130</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> </ul>	
HA for Sun GlassFish Message Queue, formerly HA for Sun Java System Message Queue and HA for Sun One Message Queue	4.4, 4.4.u1	Failover
HA for Sun Java System Application Server	All versions until JES 5 U1, 9.1, 9.1 UR2, GlassFish V2 UR2	Failover
HA for Sun Java System Web Proxy Server	Up to and including 4.0	Failover
HA for Sun Java System Web Server	All versions up to and including JES 5 U1 are supported. All releases up to and including 7.0, 7.0 U1, 7.0 U2 and all future updates of 7.0 release.	Failover, scalable
HA for Sybase Adaptive Server Enterprise (ASE)	15.0, 15.0.1, 15.0.2, 15.0.3	Failover
HA for TimesTen	11.2.1.x (for x >= 4) 11.2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Supported configurations:                             <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable / multi master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: active-standby</li> </ul>
HA for WebSphere Message Broker	6.0 7.0	Failover
HA for WebSphere MQ	6.0 7.0	Failover

Data Service	Application Version	Comments
Oracle Real Application Clusters (RAC) Enterprise Edition	10g Release 2: ■ 10.2.0.5  11g Release 2: ■ 11.2.0.3 ■ 11.2.0.4	<ul style="list-style-type: none"> <li>■ 10.2.0.5:               <ul style="list-style-type: none"> <li>■ Zone Cluster requirements:                   <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patches or Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements:                   <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1</li> </ul> </li> </ul> </li> <li>■ 11.2.0.3, 11.2.0.4:               <ul style="list-style-type: none"> <li>■ Zone Cluster requirements:                   <ul style="list-style-type: none"> <li>■ No UDLM</li> <li>■ No SVM</li> <li>■ Oracle Solaris Cluster 3.3 5/11 + patches or Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements:                   <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.2 starting with SRU 1 or Oracle Solaris 11.3</li> </ul> </li> </ul> </li> </ul>



# Data Service Support for Oracle Solaris Cluster 4.1

---

This chapter covers data service support for Oracle Solaris Cluster 4.1.

## Application Services on Oracle Solaris Cluster 4.1

An application service is an application along with a data service which makes the application highly available or scalable in Oracle Solaris Cluster.

**Data Services** – All Oracle Solaris Cluster 4.1 data services are supported in the global zone. Many data services are supported with the Oracle Solaris HA-container data service failover zone and Zone Cluster as noted in the following tables:

- [Table 56, “Data Services for Oracle Solaris Cluster 4.1 on SPARC,” on page 102](#)
- [Table 57, “Data Services for Oracle Solaris Cluster 4.1 on x64,” on page 105](#)

All Oracle Solaris Cluster 4.1 data services are supported with IPv4 only.

**Zone Clusters** – Oracle Solaris Cluster 4.1 Zone Clusters support both `solaris` and `solaris10` branded zones. The "zone cluster" notation in the Data Services tables indicates the `solaris` brand. `solaris10` branded zones are supported with Oracle Solaris Cluster 3.3 3/13 data services, and some Oracle Solaris Cluster 3.3 5/11 data services, as indicated in the following tables.

- [Table 66, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.1 SPARC,” on page 112](#)
- [Table 67, “Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.1 x64,” on page 116](#)

**TABLE 56** Data Services for Oracle Solaris Cluster 4.1 on SPARC

Application	Application Version	Comments for Oracle Solaris Cluster 4.1 on SPARC
Apache Tomcat	6.0: starting with 6.0.28  7.0: starting with 7.0.06	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> </ul>
Apache Web Server	2.2.x  2.4.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ 2.2.x shipped with Oracle Solaris 11.1, Oracle Solaris 11.2 or Oracle Solaris 11.3, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
Domain Name Service (DNS)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Dynamic Host Configuration Protocol (DHCP)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Generic Data Service (GDS) (SUNW.gds)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
MySQL:	3.23.54a - 4.0.23  4.1.6 - 4.1.22  5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6, 5.7	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> <li>■ MySQL 5.7 requires Oracle Solaris 11.2 (and SRUs) or 11.3 (and SRUs)</li> <li>■ Data service supports MySQL replication in Oracle Solaris Cluster Geographic Edition. See <a href="#">“MySQL for Data Replication”</a> on page 133.</li> </ul>
MySQL Cluster and MySQL Cluster CGE	7.0: starting with 7.0.7  7.1: starting with 7.1.0  7.2: starting with 7.2.0	<ul style="list-style-type: none"> <li>■ Multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
NFS	V3  V4	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Oracle Database (HA-Oracle)	11g Release 2:  ■ 11.2.0.3 ■ 11.2.0.4  12c Release 1:	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 61, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 x64,”</a> on page 110</li> <li>■ 12.1.0.1, 12.1.0.2:</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.1 on SPARC
	<ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul>	<ul style="list-style-type: none"> <li>■ Starts with Oracle Solaris Cluster 4.1 SRU 3</li> <li>■ Details in <a href="#">Table 58, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 SPARC,”</a> on page 109</li> </ul>
Oracle E-Business Suite	12.1.3	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC) running on Solaris (SPARC or x64)</li> </ul>
Oracle GlassFish Server Message Queue	4.5.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle iPlanet Web Server	7.0.15	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle Real Application Clusters (RAC) Enterprise Edition	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul>	<ul style="list-style-type: none"> <li>■ Global zone, zone cluster</li> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 64, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 SPARC,”</a> on page 111</li> <li>■ 12.1.0.1, 12.1.0.2:               <ul style="list-style-type: none"> <li>■ Starts with Oracle Solaris Cluster 4.1 SRU 7</li> <li>■ Details in <a href="#">Table 62, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 SPARC,”</a> on page 111</li> </ul> </li> </ul>
Oracle Siebel	8.2.2.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>
Oracle Solaris Zones	Brand types:  solaris, and solaris10	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone</li> </ul>
Oracle TimesTen	11g: <ul style="list-style-type: none"> <li>■ 11.2.2.x</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Supported configurations:               <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable/multiple master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: Active-standby</li> <li>■ Requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>
Oracle Traffic Director	11g: <ul style="list-style-type: none"> <li>■ 11.2.2.x</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ 11.1.1.7 requires at least Oracle Solaris Cluster 4.1 SRU 3</li> <li>■ Supported in Engineered Systems only</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.1 on SPARC
Oracle VM Server for SPARC	See “ <a href="#">Support for Oracle VM Server for SPARC</a> ” on page 25.	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Oracle Web Tier	11.1.1.4, 11.1.1.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle WebLogic Server	10.3.3, 10.3.4, 10.3.5, 10.3.6 12.1.1.0, 12.1.2	<ul style="list-style-type: none"> <li>■ Failover, multiple master, multi-instance</li> <li>■ Global zone, zone cluster</li> <li>■ Sockets Direct Protocol (SDP) support:                             <ul style="list-style-type: none"> <li>■ 10.3.5 and 10.3.6 are supported in Engineered Systems</li> </ul> </li> <li>■ 12.1.2 requires at least Oracle Solaris Cluster 4.1 SRU 7</li> </ul>
PeopleSoft Application Server PeopleTools 8.52	PeopleTools 8.52	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
PeopleSoft Process Scheduler	PeopleTools 8.52	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
PostgreSQL	9.0.x, 9.1.x, 9.2.x, 9.3.x,	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Failover zone, global zone, zone cluster</li> <li>■ 9.x.x requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>
Samba	3.6.6, and 3.6.12 as shipped with Oracle Solaris 11.1	<ul style="list-style-type: none"> <li>■ Samba (smbc, nmbd): Failover</li> <li>■ Winbind: Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>
SAP liveCache	7.7, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>
SAP MaxDB	7.8, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>
SAP NetWeaver	Versions that run on SAP kernels: <ul style="list-style-type: none"> <li>■ 720_EXT, minimum patch level 300</li> <li>■ 721_EXT, minimum patch level 130</li> <li>■ 722, minimum patch level 25</li> <li>■ 740, minimum patch level 36</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ SAP certified. For information, see:                             <ul style="list-style-type: none"> <li>■ <a href="https://www.sap.com/index.html">https://www.sap.com/index.html</a> – Click on Our Partners and then Find an SAP Partner. Expand Partner Information Center (PIC) and click on Partner Information Center. Select the Search for Solutions tab and search for "Solaris Cluster" as the Solution Name. Click on Solaris Cluster 4.</li> <li>■ SAP Note 1740958 – Central Note: SAP on Solaris Cluster 4.x and Solaris 11</li> </ul> </li> <li>■ Supports all SAP versions based on the listed kernels, e.g., SAP NetWeaver 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3. 7.1, 7.1 EHP1, 7.3, 7.3 EHP1, 7.4, and all products based on those, e.g.,</li> </ul>



Application	Application Version	Comments for Oracle Solaris Cluster 4.1 on SPARC
	<ul style="list-style-type: none"> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> <li>■ 745, minimum patch level 15</li> </ul>	<ul style="list-style-type: none"> <li>■ SAP Customer Relationship Management 6.0 (CRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Enterprise Resource Planning 6.0, 6.0 EHP1, 6.0 HEP2, 6.0 EHP3, 6.0 EHP4, 6.0 EHP5, 6.0 EHP6, 6.0 EHP7</li> <li>■ SAP NetWeaver Composition Environment 7.1, 7.1 EHP1, 7.2</li> <li>■ SAP NetWeaver J2EE (Advanced) Adapter Engine 7.0, 7.0 EPH1, 7.0 EPH2, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Mobile Infrastructure 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3 EHP1, 7.4</li> <li>■ SAP NetWeaver Partner Connectivity Kit 7.0, 7.0 EPH1, 7.0 EPH2, 7.3</li> <li>■ SAP NetWeaver Process Integration 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Process Orchestration 7.3 EPH1, 7.4</li> <li>■ SAP Solution Manager 7.0 EHP1, 7.1</li> <li>■ SAP Supplier Relationship Management 5.0, 6.0 (SRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Supply Chain Management 5.1 (SCM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> </ul>
Sybase Adaptive Server Enterprise (ASE)	15.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported in HA mode only – both asymmetric and symmetric</li> <li>■ The Companion Server feature is not supported</li> <li>■ 15.7 requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>

**TABLE 57** Data Services for Oracle Solaris Cluster 4.1 on x64

Application	Application Version	Comments for Oracle Solaris Cluster 4.1 on x64
Apache Tomcat	6.0: starting with 6.0.28 7.0: starting with 7.0.06	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> </ul>
Apache Web Server	2.2.x 2.4.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ 2.2.x shipped with Oracle Solaris 11.1, Oracle Solaris 11.2 or Oracle Solaris 11.3, and the same versions from the Apache web site</li> <li>■ <b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</li> </ul>
Domain Name Service (DNS)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.1 on x64
Dynamic Host Configuration Protocol (DHCP)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Generic Data Service (GDS) (SUNW.gds)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
MySQL: <ul style="list-style-type: none"> <li>■ MySQL Community Edition</li> <li>■ MySQL Standard Edition</li> <li>■ MySQL Enterprise Edition</li> </ul>	3.23.54a - 4.0.23  4.1.6 - 4.1.22  5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> <li>■ 5.6 requires at least Oracle Solaris Cluster 4.1 SRU 3</li> <li>■ Data service supports MySQL replication in Oracle Solaris Cluster Geographic Edition. See <a href="#">“MySQL for Data Replication” on page 133</a>.</li> </ul>
MySQL Cluster and MySQL Cluster CGE	7.0: starting with 7.0.7  7.1: starting with 7.1.0  7.2: starting with 7.2.0	<ul style="list-style-type: none"> <li>■ Multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
NFS	V3  V4	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Oracle Database (HA-Oracle)	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 61, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 x64,” on page 110</a></li> <li>■ 12.1.0.1, 12.1.0.2:                             <ul style="list-style-type: none"> <li>■ Starts with Oracle Solaris Cluster 4.1 SRU 3</li> <li>■ Details in <a href="#">Table 59, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 x64,” on page 109</a></li> </ul> </li> </ul>
Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC) running on Solaris (SPARC or x64)</li> </ul>
Oracle GlassFish Server Message Queue	4.5.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle iPlanet Web Server	7.0.15	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle Real Application Clusters	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> </ul>	<ul style="list-style-type: none"> <li>■ Global zone, zone cluster</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.1 on x64
(RAC) Enterprise Edition	<ul style="list-style-type: none"> <li>■ 11.2.0.4</li> </ul> 12c Release 1: <ul style="list-style-type: none"> <li>■ 12.1.0.1</li> <li>■ 12.1.0.2</li> </ul>	<ul style="list-style-type: none"> <li>■ 11.2.0.3, 11.2.0.4: Details in <a href="#">Table 65, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 x64,”</a> on page 112</li> <li>■ 12.1.0.1, 12.1.0.2:               <ul style="list-style-type: none"> <li>■ Starts with Oracle Solaris Cluster 4.1 SRU 3</li> <li>■ Details in <a href="#">Table 63, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 x64,”</a> on page 111</li> </ul> </li> </ul>
Oracle Solaris Zones	Brand types:  solaris, and solaris10	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone</li> </ul>
Oracle TimesTen	11g: <ul style="list-style-type: none"> <li>■ 11.2.2.x</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Supported configurations:               <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable /multiple master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: Active-standby</li> </ul>
Oracle Traffic Director	11g: <ul style="list-style-type: none"> <li>■ 11.2.2.x</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ 11.1.1.7 requires at least Oracle Solaris Cluster 4.1 SRU 3</li> <li>■ Supported in Engineered Systems only</li> </ul>
Oracle Web Tier	11.1.1.4, 11.1.1.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle WebLogic Server	10.3.3, 10.3.4, 10.3.5, 10.3.6  12.1.1.0, 12.1.2.0	<ul style="list-style-type: none"> <li>■ Failover, multiple master, multi-instance</li> <li>■ Global zone, zone cluster</li> <li>■ Sockets Direct Protocol (SDP) support:               <ul style="list-style-type: none"> <li>■ 10.3.5 and 10.3.6 are supported in Engineered Systems</li> </ul> </li> <li>■ 12.1.2 requires at least Oracle Solaris Cluster 4.1 SRU 7</li> </ul>
PostgreSQL	9.0.x, 9.1.x, 9.2.x, 9.3.x	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Failover zone, global zone, zone cluster</li> <li>■ 9.x.x requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>
Samba	3.6.6, and 3.6.12 as shipped with Oracle Solaris 11.1	<ul style="list-style-type: none"> <li>■ Samba (smbc, nmbd): Failover</li> <li>■ Winbind: Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>
SAP liveCache	7.7, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>
SAP MaxDB	7.8, 7.9	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.1 on x64
SAP NetWeaver	<p>Versions that run on SAP kernels:</p> <ul style="list-style-type: none"> <li>■ 720_EXT, minimum patch level 300</li> <li>■ 721_EXT, minimum patch level 130</li> <li>■ 722, minimum patch level 25</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> <li>■ 745, minimum patch level 15</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ See SAP NetWeaver entry in <a href="#">Table 56, “Data Services for Oracle Solaris Cluster 4.1 on SPARC,”</a> on page 102</li> </ul>
Sybase Adaptive Server Enterprise (ASE)	15.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported in HA mode only – both asymmetric and symmetric</li> <li>■ The Companion Server feature is not supported</li> <li>■ 15.7 requires at least Oracle Solaris Cluster 4.1 SRU 3</li> </ul>

## Oracle Database on Oracle Solaris Cluster 4.1

The following tables contain supplemental HA-Oracle information for [Table 56, “Data Services for Oracle Solaris Cluster 4.1 on SPARC,”](#) on page 102 and [Table 57, “Data Services for Oracle Solaris Cluster 4.1 on x64,”](#) on page 105:

- [Table 58, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 SPARC,”](#) on page 109
- [Table 59, “HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 x64,”](#) on page 109
- [Table 60, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 SPARC,”](#) on page 109
- [Table 61, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 x64,”](#) on page 110

**TABLE 58** HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 SPARC

HA-Oracle 12c Release 1 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
QFS	Y	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y	Y
Clustered ASM	Y	Y	Y	Y <sup>b</sup>	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle Database 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646

**TABLE 59** HA-Oracle 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 x64

HA-Oracle 12c Release 1 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
UFS	Y	Y	Y	Y
QFS	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y
PxFS	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y
Clustered ASM	Y	Y	Y	Y <sup>b</sup>
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support
- b – Oracle Database 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646

**TABLE 60** HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 SPARC

HA-Oracle 12c Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
QFS	Y	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y	Y

HA-Oracle 12c Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
PxFS	Y	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y	Y
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support

**TABLE 61** HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 x64

HA-Oracle 12c Release 1 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
UFS	Y	Y	Y	Y
QFS	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y
PxFS	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y
Clustered ASM	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support

## Oracle RAC Oracle Solaris Cluster 4.1

Oracle Real Application Clusters (RAC) Enterprise Edition is supported with Oracle Solaris Cluster. Refer to the following tables for Oracle RAC support details. These tables contain supplemental information to [Table 56, “Data Services for Oracle Solaris Cluster 4.1 on SPARC,” on page 102](#) and [Table 57, “Data Services for Oracle Solaris Cluster 4.1 on x64,” on page 105](#):

- [Table 62, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 SPARC,” on page 111](#)
- [Table 63, “Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 x64,” on page 111](#)
- [Table 64, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 SPARC,” on page 111](#)

- [Table 65, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 x64,” on page 112](#)

**TABLE 62** Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 SPARC

Oracle RAC 12c Release 1 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
Shared QFS	Y <sup>b</sup>	Y <sup>b</sup>	Y <sup>b</sup>	Y <sup>b</sup>	Y <sup>b</sup>
NFS Appliance <sup>a</sup>	N/A	N/A	Y <sup>b</sup>	Y <sup>b</sup>	Y <sup>b</sup>
Clustered ASM	Y	Y <sup>b</sup>	Y	Y <sup>b</sup>	Y
Solaris Volume Manager	Y <sup>b</sup>	N/A	Y <sup>b</sup>	Y <sup>b</sup>	Y <sup>b</sup>
HW RAID	N/A	N/A	Y <sup>b</sup>	Y <sup>b</sup>	Y <sup>b</sup>

- a – Includes Direct NFS (dNFS) support
- b – Oracle RAC 12.1.0.1 only
- c – Oracle RAC 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646

**TABLE 63** Oracle RAC 12c Release 1 Matrix for Oracle Solaris Cluster 4.1 x64

Oracle RAC 12c Release 1 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
Shared QFS	Y <sup>b</sup>	Y <sup>b</sup>	Y <sup>b</sup>	Y <sup>b</sup>
NFS Appliance <sup>a</sup>	N/A	N/A	Y <sup>b</sup>	Y <sup>b</sup>
Clustered ASM	Y	Y	Y	Y <sup>c</sup>
Solaris Volume Manager	Y <sup>b</sup>	N/A	Y <sup>b</sup>	Y <sup>b</sup>
HW RAID	N/A	N/A	Y <sup>b</sup>	Y <sup>b</sup>

- a – Includes Direct NFS (dNFS) support
- b – Oracle RAC 12.1.0.1 only
- c – Oracle RAC 12.1.0.2 Shared-IP Zone Cluster support starts with Grid Infrastructure Patch Set Update (PSU) 19392646

**TABLE 64** Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 SPARC

Oracle RAC 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
Shared QFS	Y	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y	Y
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y

Oracle RAC 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support

**TABLE 65** Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.1 x64

Oracle RAC 11g Release 2 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
Shared QFS	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y
Clustered ASM	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support

**TABLE 66** Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.1 SPARC

Data Service	Application Version	Comments
Generic Data Service (GDS) based services	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ A GDS-based data service can run in a solaris10 branded Zone Cluster provided that the application is also configured to run in a solaris10 branded zone</li> </ul>
HA for Alliance Access	7.0	Failover
HA for Alliance Gateway	7.0	Failover
HA for Apache	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Proxy Server	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Tomcat	3.3 4.0, 4.1	Failover, multiple master, scalable



Data Service	Application Version	Comments
	5.0, 5.5, 5.5.x  6.0  7.0.x	
HA for Business Intelligence Enterprise Edition	10.1.3.x (for x >= 0)	Failover, multiple master (integrated with OBIEE built-in clustering)
HA for Domain Name Service (DNS)	Version shipped with Oracle Solaris	Failover
HA for Informix	V9.4  10  11, 11.5	Failover
HA for MySQL	3.23.54a - 4.0.23  4.1.6 - 4.1.22  5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6	Failover, multiple master, scalable
HA for MySQL Cluster	7.0.x (for x >= 7)  7.1.x (for x >= 0)  7.2.x (for x >= 0)	Failover
HA for Oracle	10g Release 2: <ul style="list-style-type: none"> <li>■ 10.2.0.4, 10.2.0.5</li> </ul> 11g Release 1: <ul style="list-style-type: none"> <li>■ 11.1.0.7</li> </ul> 11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.4</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patch</li> <li>■ Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.2</li> <li>■ Oracle Solaris 11.3</li> </ul> </li> </ul>
HA for Oracle Application Server	10.1.2, 10.1.3.1	Failover
HA for Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Proxies a remote Oracle DB/RAC to reflect the DB state/status as a RGM resource state/status</li> <li>■ Remote Oracle DB/RAC must be on Oracle Solaris (SPARC or x86)</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC)</li> </ul>
HA for Oracle Web Tier	11.1.1.x	Failover
HA for Oracle WebLogic Server	10.3, 10.3.3, 10.3.4, 10.3.5, 10.3.6	<ul style="list-style-type: none"> <li>■ Failover, multiple master (clustered WLS)</li> </ul>

Data Service	Application Version	Comments
		<ul style="list-style-type: none"> <li>Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> </ul>
HA for PeopleSoft Application Server	PeopleTools 8.50, 8.51, 8.52	<ul style="list-style-type: none"> <li>Failover</li> <li>Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> </ul>
HA for PeopleSoft Process Scheduler	PeopleTools 8.50, 8.51, 8.52	Failover
HA for PostgreSQL	7.3.x  8.0.x, 8.1.x, 8.2.x, 8.3.x, 8.4.x  9.0.x, 9.1.x, 9.2.x	Failover
HA for Samba	2.2.2 - 3.5.5	<ul style="list-style-type: none"> <li>Failover</li> <li>"Clustered" Samba is not supported</li> </ul>
HA for SAP liveCache	7.4, 7.5, 7.6, 7.7	<ul style="list-style-type: none"> <li>Failover</li> <li>7.6 needs at least 7.6.03.09</li> <li>7.7 needs at least 7.7.07.14 (with SCM 7.0)</li> <li>7.7.04.38 and later supported with SCM 5.1</li> </ul> <p><b>Note</b> - SAP note 1461682 specifies corrective steps to make at install time.</p>
HA for SAP MaxDB	7.4, 7.5, 7.6, 7.7, 7.8	<ul style="list-style-type: none"> <li>Failover</li> <li>7.6 needs at least MaxDB 7.6.03.09 for S10 SPARC</li> <li>7.8 support requires at least patch 147091-05</li> </ul>
HA for SAP NetWeaver	<p>Versions that run on SAP kernels:</p> <ul style="list-style-type: none"> <li>720 or 720_EXT, minimum patch level 300</li> <li>721 or 721_EXT, minimum patch level 130</li> <li>740, minimum patch level 36</li> <li>741, minimum patch level 11</li> <li>742, minimum patch level 28</li> </ul>	<ul style="list-style-type: none"> <li>Failover, multiple master</li> <li>SAP certified. For information, see:                             <ul style="list-style-type: none"> <li><a href="https://www.sap.com/index.html">https://www.sap.com/index.html</a> – Click on Our Partners and then Find an SAP Partner. Expand Partner Information Center (PIC) and click on Partner Information Center. Select the Search for Solutions tab and search for "Solaris Cluster" as the Solution Name. Click on Solaris Cluster 3.3.</li> <li>SAP Note 1740305 – Central Note: HA SAP systems on Solaris Cluster 3.3</li> </ul> </li> <li>Supports all SAP versions based on the listed kernels, e.g., SAP NetWeaver 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3, 7.1, 7.1 EHP1, 7.3, 7.3 EHP1, 7.4, and all products based on those, e.g.,</li> <li>SAP Customer Relationship Management 6.0 (CRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>SAP Enterprise Resource Planning 6.0, 6.0 EHP1, 6.0 HEP2, 6.0 EHP3, 6.0 EHP4, 6.0 EHP5, 6.0 EHP6, 6.0 EHP7</li> <li>SAP NetWeaver Composition Environment 7.1, 7.1 EHP1, 7.2</li> <li>SAP NetWeaver J2EE (Advanced) Adapter Engine 7.0, 7.0 EPH1, 7.0 EPH2, 7.3, 7.3 EPH1, 7.4</li> <li>SAP NetWeaver Mobile Infrastructure 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3 EHP1, 7.4</li> </ul>

Data Service	Application Version	Comments
		<ul style="list-style-type: none"> <li>■ SAP NetWeaver Partner Connectivity Kit 7.0, 7.0 EPH1, 7.0 EPH2, 7.3</li> <li>■ SAP NetWeaver Process Integration 7.0, 7.0 EPH1, 7.0 EPH2, 7.1, 7.1 EHP1, 7.3, 7.3 EPH1, 7.4</li> <li>■ SAP NetWeaver Process Orchestration 7.3 EPH1, 7.4</li> <li>■ SAP Solution Manager 7.0 EHP1, 7.1</li> <li>■ SAP Supplier Relationship Management 5.0, 6.0 (SRM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> <li>■ SAP Supply Chain Management 5.1 (SCM 2007), 7.0, 7.0 EHP1, 7.0 EHP2, 7.0 EHP3</li> </ul>
HA for Siebel	8.0, 8.1.1, 8.2.2	Failover
HA for Sun GlassFish Message Queue, formerly HA for Sun Java System Message Queue and HA for Sun One Message Queue	4.4, 4.4u1, 4.5	Failover
HA for Sun Java System Application Server	All versions until JES 5 U1, 9.1, 9.1 UR2, GlassFish V2 UR2	Failover
HA for Sun Java System Web Proxy Server	Up to and including 4.0	Failover
HA for Sun Java System Web Server	All versions up to and including JES 5 U1 are supported. All releases up to and including 7.0, 7.0 U1, 7.0 U2 and all future updates of 7.0 release.	Failover, scalable
HA for Sybase Adaptive Server Enterprise (ASE)	15.0, 15.0.1, 15.0.2, 15.0.3 15.7.0	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Supported in HA mode only – both asymmetric and symmetric</li> <li>■ The Companion Server feature is not supported</li> <li>■ Application version 15.7.0 is supported on UFS and ZFS</li> </ul>
HA for TimesTen	11.2.1.x (for x >= 4) 11.2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Supported configurations: <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable / multi master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: active-standby</li> </ul>
HA for WebSphere Message Broker	5.0 6.0	Failover

Data Service	Application Version	Comments
	7.0	
HA for WebSphere MQ	5.3 6.0 7.0	Failover
Oracle Real Application Clusters (RAC) Enterprise Edition	10g Release 2: <ul style="list-style-type: none"> <li>■ 10.2.0.5</li> </ul> 11g Release 1: <ul style="list-style-type: none"> <li>■ 11.1.0.7</li> </ul> 11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul>	<ul style="list-style-type: none"> <li>■ Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> <li>■ 10.2.0.5, 11.1.0.7:                             <ul style="list-style-type: none"> <li>■ Zone Cluster requirements:                                     <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11, or Oracle Solaris Cluster 3.3 3/13, with at least patches 145333-23 and 145335-17</li> <li>■ At least Oracle Solaris 10 1/13</li> </ul> </li> <li>■ Global Zone requirements:                                     <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1 starting with SRU 8, or Oracle Solaris 11.2</li> </ul> </li> </ul> </li> <li>■ 11.2.0.3, 11.2.0.4:                             <ul style="list-style-type: none"> <li>■ Zone Cluster requirements:                                     <ul style="list-style-type: none"> <li>■ No UDLM</li> <li>■ No SVM</li> <li>■ Oracle Solaris Cluster 3.3 5/11 + patches, or Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements:                                     <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1, or Oracle Solaris 11.2 starting with SRU 1</li> </ul> </li> </ul> </li> </ul>

**TABLE 67** Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.1 x64

Data Service	Application Version	Comments
Generic Data Service (GDS) based services	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ A GDS-based data service can run in a solaris10 branded Zone Cluster provided that the application is also configured to run in a solaris10 branded zone</li> </ul>
HA for Apache	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
HA for Apache Proxy Server	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ 2.2.x and all versions of Apache shipped with Oracle Solaris 10, and the same versions from the Apache web site</li> </ul>

Data Service	Application Version	Comments
		<b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.
HA for Apache Tomcat	3.3 4.0, 4.1 5.0, 5.5, 5.5.x 6.0 7.0.x	Failover, multiple master, scalable
HA for Domain Name Service (DNS)	Version shipped with Oracle Solaris	Failover
HA for Informix	V9.4 10 11, 11.5	Failover
HA for MySQL	3.23.54a - 4.0.23 4.1.6 - 4.1.22 5.0.15 - 5.0.85, 5.1.x, 5.5, 5.6	Failover, multiple master, scalable
HA for MySQL Cluster	7.0.x (for x >= 7) 7.1.x (for x >= 0) 7.2.x (for x >= 0)	Failover
HA for Oracle	10g Release 2: ■ 10.2.0.4, 10.2.0.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 10g Release 2 zone cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patch or Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ 10g Release 2 global zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1 or Oracle Solaris 11.2</li> </ul> </li> </ul>
HA for Oracle Application Server	10.1.2, 10.1.3.1	Failover
HA for Oracle External Proxy	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Proxies a remote Oracle DB/RAC to reflect the DB state/status as a RGM resource state/status</li> <li>■ Remote Oracle DB/RAC must be on Oracle Solaris (SPARC or x86)</li> <li>■ Interrogates remote 10gR2, 11gR1, 11gR2, 12cR1, and 12cR2 Oracle databases (single instance or RAC)</li> </ul>
HA for Oracle Web Tier	11.1.1.x	Failover
HA for Oracle WebLogic Server	10.3, 10.3.3, 10.3.4, 10.3.5, 10.3.6	■ Failover, multiple master (clustered WLS)

Data Service	Application Version	Comments
		<ul style="list-style-type: none"> <li>■ Also supported in solaris10 branded Zone Clusters running Oracle Solaris Cluster 3.3 5/11</li> </ul>
HA for PostgreSQL	7.3.x  8.0.x, 8.1.x, 8.2.x, 8.3.x, 8.4.x  9.0.x, 9.1.x, 9.2.x	Failover
HA for Samba	2.2.2 - 3.5.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ "Clustered" Samba is not supported</li> </ul>
HA for SAP liveCache	7.6, 7.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.01.09</li> <li>■ 7.7 needs at least 7.7.07.14 (with SCM 7.0)</li> <li>■ 7.7.04.38 and later supported with SCM 5.1</li> </ul> <p><b>Note</b> - SAP note 1461682 specifies corrective steps to make at install time.</p>
HA for SAP MaxDB	7.6, 7.7, 7.8	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ 7.6 needs at least 7.6.01.09</li> <li>■ 7.8 support requires at least patch 147092-05</li> </ul>
HA for SAP NetWeaver	Versions that run on SAP kernels: <ul style="list-style-type: none"> <li>■ 720 or 720_EXT, minimum patch level 300</li> <li>■ 721 or 721_EXT, minimum patch level 130</li> <li>■ 740, minimum patch level 36</li> <li>■ 741, minimum patch level 11</li> <li>■ 742, minimum patch level 28</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ See SAP NetWeaver entry in <a href="#">Table 54, "Oracle Solaris Cluster 3.3 3/13 Data Services Supported in solaris10 Branded Zone Clusters for Oracle Solaris Cluster 4.2 SPARC,"</a> on page 91</li> </ul>
HA for Sun GlassFish Message Queue, formerly HA for Sun Java System Message Queue and HA for Sun One Message Queue	4.4, 4.4.u1	Failover
HA for Sun Java System Application Server	All versions until JES 5 U1, 9.1, 9.1 UR2, GlassFish V2 UR2	Failover

Data Service	Application Version	Comments
HA for Sun Java System Web Proxy Server	Up to and including 4.0	Failover
HA for Sun Java System Web Server	All versions up to and including JES 5 U1 are supported. All releases up to and including 7.0, 7.0 U1, 7.0 U2 and all future updates of 7.0 release.	Failover, scalable
HA for Sybase Adaptive Server Enterprise (ASE)	15.0, 15.0.1, 15.0.2, 15.0.3	Failover
HA for TimesTen	11.2.1.x (for x >= 4) 11.2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Supported configurations: <ul style="list-style-type: none"> <li>■ failover master</li> <li>■ scalable / multi master</li> <li>■ active-active</li> </ul> </li> <li>■ Not supported: active-standby</li> </ul>
HA for WebSphere Message Broker	6.0 7.0	Failover
HA for WebSphere MQ	6.0 7.0	Failover
Oracle Real Application Clusters (RAC) Enterprise Edition	10g Release 2: <ul style="list-style-type: none"> <li>■ 10.2.0.5</li> </ul> 11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> <li>■ 11.2.0.4</li> </ul>	<ul style="list-style-type: none"> <li>■ 10.2.0.5: <ul style="list-style-type: none"> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 3.3 5/11 + patches or Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1</li> </ul> </li> </ul> </li> <li>■ 11.2.0.3, 11.2.0.4: <ul style="list-style-type: none"> <li>■ Zone Cluster requirements: <ul style="list-style-type: none"> <li>■ No UDLM</li> <li>■ No SVM</li> <li>■ Oracle Solaris Cluster 3.3 5/11 + patches or Oracle Solaris Cluster 3.3 3/13</li> </ul> </li> <li>■ Global Zone requirements: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.2 starting with SRU 1 or Oracle Solaris 11.3</li> </ul> </li> </ul> </li> </ul>





# Data Service Support for Oracle Solaris Cluster 4.0

---

This chapter covers data service support for Oracle Solaris Cluster 4.0.

## Application Services on Oracle Solaris Cluster 4.0

An application service is an application along with an data service which makes the application highly available or scalable in Oracle Solaris Cluster.

All Oracle Solaris Cluster 4.0 data services are supported in the global zone. Many data services are supported with the Oracle Solaris HA-container data service failover zone and Zone Cluster as noted in the following tables:

- [Table 68, “Data Services for Oracle Solaris Cluster 4.0 on SPARC,” on page 121](#)
- [Table 69, “Data Services for Oracle Solaris Cluster 4.0 on x64,” on page 123](#)

All Oracle Solaris Cluster 4.0 data services are supported with IPv4 only.

**TABLE 68** Data Services for Oracle Solaris Cluster 4.0 on SPARC

Application	Application Version	Comments for Oracle Solaris Cluster 4.0 on SPARC
Apache Tomcat	6.0: starting with 6.0.28  7.0: starting with 7.0.06	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> </ul>
Apache Web Server	2.2.x  2.4.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Both non-SSL-aware Apache and SSL-aware Apache are supported. Notes for configuring SSL-aware Apache with this data service is in Oracle Bug 20525331 available in MOS.</li> <li>■ 2.2.x shipped with Oracle Solaris 11.1, Oracle Solaris 11.2 or Oracle Solaris 11.3, and the same versions from the Apache web site</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.0 on SPARC
		<ul style="list-style-type: none"> <li>■ 2.4.x versions from the Apache web site</li> </ul>
Domain Name Service (DNS)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Dynamic Host Configuration Protocol (DHCP)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Generic Data Service (GDS) (SUNW.gds)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
NFS	V3 V4	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Oracle Database (HA-Oracle)	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> </ul>	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Details in <a href="#">Table 70, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 SPARC,”</a> on page 124 for details</li> </ul>
Oracle E-Business Suite	12.1	<ul style="list-style-type: none"> <li>■ Failover, multiple master (Parallel Concurrent Processing), scalable</li> <li>■ Global zone, zone cluster</li> <li>■ Starts with Oracle Solaris Cluster 4.0 SRU 2</li> </ul>
Oracle GlassFish Server Message Queue	4.5.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle Real Application Clusters (RAC) Enterprise Edition	11g Release 2: <ul style="list-style-type: none"> <li>■ 11.2.0.3</li> </ul>	<ul style="list-style-type: none"> <li>■ Global zone, zone cluster</li> <li>■ Details in <a href="#">Table 72, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 SPARC,”</a> on page 126</li> </ul>
Oracle Solaris Zones	Brand types:  solaris and solaris10 branded containers	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone</li> </ul>
Oracle VM Server for SPARC	See <a href="#">“Support for Oracle VM Server for SPARC”</a> on page 25.	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Oracle Web Tier	11.1.1.4, 11.1.1.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle WebLogic Server	10.3.3, 10.3.4, 10.3.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
SAP NetWeaver	Versions that run on SAP kernels 7.20, 7.20_EXT	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ Starts with Oracle Solaris Cluster 4.0 SRU 4</li> <li>■ Minimum patch level 300 for 7.20, 7.20_EXT</li> <li>■ SAP certified. For information, see:</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.0 on SPARC
		<ul style="list-style-type: none"> <li>■ <a href="https://www.sap.com/index.html">https://www.sap.com/index.html</a> – Click on Our Partners and then Find an SAP Partner. Expand Partner Information Center (PIC) and click on Partner Information Center. Select the Search for Solutions tab and search for "Solaris Cluster" as the Solution Name. Click on Solaris Cluster 3.3.</li> <li>■ SAP Note 1740958 – Central Note: SAP on Solaris Cluster 4.x and Solaris 11</li> </ul>

**TABLE 69** Data Services for Oracle Solaris Cluster 4.0 on x64

Application	Application Version	Comments for Oracle Solaris Cluster 4.0 on x64
Apache Tomcat	6.0: starting with 6.0.28 7.0: starting with 7.0.06	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ For failover: failover zone, global zone, zone cluster</li> <li>■ For multiple master, scalable: global zone, zone cluster</li> </ul>
Apache Web Server	2.2.x	<ul style="list-style-type: none"> <li>■ Failover, scalable</li> <li>■ Global zone, zone cluster</li> <li>■ 2.2.x shipped with Oracle Solaris 11.1, Oracle Solaris 11.2 or Oracle Solaris 11.3, and the same versions from the Apache web site</li> </ul> <p><b>Note</b> - For Apache versions 2.2.x, the data service supports only standard HTTP server. Apache-SSL and mod_ssl are not supported.</p>
Domain Name Service (DNS)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Dynamic Host Configuration Protocol (DHCP)	N/A	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Generic Data Service (GDS) (SUNW.gds)	N/A	<ul style="list-style-type: none"> <li>■ Failover, multiple master, scalable</li> <li>■ Global zone, zone cluster</li> </ul>
NFS	V3 V4	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone</li> </ul>
Oracle Database (HA-Oracle)	11g Release 2: ■ 11.2.0.3	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Details in Table 71, "HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 x64," on page 125</li> </ul>
Oracle GlassFish Server Message Queue	4.5.2	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Starts with Oracle Solaris Cluster 4.0 SRU 4</li> </ul>
Oracle Real Application Clusters (RAC) Enterprise Edition	11g Release 2: ■ 11.2.0.3	<ul style="list-style-type: none"> <li>■ Global zone, zone cluster</li> <li>■ Details in Table 73, "Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 x64," on page 126</li> </ul>

Application	Application Version	Comments for Oracle Solaris Cluster 4.0 on x64
Oracle Solaris Zones	solaris and solaris10 branded containers	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone</li> </ul>
Oracle Web Tier	11.1.1.4, 11.1.1.5	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> </ul>
Oracle WebLogic Server	10.3.3, 10.3.4, 10.3.5	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone</li> </ul>
SAP NetWeaver	Versions that run on SAP kernels 7.20, 7.20_EXT	<ul style="list-style-type: none"> <li>■ Failover, multiple master</li> <li>■ Global zone, zone cluster</li> <li>■ Starts with Oracle Solaris Cluster 4.0 SRU 4</li> <li>■ Minimum patch level 300 for 7.20, 7.20_EXT</li> <li>■ SAP certified. For information, see:                             <ul style="list-style-type: none"> <li>■ <a href="https://www.sap.com/index.html">https://www.sap.com/index.html</a> – Click on Our Partners and then Find an SAP Partner. Expand Partner Information Center (PIC) and click on Partner Information Center. Select the Search for Solutions tab and search for "Solaris Cluster" as the Solution Name. Click on Solaris Cluster 3.3.</li> <li>■ SAP Note 1740958 -Central Note: SAP on Solaris Cluster 4.x and Solaris 11</li> </ul> </li> </ul>
Sybase Adaptive Server Enterprise (ASE)	15.7	<ul style="list-style-type: none"> <li>■ Failover</li> <li>■ Global zone, zone cluster</li> <li>■ Supported in HA mode only – both asymmetric and symmetric</li> <li>■ The Companion Server feature is not supported</li> </ul>

## Oracle Database on Oracle Solaris Cluster 4.0

The following tables contain supplemental information to [Table 68, “Data Services for Oracle Solaris Cluster 4.0 on SPARC,”](#) on page 121 and [Table 69, “Data Services for Oracle Solaris Cluster 4.0 on x64,”](#) on page 123:

- [Table 70, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 SPARC,”](#) on page 124
- [Table 71, “HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 x64,”](#) on page 125

**TABLE 70** HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 SPARC

HA-Oracle 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
UFS	Y	Y	Y	Y	Y
QFS	Y	Y	Y	Y	Y

HA-Oracle 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
ZFS	Y	N/A	Y	Y	Y
PxFS	Y	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y	Y
ACFS	Y	N/A	Y	Y <sup>b</sup>	Y
Clustered ASM	Y	Y	Y	Y <sup>b</sup>	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support

**TABLE 71** HA-Oracle 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 x64

HA-Oracle 11g Release 2 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
UFS	Y	Y	Y	Y
QFS	Y	Y	Y	Y
ZFS	Y	N/A	Y	Y
PxFS	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y
Clustered ASM	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support

## Oracle RAC on Oracle Solaris Cluster 4.0

Oracle Real Application Clusters (RAC) Enterprise Edition is supported with Oracle Solaris Cluster. Refer to the following tables for Oracle RAC support details. The following tables contain supplemental information to [Table 68, “Data Services for Oracle Solaris Cluster 4.0 on SPARC,” on page 121](#) and [Table 69, “Data Services for Oracle Solaris Cluster 4.0 on x64,” on page 123](#):

- [Table 72, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 SPARC,” on page 126](#)
- [Table 73, “Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 x64,” on page 126](#)

**TABLE 72** Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 SPARC

Oracle RAC 11g Release 2 on SPARC	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster	Oracle VM Server for SPARC
Shared QFS	Y	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y	Y
Clustered ASM	Y	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y	Y
HW RAID	N/A	N/A	Y	Y	Y

- a – Includes Direct NFS (dNFS) support

**TABLE 73** Oracle RAC 11g Release 2 Matrix for Oracle Solaris Cluster 4.0 x64

Oracle RAC 11g Release 2 on x64	HW RAID	Solaris Volume Manager	Global Zone	Zone Cluster
Shared QFS	Y	Y	Y	Y
NFS Appliance <sup>a</sup>	N/A	N/A	Y	Y
Clustered ASM	Y	Y	Y	Y
Solaris Volume Manager	Y	N/A	Y	Y
HW RAID	N/A	N/A	Y	Y

- a – Includes Direct NFS (dNFS) support

## Campus Clusters in Oracle Solaris Cluster

---

Campus clusters are a common means of achieving disaster recovery. Unlike traditional clusters, the nodes of a campus cluster can be several kilometers apart. This enables application services to be highly available in the event of a fire, earthquake, area power outage, etc.

For a description of campus cluster concepts and configurations, refer to the [Oracle Solaris Cluster Hardware Administration Manual](#). In general, the support information for traditional clusters in the rest of this guide applies to campus cluster configurations as well.

### Cluster Shared Storage

Oracle storage products supported for cluster shared storage in campus cluster configurations are noted in [Chapter 12, “Fibre Channel Storage Support on Oracle Solaris Cluster”](#). Each storage product discussion contains a Campus Cluster subsection noting campus cluster support.

### Storage-Based Data Replication

#### EMC Symmetrix Remote Data Facility

EMC Symmetrix Remote Data Facility (SRDF) may be used for replicating data in Oracle Solaris Cluster campus cluster environments.

#### Support Information for Campus Clusters

SRDF for data replication is supported in global zones, and requires the following:

- Oracle Solaris Cluster releases: 4.0, 4.1, 4.2, 4.3 (includes SRUs)

- Enginuity firmware version 5671 or later
- EMC Solutions Enabler (SYMCLI) versions:
  - 7.2.x, 7.3.x, 7.4.x, 7.5.x, 7.6.x
  - 8.0.x, 8.1.x
- Storage:
  - EMC Symmetrix DMX
  - EMC VMAX

See the Oracle Solaris Cluster Storage Partner Program page for additional information.

- Not supported:
  - Solaris Volume Manager for Sun Cluster multi-owner disk sets
  - Shared QFS
  - EMC SRDF consistency groups



# Oracle Solaris Cluster Distaster Recovery Framework

---

This chapter discusses the Oracle Solaris Cluster Distaster Recovery framework, formerly Geographic Edition.

## General Configuration of the Oracle Solaris Cluster Distaster Recovery Framework

Elements of the Oracle Solaris Cluster Distaster Recovery framework product configuration are:

- Oracle Solaris Cluster installation, with attached data storage. Oracle Solaris Cluster Distaster Recovery framework places no additional restrictions on supported cluster configurations beyond those already imposed by the base Oracle Solaris Cluster configuration guidelines.

---

**Note** - Data Replication products may have restrictions on data service support.

---

- Internet connections for inter-cluster management communication and default heartbeat between the Oracle Solaris Cluster installations.
- Connections for data replication.
- Optional connections for custom heartbeats, if required.
- Requires at least Java 1.7.
- Disaster recovery (DR) orchestration provides the ability to manage multiple Distaster Recovery framework protection groups as a single entity known as a multigroup. This entity enables an administrator to coordinate disaster recovery protection of multiple clusters and multiple services on a per-site basis.

At initial release, this feature has the following configuration limitations:

- Maximum number of clusters in a site: 8
- Maximum number of protection groups in a multigroup: 10
- Maximum number of multigroups in a site: 10
- Maximum number of sites in a cluster: 8
- Maximum number of controllers in a site: 3

Contact your Oracle support representative to learn whether an increase of any of these limits has become qualified at a later date.

## Application-Based Data Replication

### Oracle Data Guard

Oracle Data Guard may be used for replicating data in Oracle Solaris Cluster Disaster Recovery framework environments.

### Support Information for Oracle Data Guard

Oracle Solaris Cluster Disaster Recovery framework supports Oracle Data Guard data replication features present in 11g. 12c also supports the data replication features present in 11g.

Support of remote nodes (Oracle Data Guard instances running on systems not under Oracle Solaris Cluster control) starts with Oracle Solaris Cluster 4.2 SRU 1.

Remote node support:

- Oracle Database or Oracle Real Applications Clusters:
  - 11g Release 2
  - 12c Release 1, 12c Release 2
  - 18c: Requires at least Oracle Solaris Cluster 4.4 SRU 4.
- Platforms:
  - Oracle Solaris SPARC or x64
  - Oracle Linux – running on:
    - Oracle servers
    - Oracle Exadata
    - Oracle Database Appliance

Far Sync, a new capability with Oracle Data Guard 12c, is supported starting with Oracle Solaris Cluster 4.3 SRU 4. Far Sync requires Oracle Database Enterprise Edition (Database and RAC) 12c as supported by Oracle Solaris Cluster.

## Global Zones

Oracle Data Guard for data replication is supported in global zones, and requires the following:

- Oracle Solaris Cluster 4.0 or later
- Oracle Data Guard is included with Oracle Database Enterprise Edition. For supported Oracle Database and Oracle Real Application Clusters versions, refer to the following chapters:
  - [Chapter 3, “Data Service Support for Oracle Solaris Cluster 4.4”](#)
  - [Chapter 4, “Data Service Support for Oracle Solaris Cluster 4.3”](#)
  - [Chapter 5, “Data Service Support for Oracle Solaris Cluster 4.2”](#)
  - [Chapter 6, “Data Service Support for Oracle Solaris Cluster 4.1”](#)
  - [Chapter 7, “Data Service Support for Oracle Solaris Cluster 4.0”](#)

## Zone Clusters and Oracle Data Guard

Oracle Data Guard for data replication is supported in zone clusters, and requires the following:

- Oracle Solaris Cluster 4.1 or later for exclusive-IP zones
- Oracle Solaris Cluster 4.0 or later for shared-IP zones
- Data Guard is included with Oracle Database Enterprise Edition. For supported Oracle Database and Oracle Real Application Clusters versions, refer to the following chapters:
  - [Chapter 3, “Data Service Support for Oracle Solaris Cluster 4.4”](#)
  - [Chapter 4, “Data Service Support for Oracle Solaris Cluster 4.3”](#)
  - [Chapter 5, “Data Service Support for Oracle Solaris Cluster 4.2”](#)
  - [Chapter 6, “Data Service Support for Oracle Solaris Cluster 4.1”](#)
  - [Chapter 7, “Data Service Support for Oracle Solaris Cluster 4.0”](#)

## solaris10 Branded Zone Clusters and Oracle Data Guard

Oracle Data Guard for data replication is supported in solaris10 branded exclusive-IP and shared-IP zone clusters, and requires the following:

- Global zone:

- Oracle Solaris Cluster 4.1 and SRUs
- Oracle Solaris Cluster 4.2 and SRUs
- Oracle Solaris Cluster 4.3 and SRUs
- Oracle Solaris Cluster 4.4 and SRUs
- Zone cluster:
  - Oracle Solaris Cluster Geographic Edition 3.3 3/13
  - Oracle Solaris Cluster Geographic Edition 3.3 5/11
    - If the global zone is Oracle Solaris Cluster 4.1, requires at least Oracle Solaris Cluster 4.1 SRU 2
  - If the global zone is Oracle Solaris Cluster 4.2 or later, the `solaris10` branded zone cluster requires patch 145333-29 or later for SPARC, patch 145334-29 or later for x86
- Oracle Data Guard is included with Oracle Database Enterprise Edition. For supported Oracle Database and Oracle Real Application Clusters versions, refer to the following chapters:
  - [Chapter 3, “Data Service Support for Oracle Solaris Cluster 4.4”](#)
  - [Chapter 4, “Data Service Support for Oracle Solaris Cluster 4.3”](#)
  - [Chapter 5, “Data Service Support for Oracle Solaris Cluster 4.2”](#)
  - [Chapter 6, “Data Service Support for Oracle Solaris Cluster 4.1”](#)
  - [Chapter 7, “Data Service Support for Oracle Solaris Cluster 4.0”](#)

## Oracle GoldenGate

Oracle GoldenGate may be used for replicating data in Oracle Solaris Cluster Disaster Recovery framework environments.

## Support Information

### Global Zones

Oracle GoldenGate is supported in global zones, and requires the following:

- Oracle Solaris Cluster 4.3
- For Oracle Golden Gate versions, see [Chapter 4, “Data Service Support for Oracle Solaris Cluster 4.3”](#)

## Zone Clusters

Oracle GoldenGate is supported in zone clusters (exclusive IP and shared IP), and requires the following:

- Oracle Solaris Cluster 4.3
- For Oracle Golden Gate versions, see [Chapter 4, “Data Service Support for Oracle Solaris Cluster 4.3”](#)

## solaris10 Branded Zone Clusters and Oracle GoldenGate

Oracle GoldenGate is not supported in solaris10 branded zone clusters.

## MySQL for Data Replication

MySQL (MySQL Community Edition, MySQL Standard Edition, and MySQL Enterprise Edition) may be used for replicating data in Oracle Solaris Cluster Disaster Recovery framework environments.

## Support Information for MYSQL

### Global Zones and MySQL

MySQL for data replication is supported in global zones, and requires the following:

- Starting with Oracle Solaris Cluster 4.0
- MySQL versions thru 5.7 – refer to the following chapters:
  - [Chapter 3, “Data Service Support for Oracle Solaris Cluster 4.4”](#)
  - [Chapter 4, “Data Service Support for Oracle Solaris Cluster 4.3”](#)
  - [Chapter 5, “Data Service Support for Oracle Solaris Cluster 4.2”](#)
  - [Chapter 6, “Data Service Support for Oracle Solaris Cluster 4.1”](#)
  - [Chapter 7, “Data Service Support for Oracle Solaris Cluster 4.0”](#)

### Zone Clusters and MySQL

MySQL for data replication is supported in zone clusters, and requires the following:

- Starting with Oracle Solaris Cluster 4.1 for exclusive-IP zones

- Starting with Oracle Solaris Cluster 4.0 for shared-IP zones
- MySQL versions thru 5.7 and 7.5.x - refer to the following chapters:
  - [Chapter 3, “Data Service Support for Oracle Solaris Cluster 4.4”](#)
  - [Chapter 4, “Data Service Support for Oracle Solaris Cluster 4.3”](#)
  - [Chapter 5, “Data Service Support for Oracle Solaris Cluster 4.2”](#)
  - [Chapter 6, “Data Service Support for Oracle Solaris Cluster 4.1”](#)
  - [Chapter 7, “Data Service Support for Oracle Solaris Cluster 4.0”](#)

### **solaris10 Branded Zone Clusters and MySQL**

MySQL for data replication is not supported in `solaris10` branded zone clusters.

## **Host-Based Data Replication**

### **Availability Suite**

Availability Suite may be used for replicating data in Oracle Solaris Cluster Disaster Recovery framework environments up to Oracle Solaris Cluster 4.3.

### **Global Zones and Availability Suite**

Availability Suite for data replication is supported in global zones, and requires the following:

- Oracle Solaris Cluster 4.0, 4.1, 4.2, or 4.3
- Starting with Oracle Solaris 11 SRU 1 – Availability Suite is bundled with Oracle Solaris 11 releases
- Not supported with ZFS

### **Zone Clusters and Availability Suite**

Availability Suite for data replication is not supported in zone clusters.

### **solaris10 Branded Zone Clusters and Availability Suite**

Availability Suite for data replication is not supported in `solaris10` branded zone clusters.

## Oracle Solaris ZFS Snapshot

ZFS snapshot features may be used for replicating data in Oracle Solaris Cluster Disaster Recovery framework environments.

### Global Zones and ZFS Snapshot Data Replication

ZFS snapshot data replication is supported in global zones, starting with Oracle Solaris Cluster 4.3.

### Zone Clusters and ZFS Snapshot Data Replication

ZFS snapshot data replication is supported in zone clusters (exclusive IP and shared IP), starting with Oracle Solaris Cluster 4.3.

### `solaris10` Branded Zone Clusters

ZFS snapshot data replication is not supported in `solaris10` branded zone clusters.

## Storage-Based Data Replication

### Oracle ZFS Storage Appliance Remote Replication

Oracle ZFS Storage Appliance (ZFS SA) Remote Replication may be used for replicating data in Oracle Solaris Cluster Disaster Recovery framework environments.

### Global Zones and ZFS SA Remote Replication

ZFS SA Remote Replication for data replication is supported in global zones, and requires the following:

- Starting with Oracle Solaris Cluster 4.1
- Oracle ZFS Storage Software

- 2013.1.8.x – Oracle Solaris Cluster 4.3 SRU 8 and later
- 2013.1.7.x – Oracle Solaris Cluster 4.3 SRU 8 and later SRUs
- 2013.1.6.x – Oracle Solaris Cluster 4.3 SRU 3 and later SRUs
- 2013.1.5.x – Oracle Solaris Cluster 4.3 SRU 3 and later SRUs
- 2013.1.4.x:
  - Oracle Solaris Cluster 4.3 and SRUs
  - Oracle Solaris Cluster 4.2 and SRUs
- 2013.1.3.x – Oracle Solaris Cluster 4.2 and SRUs
- 2011.1.6.x, 2011.1.7.x, 2011.1.8.x, 2011.1.9.x, 2013.1.1.x, 2013.1.2.x:
  - Oracle Solaris Cluster 4.2 and SRUs
  - Oracle Solaris Cluster 4.1 SRU 7 and later SRUs
- 2011.1.5.x – Oracle Solaris Cluster 4.1 and SRUs earlier than SRU 7
- Not supported:
  - Solaris Volume Manager for Sun Cluster multi-owner disk sets
  - Shared QFS
- Storage: Oracle ZFS Storage Appliances
  - For Fibre Channel, see [“Oracle FS1-2 Flash Storage System for FC Storage” on page 151](#)
  - For Ethernet, see [“Oracle ZFS Storage Appliance on Ethernet Requirements” on page 159](#)

## Zone Clusters and ZFS SA Remote Replication

ZFS SA Remote Replication for data replication is supported in shared-IP and exclusive-IP zone clusters, and requires the following:

- Starting with Oracle Solaris Cluster 4.1
- Oracle ZFS Storage Software
  - 2013.1.8.x – Oracle Solaris Cluster 4.3 SRU 8 and later
  - 2013.1.7.x – Oracle Solaris Cluster 4.3 SRU 8 and later SRUs
  - 2013.1.6.x – Oracle Solaris Cluster 4.3 SRU 3 and later SRUs
  - 2013.1.5.x – Oracle Solaris Cluster 4.3 SRU 3 and later SRUs
  - 2013.1.4.x:
    - Oracle Solaris Cluster 4.3 and SRUs
    - Oracle Solaris Cluster 4.2 and SRUs
  - 2013.1.3.x – Oracle Solaris Cluster 4.2 and SRUs



- 2011.1.6.x, 2011.1.7.x, 2011.1.8.x, 2011.1.9.x, 2013.1.1.x, 2013.1.2.x:
  - Oracle Solaris Cluster 4.2 and SRUs
  - Oracle Solaris Cluster 4.1 SRU 7 and later SRUs
- 2011.1.5.x – Oracle Solaris Cluster 4.1 and SRUs earlier than SRU 7
- Not supported:
  - Solaris Volume Manager for Sun Cluster multi-owner disk sets
  - Shared QFS
- Oracle ZFS Storage Appliances Support, see:
  - “Oracle ZFS Storage Appliance on Fibre Channel” on page 152
  - “Oracle ZFS Storage Appliance on Ethernet Requirements” on page 159

## **solaris10 Branded Zone Clusters and ZFS SA Remote Replication**

ZFS SA Remote Replication for data replication is supported in `solaris10` branded exclusive-IP and shared-IP zone clusters, and requires the following:

- Global zone – Oracle Solaris Cluster 4.3 and Oracle Solaris Cluster 4.4
- Zone cluster:
  - Oracle Solaris Cluster Geographic Edition 3.3 3/13
  - The `solaris10` branded zone cluster requires patch 145333-29 or later for SPARC, patch 145334-29 or later for x86
  - For support of AK 2013.1.7.x and 2013.1.8.x, install patch 152877-01 or later for SPARC, patch 152878-01 or later for x64
  - For support of AK 2013.1.7.x and 2013.1.8.x, install v1.0.5 of package `SUNWsczfsnfs` and v1.0.10 of package `ORCLscgezfsacl`. Download the packages from <http://www.oracle.com/technetwork/server-storage/sun-unified-storage/downloads/zfssa-plugins-1489830.html>.

---

**Note** - Oracle ZFS Storage Appliance AK 2013.1.5.x is not supported with `solaris10` branded zone clusters.

---

## **EMC Symmetrix Remote Data Facility**

EMC Symmetrix Remote Data Facility (SRDF) may be used for replicating data in Oracle Solaris Cluster Disaster Recovery framework environments.

See the Solutions Enabler Client/Server Configuration Example appendix – [http://docs.oracle.com/cd/E56676\\_01/html/E58402/gqnl.html#scrolltoc](http://docs.oracle.com/cd/E56676_01/html/E58402/gqnl.html#scrolltoc) - in the Oracle Solaris Cluster Geographic Edition Data Replication Guide for EMC Symmetrix Remote Data Facility for an example configuration.

## Global Zones and EMC SRDF

SRDF for data replication is supported in global zones, and requires the following:

- Oracle Solaris Cluster releases: 4.0, 4.1, 4.2, 4.3 and SRUs
- Enginuity firmware version 5671 or later
- EMC Solutions Enabler (SYMCLI) versions:
  - 7.2.x, 7.3.x, 7.4.x, 7.5.x, 7.6.x
  - 8.0.x, 8.1.x
- Storage:
  - EMC Symmetrix DMX
  - EMC VMAX

See the Oracle Solaris Cluster Storage Partner Program page for additional information.
- Not supported:
  - Solaris Volume Manager
  - Shared QFS
  - SRDF consistency groups

## Zone Clusters and EMC SRDF

SRDF for data replication is supported in shared-IP and exclusive-IP zone clusters using Solutions Enabler client/server configurations and requires the following:

- Oracle Solaris Cluster releases: 4.3 SRU 3 and later SRUs
- Enginuity firmware version 5671 or later
- EMC Solutions Enabler (SYMCLI) versions:
  - 7.2.x, 7.3.x, 7.4.x, 7.5.x, 7.6.x
  - 8.0.x, 8.1.x
- Storage:
  - EMC Symmetrix DMX
  - EMC VMAX

See the Oracle Solaris Cluster Storage Partner Program page for additional information.

- Not supported:
  - Solaris Volume Manager
  - Shared QFS
  - SRDF consistency groups

## **solaris10 Branded Zone Clusters and EMC SRDF**

SRDF for data replication is not supported in `solaris10` branded zone clusters.

## **Hitachi Data Systems Support for Oracle Solaris Cluster Disaster Recovery Framework**

Hitachi Data Systems (HDS) provides support for replicating data in Oracle Solaris Cluster Disaster Recovery framework environments.

For support information, see the Oracle Solaris Cluster Storage Partner Program page.



## Server Support for Oracle Solaris Cluster

---

“SPARC Servers That Support Oracle Solaris Cluster” on page 141 and “x64 Servers That Support Oracle Solaris Cluster” on page 143 list the servers that support Oracle Solaris Cluster. Other components, such as storage and network interfaces, may not be all supported with every server. Refer to the other chapters for information on those components.

Unless noted in the following tables, Oracle Solaris requirements are as documented in the respective server product documentation.

Oracle Solaris Cluster 4.4 only supports platforms also supported by Oracle Solaris 11.4. To verify if your platform is supported by Oracle Solaris 11.4, refer to the [Oracle® Solaris 11.4 Release Notes](#).

### SPARC Servers That Support Oracle Solaris Cluster

**TABLE 74** SPARC Servers for Oracle Solaris Cluster

Servers	Notes
SPARC T7 Series servers	Starting with Oracle Solaris Cluster 4.3
SPARC M8 Series servers	Starting with Oracle Solaris Cluster 4.3 SRU 7
SPARC T8 Series servers	Starting with Oracle Solaris Cluster 4.3 SRU 7
Fujitsu SPARC M12-1 Fujitsu SPARC M12-2 Fujitsu SPARC M12-2S	Starting with: <ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 4.1 with SRU 4.1.8 and later</li> <li>■ Oracle Solaris Cluster 4.2 with SRU 4.2.5.1.0 and later</li> <li>■ Oracle Solaris Cluster 4.3 and later SRUs</li> </ul> Starting with: <ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1 with SRU 11.1.21.4.1 and later</li> <li>■ Oracle Solaris 11.2 with SRU 11.2.15.5.1 and later</li> <li>■ Oracle Solaris 11.3 and later SRUs</li> </ul>
Fujitsu M10 servers	Starting with Oracle Solaris Cluster 4.1
Netra SPARC T3-1	

SPARC Servers That Support Oracle Solaris Cluster

---

Servers	Notes
Netra SPARC T3-1B	
Netra SPARC T4-1	
Netra SPARC T4-1B	
Netra SPARC T4-2	
Netra SPARC T5-1B	Starting with Oracle Solaris Cluster 4.1
Netra SPARC S7-2	Starting with Oracle Solaris Cluster 4.3 SRU 3
SPARC Enterprise M3000	
SPARC Enterprise M4000	
SPARC Enterprise M5000	
SPARC Enterprise M8000	
SPARC Enterprise M9000	
SPARC M5-32 server	Starting with Oracle Solaris Cluster 4.1 SRU 1
SPARC M6-32 server	Starting with Oracle Solaris Cluster 4.1 SRU 3
SPARC M7-8 server	Starting with Oracle Solaris Cluster 4.3
SPARC M7-16 server	Starting with Oracle Solaris Cluster 4.3
SPARC S7-2 server	Starting with Oracle Solaris Cluster 4.3 SRU 3
SPARC S7-2L server	Starting with Oracle Solaris Cluster 4.3 SRU 3
SPARC T3-1 server	
SPARC T3-1B	
SPARC T3-2 server	
SPARC T3-4 server	
SPARC T4-1 server	
SPARC T4-1B	
SPARC T4-2 server	
SPARC T4-4 server	
SPARC T5-1B server module	Starting with Oracle Solaris Cluster 4.1
SPARC T5-2 server	Starting with Oracle Solaris Cluster 4.1
SPARC T5-4 server	Starting with Oracle Solaris Cluster 4.1
SPARC T5-8 server	Starting with Oracle Solaris Cluster 4.1
Sun Blade T6300	
Sun Blade T6320	
Sun Blade T6340	
Sun Fire T1000	
Sun Fire T2000	
Sun Netra CP3060	
Sun Netra CP3260	

Servers	Notes
Sun Netra T2000	
Sun Netra T5220	
Sun Netra T5440	
Sun SPARC Enterprise T1000	
Sun SPARC Enterprise T2000	
Sun SPARC Enterprise T5120	
Sun SPARC Enterprise T5140	
Sun SPARC Enterprise T5220	
Sun SPARC Enterprise T5240	
Sun SPARC Enterprise T5440	

## x64 Servers That Support Oracle Solaris Cluster

**TABLE 75** x64 Servers for Oracle Solaris Cluster

Servers	Notes
Netra Blade X3-2B	Formerly Sun Netra X6270 M3 Server Blade
Netra Server X3-2	Formerly Sun Netra X4270 M3
Netra Server X5-2	<ul style="list-style-type: none"> <li>■ Starting with Oracle Solaris Cluster 4.3 SRU 4</li> <li>■ Starting with Oracle Solaris 11.3 SRU 8</li> </ul>
Oracle Server X5-2	<ul style="list-style-type: none"> <li>■ Starting with Oracle Solaris Cluster 4.1 SRU 8</li> <li>■ See footnote <sup>a</sup></li> </ul>
Oracle Server X5-2L	<ul style="list-style-type: none"> <li>■ Starting with Oracle Solaris Cluster 4.1 SRU 8</li> <li>■ See footnote <sup>a</sup></li> </ul>
Oracle Server X5-4	<ul style="list-style-type: none"> <li>■ Starting with Oracle Solaris Cluster 4.2</li> <li>■ See footnote <sup>a</sup></li> </ul>
Oracle Server X5-8	<ul style="list-style-type: none"> <li>■ Starting with Oracle Solaris Cluster 4.3</li> <li>■ Starting with Oracle Solaris 11.3</li> </ul>
Oracle Server X6-2	Starting with Oracle Solaris Cluster 4.3
Oracle Server X6-2L	Starting with Oracle Solaris Cluster 4.3
Oracle Server X7-2	Starting with Oracle Solaris Cluster 4.3
Oracle Server X7-2L	Starting with Oracle Solaris Cluster 4.3
Sun Blade X3-2B	Formerly Sun Blade X6270 M3 Server Module
Sun Blade X4-2B	Starting with Oracle Solaris Cluster 4.1
Sun Blade X6220	
Sun Blade X6240	

Servers	Notes
Sun Blade X6250	
Sun Blade X6270	
Sun Blade X6270 M2	
Sun Blade X6440	
Sun Blade X6450	
Sun Fire X4140	
Sun Fire X4150	
Sun Fire X4170	
Sun Fire X4170 M2	
Sun Fire X4240	
Sun Fire X4250	
Sun Fire X4270	
Sun Fire X4270 M2	
Sun Fire X4275	
Sun Fire X4440	
Sun Fire X4450	
Sun Fire X4540	
Sun Fire X4600	
Sun Fire X4600 M2	
Sun Fire X4800	
Sun Netra X4250	
Sun Netra X4270	
Sun Netra X6270 M2	
Sun Server X2-4	Formerly Sun Fire X4470 M2
Sun Server X2-8	Formerly Sun Fire X4800 M2
Sun Server X3-2	
Sun Server X3-2L	
Sun Server X4-2	Starting with Oracle Solaris Cluster 4.1
Sun Server X4-2L	Starting with Oracle Solaris Cluster 4.1
Sun Server X4-4	Starting with Oracle Solaris Cluster 4.1
Sun Server X4-8	Starting with Oracle Solaris Cluster 4.1

a – Refer to [Oracle Solaris Cluster 4.x Show Oracle 1.6TB NVMe SSD Disk as "Fail" and 'cldev' as "does not match physical device ID for"](#) (Doc ID 2009115.1) on My Oracle Support when using NVM Express (NVMe) flash drives in the Oracle Server disk drive bay.



## Storage on Oracle Solaris Cluster

---

The focus of this chapter is on cluster shared storage, also referred to as multi-hosted storage.

Storage products are typically supported with a specific set of servers, HBAs, and possibly SAN switches. The information in this chapter summarizes the combinations qualified for Oracle Solaris Cluster. Consult the storage, HBA, SAN switches, and server product information for details.

### Quorum Devices on Oracle Solaris Cluster

Unless noted otherwise, all supported shared storage devices can act as quorum devices. See the specific storage product discussion for details.

Oracle Solaris Cluster Quorum Server software can also be used to satisfy cluster quorum requirements. See [“Oracle Solaris Cluster Quorum Server Software” on page 22](#).

### Supported Fibre Channel (FC) Storage Devices on Oracle Solaris Cluster

This section lists the FC storage devices supported with Oracle Solaris Cluster and the servers that can share these storage devices in clusters. After you have determined that your server and storage combination is supported, refer to the storage details section for other supported components.

## FC Storage Devices for SPARC and x86 Servers

The following list shows the fibre channel storage devices that Oracle Solaris Cluster supports, and points to support details:

- Oracle FS1-2 Flash Storage System – Support details in [“Oracle FS1-2 Flash Storage System for FC Storage” on page 151](#)
- Oracle ZFS Storage Appliance – Support details in [“Oracle ZFS Storage Appliance on Fibre Channel” on page 152](#)
- Pillar Axiom 600 – Support details in [“Pillar Axiom 600 for FC Storage” on page 155](#)
- Sun Storage 2540-M2 Array – Support details in [“Sun Storage 2540-M2 Array for FC Storage” on page 156](#)
- Sun Storage 6180, 6580, 6780 Arrays – Support details in [“Sun Storage 6180, 6580, 6780 Arrays for FC Storage” on page 157](#)

## SPARC Servers That Support FC Storage Devices

With the exception of Fujitsu systems, the following SPARC servers support all FC storage devices listed in [“FC Storage Devices for SPARC and x86 Servers” on page 146](#). Fujitsu systems do not support the Sun Storage 2540-M2 Array or the Sun Storage 6180, 6580, 6780 Arrays.

- Fujitsu M10-1, Fujitsu M10-4, Fujitsu SPARC M12-2, Fujitsu SPARC M12-2S
- SPARC M8-8
- SPARC T8-1, SPARC T8-2, SPARC T8-4
- Netra SPARC T3-1, Netra SPARC T3-1B, Netra SPARC T4-1, Netra SPARC T4-1B, Netra SPARC T4-2, Netra SPARC T5-1B, Netra SPARC S7-2
- SPARC Enterprise M3000, SPARC Enterprise M4000, SPARC Enterprise M5000, SPARC Enterprise M8000, SPARC Enterprise M9000
- SPARC M5-32 server, SPARC M6-32 server
- SPARC M7-8 server, SPARC M7-16 server
- SPARC S7-2 server, SPARC S7-2L server
- SPARC T3-1 server, SPARC T3-1B, SPARC T3-2 server, SPARC T3-4 server
- SPARC T4-1 server, SPARC T4-1B, SPARC T4-2 server, SPARC T4-4 server
- SPARC T5-1B server module, SPARC T5-2 server, SPARC T5-4 server, SPARC T5-8 server
- SPARC T7-1 server, SPARC T7-2 server, SPARC T7-4 server
- Sun Blade T6300, Sun Blade T6320, Sun Blade T6340

- Sun Fire T1000, Sun Fire T2000
- Sun Netra CP3060, Sun Netra CP3260
- Sun Netra T2000, Sun Netra T5220, Sun Netra T5440
- Sun SPARC Enterprise T1000, Sun SPARC Enterprise T2000, Sun SPARC Enterprise T5120, Sun SPARC Enterprise T5140, Sun SPARC Enterprise T5220, Sun SPARC Enterprise T5240, Sun SPARC Enterprise T5440
- Sun Fire T1000

## x64 Servers That Support FC Storage Devices

The following x64 servers support all FC storage devices listed in [“FC Storage Devices for SPARC and x86 Servers”](#) on page 146:

- Netra Blade X3-2B, Netra Blade X3-2L, Netra Server X3-2, Netra Server X5-2
- Oracle Server X5-2, Oracle Server X5-2L, Oracle Server X5-4, Oracle Server X5-8
- Oracle Server X6-2, Oracle Server X6-2L
- Oracle Server X7-2, Oracle Server X7-2L
- Sun Blade X3-2B, Sun Blade X4-2B
- Sun Blade X6220, Sun Blade X6240, Sun Blade X6250, Sun Blade X6270r, Sun Blade X6270 M2, Sun Blade X6440
- Sun Fire X4140, Sun Fire X4150, Sun Fire X4170, Sun Fire X4170 M2, Sun Fire X4240, Sun Fire X4250, Sun Fire X4270, Sun Fire X4270 M2, Sun Fire X4275, Sun Fire X4440, Sun Fire X4450, Sun Fire X4470, Sun Fire X4540, Sun Fire X4600, Sun Fire X4600 M2, Sun Fire X4800
- Sun Netra X4250, Sun Netra X4270, Sun Netra X6270 M2
- Sun Server X2-4, Sun Server X2-8, Sun Server X3-2, Sun Server X3-2L, Sun Server X4-2, Sun Server X4-2L, Sun Server X4-4, Sun Server X4-8

## Supported Ethernet-Connected Storage Devices on Oracle Solaris Cluster

See [Chapter 13, “Ethernet Storage Support on Oracle Solaris Cluster”](#).

## Supported InfiniBand-Connected Storage Devices on Oracle Solaris Cluster

See [Chapter 14, “InfiniBand Storage Support”](#).

## Third-Party Storage on Oracle Solaris Cluster

For information about supported third-party storage, see the [Oracle Solaris Cluster Storage Partner Program \(http://www.oracle.com/technetwork/server-storage/solaris-cluster/partnerprogram-cluster-168135.pdf\)](http://www.oracle.com/technetwork/server-storage/solaris-cluster/partnerprogram-cluster-168135.pdf) page.

# ◆◆◆ 12

## CHAPTER 12

# Fibre Channel Storage Support on Oracle Solaris Cluster

---

This chapter discusses Fibre Channel storage support on Oracle Solaris Cluster.

## Fibre Channel Configuration Support on Oracle Solaris Cluster

This section pertains to direct-attached and SAN-switch-connected shared storage support.

### Server/HBA/Switch/Storage Support

Using supported storage switches, you can connect supported Fibre Channel (FC) storage devices and supported servers on a Storage Area Network (SAN) configuration. These configurations are supported with Oracle Solaris Cluster as long as they are within the range of supported devices and limitations listed in this chapter, as well as the respective server or component support requirements. Supported configurations are composed of supported servers, FC HBAs, switches and storage devices.

### Supported FC Storage

Basic supported storage-server combinations are listed in [“Supported Fibre Channel \(FC\) Storage Devices on Oracle Solaris Cluster” on page 145](#). For additional information, refer to the section in this chapter for the particular storage device.

## Supported FC Host Bus Adapters (HBAs)

FC HBAs supported with Oracle Solaris Cluster are listed below. Check the server, HBA, switch, and storage product documentation for supported combinations. Refer to the individual storage device sections in this chapter for exceptions.

### 32Gb HBAs

PCIe

- 7115461 Oracle Storage Dual-Port 16Gb or 32Gb Fibre Channel PCIe HBA, Emulex
- 7115462 Oracle Storage Dual-Port 16Gb or 32Gb Fibre Channel PCIe HBA, QLogic

### 16Gb HBAs

PCIe

- 7101674 (PTO), 7101673 (ATO) Sun Storage 16 Gb FC PCIe Universal HBA
- 7101684 (PTO), 7101683 (ATO) Sun Storage 16 Gb FC PCIe Universal HBA, Emulex

PCIe ExpressModule

- 7101682 (PTO), 7101681 (ATO) Sun Storage 16 Gb FC ExpressModule Universal HBA
- 7101689 (PTO), 7101690 (ATO) Sun Storage 16 Gb FC ExpressModule Universal HBA, Emulex

### 8Gb HBAs

PCIe

- SG-(X)PCIE1FC-EM8-Z
- SG-(X)PCIE2FC-EM8-Z
- SG-(X)PCIE1FC-QF8-Z
- SG-(X)PCIE2FC-QF8-Z

PCIe ExpressModule

- SG-(X)PCIEFCGBE-E8-Z
- SG-(X)PCIEFCGBE-Q8-Z

## Oracle FS1-2 Flash Storage System for FC Storage

### Node Connectivity Limits

A LUN from the Oracle FS1-2 flash storage system can be accessed by up to 4 nodes.

### RAID Requirements for Oracle FS1-2 Flash Storage

There are no Oracle Solaris Cluster specific requirements.

### Software, Firmware, and Patches for Oracle FS1-2 Flash Storage

- Starting with Oracle Solaris Cluster 4.2
- Starting with Oracle Solaris 11.2

### Campus Cluster and Oracle FS1-2 Flash Storage

Campus clusters are supported.

### Oracle Virtual Networking and Oracle FS1-2 Flash Storage

Oracle Virtual Networking is supported. See Chapter 14, "Oracle Virtual Networking" on page 149 for information.

### Oracle FS1-2 Flash Storage System Server Support

Oracle Solaris Cluster supports any server qualified as a cluster node, with any Oracle Solaris Cluster qualified FC HBA supported by that server and Oracle FS1-2 flash storage, provided

the requirements for Oracle Solaris Cluster release, Oracle Solaris release, patches, and others are met.

## Oracle ZFS Storage Appliance on Fibre Channel

### Configuration Requirements for FC Storage

The following ZFS storage appliances can be used by Oracle Solaris Cluster:

Oracle ZFS Storage Appliance models:

- Oracle ZFS Storage ZS3-2 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS3-4 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS3-BA (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS4-4 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS5-2 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS5-4 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS7-2 (single-controller and dual-controller configurations)

Sun ZFS Storage Appliance models:

- Sun ZFS Storage 7120
- Sun ZFS Storage 7320 (single-controller and dual-controller configurations)
- Sun ZFS Storage 7420 (single-controller and dual-controller configurations)

Sun Storage 7000 Unified Storage System models:

- Sun Storage 7110
- Sun Storage 7210
- Sun Storage 7310 (single-controller and dual-controller configurations)
- Sun Storage 7410 (single-controller and dual-controller configurations)

Oracle ZFS Storage Appliance with direct-attached storage (DAS) requires:

- Oracle Solaris Cluster 4.3 (and SRUs)
- Oracle Solaris 11.3 and (and SRUs)
- Oracle Solaris Cluster 4.4 (and SRUs)
- Oracle Solaris 11.4 (and SRUs)



- Oracle ZFS Storage Appliance software AK 2013.1.5 and later supported versions

See Oracle Solaris Cluster 4.x Requirements when using direct attached Fiber Channel Oracle ZFS SA (Doc ID 2110240.1) on My Oracle Support for additional information.

## Node Connectivity Limits for FC Storage

A maximum of eight nodes can be connected to any one LUN.

## RAID Requirements for FC Storage

There are no Oracle Solaris Cluster specific requirements.

## Software, Firmware, and Patches for FC Storage

Oracle ZFS Storage Appliance support starts with Sun ZFS Storage Software 2010.Q3.3.1

See the following table for supported Oracle ZFS Storage Appliance software releases.

**TABLE 76** Oracle Solaris Cluster 4: Oracle ZFS Storage Appliance Software for Fibre Channel Connected Storage

Oracle ZFS Storage Appliance Software Release Name	Oracle Solaris Cluster 4.4	Oracle Solaris Cluster 4.3 <sup>a</sup>	Oracle Solaris Cluster 4.2 <sup>a</sup>	Oracle Solaris Cluster 4.1 <sup>b</sup>	Oracle Solaris Cluster 4.0 <sup>c</sup>
2013.1.8.x	Y	Y <sup>d</sup>			
2013.1.7.x	Y	Y <sup>d</sup>			
2013.1.6.x		Y	Y		
2013.1.5.x		Y	Y		
2013.1.4.x		Y	Y		
2013.1.3.x			Y		
2013.1.2.x			Y	Y	
2013.1.1.x			Y	Y	
2013.1.0.x			Y	Y	
2011.1.9.x			Y	Y	
2011.1.8.x			Y	Y	
2011.1.7.x			Y	Y	
2011.1.6.x			Y	Y	

Oracle ZFS Storage Appliance Software Release Name	Oracle Solaris Cluster 4.4	Oracle Solaris Cluster 4.3 <sup>a</sup>	Oracle Solaris Cluster 4.2 <sup>a</sup>	Oracle Solaris Cluster 4.1 <sup>b</sup>	Oracle Solaris Cluster 4.0 <sup>c</sup>
2011.1.5.x			Y	Y	Y

- a – With Oracle Solaris 11.2 or 11.3
- b – With Oracle Solaris 11.2 only
- c – With Oracle Solaris 11.0 only
- d – Starting with Oracle Solaris Cluster 4.3 SRU 8

See the Oracle ZFS Storage Appliance documents for Oracle ZFS Storage Appliance requirements.

## Campus Cluster for FC Storage

Campus clusters are supported.

## Oracle Solaris Cluster Geographic Edition for FC Storage

Oracle Solaris Cluster Geographic Edition is supported. See [Chapter 9, “Oracle Solaris Cluster Disaster Recovery Framework”](#).

## Oracle Virtual Networking for FC Storage

Oracle Virtual Networking is supported. For more information, see [Chapter 16, “Oracle Virtual Networking on Oracle Solaris Cluster”](#).

Supported models:

- Oracle ZFS Storage Appliance: ZS3-2, ZS3-4
- Sun ZFS Storage Appliance: 7120, 7320, 7420

## Oracle ZFS Storage Appliance Server Support

Oracle Solaris Cluster supports any server qualified as a cluster node, with any Oracle Solaris Cluster qualified FC HBA supported by that server and Oracle ZFS Storage Appliance,

provided the requirements for Oracle Solaris Cluster release, Oracle Solaris release, patches, and others are met.

## **Pillar Axiom 600 for FC Storage**

### **Pillar Axiom 600 Configuration Requirements for FC Storage**

#### **Node Connectivity Limits for Pillar Axiom 600**

A LUN from the Axiom 600 can be accessed by up to 4 nodes.

#### **RAID Requirements for Pillar Axiom 600**

There are no Oracle Solaris Cluster specific requirements.

#### **Software, Firmware, and Patches for Pillar Axiom 600**

SPARC support:

- Starting with Axiom 600 release 5.2
- Starting with Oracle Solaris Cluster 4.0
- Starting with Solaris 11 SRU 2

x64 support:

- Starting with Axiom 600 release 5.4
- Starting with Oracle Solaris Cluster 4.1
- Starting with Solaris 11.1

### **Campus Cluster**

Campus clusters are supported.

## Oracle Virtual Networking

Oracle Virtual Networking is supported. See [Chapter 16, “Oracle Virtual Networking on Oracle Solaris Cluster”](#).

## Pillar Axiom 600 Server Support

Oracle Solaris Cluster supports any server qualified as a cluster node, with any Oracle Solaris Cluster qualified FC HBA supported by that server and Pillar 600, provided the requirements for Oracle Solaris Cluster release, Oracle Solaris release, patches, and others are met.

## Sun Storage 2540-M2 Array for FC Storage

### Sun Storage 2540-M2 Configuration Requirements

#### Node Connectivity Limits for Sun Storage 2540-M2

A LUN from the Sun Storage 2540-M2 can be accessed by up to 4 nodes when connected using DAS cabling, 8 nodes when through a SAN.

#### RAID Requirements for Sun Storage 2540-M2

There are no Oracle Solaris Cluster specific requirements.

#### Software, Firmware, and Patches for Sun Storage 2540-M2

- Oracle Solaris Cluster 4.0 and later
- Firmware 07.84.44.10 (patch 147660-04) and later
- See the Sun Storage 2540-M2 and CAM Release Notes for information about operation in Oracle Solaris 11 environments

#### Campus Cluster and Sun Storage 2540-M2

Campus clusters are supported.

## **Sun Storage 2540-M2 Server Support**

Oracle Solaris Cluster supports any server qualified as a cluster node, with any Oracle Solaris Cluster qualified FC HBA supported by that server and Sun Storage 2540-M2, provided the requirements for Oracle Solaris Cluster release, Oracle Solaris release, patches, and others are met.

## **Sun Storage 6180, 6580, 6780 Arrays for FC Storage**

### **Sun Storage 6180, 6580, 6780 Configuration Requirements**

#### **Node Connectivity Limits for Sun Storage 6180, 6580, 6780**

A LUN from the Sun Storage 6180 can be accessed by up to 4 nodes when connected using DAS cabling, 8 nodes when through a SAN.

A LUN from the Sun Storage 6580/6780 can be accessed by up to 8 nodes.

#### **RAID Requirements for Sun Storage 6180, 6580, 6780**

There are no Oracle Solaris Cluster specific requirements.

#### **Software, Firmware, and Patches for Sun Storage 6180, 6580, 6780**

- Starting with Oracle Solaris Cluster 4.0
- Requires at least firmware 07.84.44.10 (patch 147660-04)
- See the Sun Storage 6180, 6580/6780, and CAM Release Notes for information about operation in Oracle Solaris 11 environments

#### **Campus Cluster and Sun Storage 6180, 6580, 6780**

Campus clusters are supported.

## **Sun Storage 6180, 6580, 6780 Server Support**

Oracle Solaris Cluster supports any server qualified as a cluster node, with any Oracle Solaris Cluster qualified FC HBA supported by that server and Sun Storage 6180/6580/6780 arrays, provided the requirements for Oracle Solaris Cluster release, Oracle Solaris release, patches, and others are met.

# Ethernet Storage Support on Oracle Solaris Cluster

---

This chapter covers Oracle Solaris Cluster supported Ethernet-connected shared storage devices.

## Oracle ZFS Storage Appliance on Ethernet Requirements

### Oracle ZFS Storage Appliance Configuration Requirements

The following ZFS storage appliances can be used by Oracle Solaris Cluster:

Oracle ZFS Storage Appliance models:

- Oracle ZFS Storage ZS3-2 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS3-4 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS4-4 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS5-2 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS5-4 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS7-2 (single-controller and dual-controller configurations)

Sun ZFS Storage Appliance models:

- Sun ZFS Storage 7120
- Sun ZFS Storage 7320 (single-controller and dual-controller configurations)
- Sun ZFS Storage 7420 (single-controller and dual-controller configurations)

Sun Storage 7000 Unified Storage System models:

- Sun Storage 7110

- Sun Storage 7210
- Sun Storage 7310 (single-controller and dual-controller configurations)
- Sun Storage 7410 (single-controller and dual-controller configurations)

The Oracle ZFS Storage Appliance (Ethernet) can be used as an iSCSI block device or as an NFS NAS device.

- See the [Oracle Solaris Cluster With Network-Attached Storage Device Manual](#) for the Oracle ZFS Storage Appliance configuration requirements.

## Node Connectivity Limits

A maximum of eight nodes can be connected to any one iSCSI LUN.

## RAID Requirements

There are no Oracle Solaris Cluster specific requirements.

## Software, Firmware, and Patches

Oracle ZFS Storage Appliance (Ethernet) support starts with Sun ZFS Storage Software 2010. Q3.3.

See the following table for supported Oracle ZFS Storage Appliance software releases.

**TABLE 77** Oracle Solaris Cluster 4: Oracle ZFS Storage Appliance Software for Ethernet-Connected Storage

Oracle ZFS Storage Appliance Software Release Name	Oracle Solaris Cluster 4.4	Oracle Solaris Cluster 4.3 <sup>b</sup>	Oracle Solaris Cluster 4.2 <sup>b</sup>	Oracle Solaris Cluster 4.1 <sup>c</sup>	Oracle Solaris Cluster 4.0 <sup>d</sup>
2013.1.8.x	Y	Y <sup>e</sup>			
2013.1.7.x	Y	Y <sup>e</sup>			
2013.1.6.x		Y	Y		
2013.1.5.x		Y	Y		
2013.1.4.x		Y	Y		
2013.1.3.x			Y		
2013.1.2.x			Y	Y	



Oracle ZFS Storage Appliance Software Release Name	Oracle Solaris Cluster 4.4	Oracle Solaris Cluster 4.3 <sup>b</sup>	Oracle Solaris Cluster 4.2 <sup>b</sup>	Oracle Solaris Cluster 4.1 <sup>c</sup>	Oracle Solaris Cluster 4.0 <sup>d</sup>
2013.1.1.x			Y	Y	
2013.1.0.x			Y	Y	
2011.1.9.x <sup>a</sup>			Y	Y	
2011.1.8.x			Y	Y	
2011.1.7.x			Y	Y	
2011.1.6.x			Y	Y	
2011.1.5.x			Y	Y	Y

- a – NFS only
- b – With Oracle Solaris 11.2 or 11.3
- c – With Oracle Solaris 11.2 only
- d – With Oracle Solaris 11.0 only
- e – Starting with Oracle Solaris Cluster 4.3 SRU 8

See the Oracle ZFS Storage Appliance documents for Oracle ZFS Storage Appliance requirements.

## Oracle Virtual Networking

Oracle Virtual Networking is supported. See [Chapter 16, “Oracle Virtual Networking on Oracle Solaris Cluster”](#) for information.

Supported models:

- Oracle ZFS Storage Appliance: ZS3-2, ZS3-4
- Sun ZFS Storage Appliance: 7120, 7320, 7420

## Oracle ZFS Storage Appliance Server Support

Oracle Solaris Cluster supports any server qualified as a cluster node, with any Oracle Solaris Cluster qualified FC HBA supported by that server and Oracle ZFS Storage Appliance, provided the requirements for Oracle Solaris Cluster release, Oracle Solaris release, patches, and others are met.



## InfiniBand Storage Support

---

This chapter covers Oracle Solaris Cluster supported InfiniBand-connected shared storage devices.

### Oracle ZFS Storage Appliance on InfiniBand

#### Oracle ZFS Storage Appliance Configuration Requirements

The following ZFS storage appliances can be used by Oracle Solaris Cluster:

Oracle ZFS Storage Appliance models:

- Oracle ZFS Storage ZS3-2 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS3-4 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS4-4 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS5-2 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS5-4 (single-controller and dual-controller configurations)
- Oracle ZFS Storage ZS7-2 (single-controller and dual-controller configurations)

Sun ZFS Storage Appliance models:

- Sun ZFS Storage 7120
- Sun ZFS Storage 7320 (single-controller and dual-controller configurations)
- Sun ZFS Storage 7420 (single-controller and dual-controller configurations)

Sun Storage 7000 Unified Storage System models:

- Sun Storage 7110
- Sun Storage 7210

- Sun Storage 7310 (single-controller and dual-controller configurations)
- Sun Storage 7410 (single-controller and dual-controller configurations)

The Oracle ZFS Storage Appliance can be used as an iSCSI block device or as an NFS NAS device when connected using IP over InfiniBand (IPoIB).

## Node Connectivity Limits

A maximum of eight nodes can be connected to any one iSCSI LUN.

## RAID Requirements

There are no Oracle Solaris Cluster specific requirements.

## Software, Firmware, and Patches

The following table describes the supported Oracle ZFS Storage Appliance software releases.

**TABLE 78** Oracle Solaris Cluster 4: Oracle ZFS Storage Appliance Software for InfiniBand-Connected Storage

Oracle ZFS Storage Appliance Software Release Name	Oracle Solaris Cluster 4.4	Oracle Solaris Cluster 4.3 <sup>a</sup>	Oracle Solaris Cluster 4.2 <sup>a</sup>	Oracle Solaris Cluster 4.1 <sup>b</sup>	Oracle Solaris Cluster 4.0 <sup>c</sup>
2013.1.8.x	Y	Y <sup>d</sup>			
2013.1.7.x	Y	Y <sup>d</sup>			
2013.1.6.x		Y	Y		
2013.1.5.x		Y	Y		
2013.1.4.x		Y	Y		
2013.1.3.x			Y		
2013.1.2.x			Y	Y	
2013.1.1.x			Y	Y	
2013.1.0.x			Y	Y	
2011.1.9.x			Y	Y	
2011.1.6.x			Y	Y	
2011.1.4.x					Y
2011.1.3.x					Y

Oracle ZFS Storage Appliance Software Release Name	Oracle Solaris Cluster 4.4	Oracle Solaris Cluster 4.3 <sup>a</sup>	Oracle Solaris Cluster 4.2 <sup>a</sup>	Oracle Solaris Cluster 4.1 <sup>b</sup>	Oracle Solaris Cluster 4.0 <sup>c</sup>
2011.1.1.x					Y

- a – With Oracle Solaris 11.2 or 11.3
- b – With Oracle Solaris 11.2 only
- c – With Oracle Solaris 11.0 only
- d – Starting with Oracle Solaris Cluster 4.3 SRU 8

See the Oracle ZFS Storage Appliance documents for Oracle ZFS Storage Appliance requirements.

## Oracle ZFS Storage Appliance Server Support

Oracle Solaris Cluster supports any server qualified as a cluster node, with any Oracle Solaris Cluster qualified FC HBA supported by that server and Oracle ZFS Storage Appliance, provided the requirements for Oracle Solaris Cluster release, Oracle Solaris release, patches, and others are met.



# Network Configuration on Oracle Solaris Cluster

---

This chapter covers support for the cluster interconnect and public networking. For more information about these subjects, see the Oracle Solaris Cluster documentation, and especially the *Oracle Solaris Cluster Hardware Administration Manual*.

## Network Interfaces for Oracle Solaris Cluster

The tables in this chapter cover network interfaces supported for the cluster interconnect or public networks. The network interfaces are grouped by protocol, Ethernet and InfiniBand. Coverage includes information about supported cabling and network switches.

- [“Ethernet Network Interfaces on Oracle Solaris Cluster” on page 167](#)
- [“InfiniBand Support” on page 184](#)
- [“Network Cables and Switches on Oracle Solaris Cluster” on page 185](#)

For Oracle Virtual Networking support, see [Chapter 16, “Oracle Virtual Networking on Oracle Solaris Cluster”](#).

## Ethernet Network Interfaces on Oracle Solaris Cluster

The PCIe Ethernet interfaces that can be used for Oracle Solaris Cluster networking are listed in the following sections:

- [“Tables of PCIe Ethernet Interfaces for SPARC Servers and x64 Servers” on page 168](#)
- [“Tables of PCIe ExpressModule Ethernet Interfaces for SPARC Servers and x64 Servers” on page 179](#)
- [“Tables of NEM and XAUI Interfaces for Oracle Solaris Servers” on page 182](#)

## Tables of PCIe Ethernet Interfaces for SPARC Servers and x64 Servers

The PCIe Ethernet interfaces that can be used for Oracle Solaris Cluster on SPARC servers and x64 servers are listed in the following tables:

- [Table 79, “PCIe Ethernet Interfaces for SPARC Servers – PTO and ATO,” on page 168](#)
- [Table 80, “PCIe Ethernet Interfaces for SPARC Servers – PCIe and Gigabit Ethernet,” on page 171](#)
- [Table 81, “PCIe Ethernet Interfaces for x64 Servers – PTO and ATO,” on page 174](#)
- [Table 82, “PCIe Ethernet Interfaces for x64 Servers – PCIe and Gigabit Ethernet,” on page 177](#)

**TABLE 79** PCIe Ethernet Interfaces for SPARC Servers – PTO and ATO

Servers	Onboard Ethernet Ports	7100477 (PTO), 7100479 (ATO) Sun Quad Port GbEPCle 2.0 LP Adapter, UTP	7100481 (PTO), 7100482 (ATO) Sun Dual Port GbEPCle 2.0 LP Adapter, MMF	7100488 (PTO), 7100563 (ATO) Sun Dual Port 10GBase-T Adapter	7101674 (PTO), 7101673 (ATO) Sun Storage 16 Gb FCPCle Universal HBA <sup>d</sup>	7101684 (PTO), 7101683 (ATO) Sun Storage 16 Gb FCPCle Universal HBA, Emulex <sup>d</sup>	7114134 (PTO), 7114148 (ATO) Oracle Quad 10 Gb or Dual 40 Gb Ethernet Adapter <sup>e</sup>	7111181 (PTO), 7111182 (ATO) Oracle Quad Port 10GBase-T Adapter
Fujitsu M10 servers	Y	Y	Y	Y	Y	Y	Y	Y
Fujitsu SPARC M12 Series	Y	Y	Y	Y	Y	Y	Y	Y
SPARC M8-8	Y	Y			Y	Y	Y	Y
SPARC T8 Series	Y	Y			Y	Y	Y	Y
Netra SPARC T3-1	Y							
Netra SPARC T4-1	Y	Y	Y	Y				
Netra SPARC T4-2	Y	Y	Y	Y				
Netra SPARC S7-2	Y	Y	Y		Y	Y	Y	
SPARC Enterprise M3000	Y							



Servers	Onboard Ethernet Ports	7100477 (PTO), 7100479 (ATO) Sun Quad Port GbEPCle 2.0 LP Adapter, UTP	7100481 (PTO), 7100482 (ATO) Sun Dual Port GbEPCle 2.0 LP Adapter, MMF	7100488 (PTO), 7100563 (ATO) Sun Dual Port 10GBase-T Adapter	7101674 (PTO), 7101673 (ATO) Sun Storage 16 Gb FCPCle Universal HBA <sup>d</sup>	7101684 (PTO), 7101683 (ATO) Sun Storage 16 Gb FCPCle Universal HBA, Emulex <sup>d</sup>	7114134 (PTO), 7114148 (ATO) Oracle Quad 10 Gb or Dual 40 Gb Ethernet Adapter <sup>e</sup>	7111181 (PTO), 7111182 (ATO) Oracle Quad Port 10GBase-T Adapter
SPARC Enterprise M4000	Y							
SPARC Enterprise M5000	Y							
SPARC Enterprise M8000	Y							
SPARC Enterprise M9000	Y							
SPARC M5-32 server	Y <sup>a</sup>	Y	Y	Y	Y	Y		
SPARC M6-32 server	Y <sup>a</sup>	Y	Y	Y	Y	Y		
SPARC M7-8 server		Y	Y	Y	Y	Y	Y	
SPARC M7-16 server		Y	Y	Y	Y	Y	Y	
SPARC S7-2 server	Y <sup>b</sup>	Y	Y	Y	Y	Y	Y	Y
SPARC S7-2L server	Y <sup>b</sup>	Y	Y	Y	Y	Y	Y	Y
SPARC T3-1 server	Y							
SPARC T3-2 server	Y							
SPARC T4-1 server	Y	Y	Y	Y	Y	Y		
SPARC T4-2 server	Y	Y	Y	Y	Y	Y		
SPARC T5-2 server	Y	Y	Y	Y	Y	Y		
SPARC T5-4 server	Y	Y	Y	Y	Y	Y		

Servers	Onboard Ethernet Ports	7100477 (PTO), 7100479 (ATO) Sun Quad Port GbEPCle 2.0 LP Adapter, UTP	7100481 (PTO), 7100482 (ATO) Sun Dual Port GbEPCle 2.0 LP Adapter, MMF	7100488 (PTO), 7100563 (ATO) Sun Dual Port 10GBase-T Adapter	7101674 (PTO), 7101673 (ATO) Sun Storage 16 Gb FCPCle Universal HBA <sup>d</sup>	7101684 (PTO), 7101683 (ATO) Sun Storage 16 Gb FCPCle Universal HBA, Emulex <sup>d</sup>	7114134 (PTO), 7114148 (ATO) Sun Oracle Quad 10 Gb or Dual 40 Gb Ethernet Adapter <sup>e</sup>	7111181 (PTO), 7111182 (ATO) Oracle Quad Port 10GBase-T Adapter
SPARC T5-8 server	Y	Y	Y	Y	Y	Y		
SPARC T7-1 server	Y	Y	Y	Y	Y	Y	Y	
SPARC T7-2 server	Y	Y	Y	Y	Y	Y	Y	
SPARC T7-4 server	Y	Y	Y	Y	Y	Y	Y	
Sun Fire T1000	Y							
Sun Fire T2000	Y							
Sun Netra CP3060	Y							
Sun Netra CP3260	Y <sup>c</sup>							
Sun Netra T2000	Y							
Sun Netra T5220	Y							
Sun Netra T5440	Y							
Sun SPARC Enterprise T1000	Y							
Sun SPARC Enterprise T2000	Y							
Sun SPARC Enterprise T5120	Y							
Sun SPARC Enterprise T5140	Y							
Sun SPARC Enterprise T5220	Y							

Servers	Onboard Ethernet Ports	7100477 (PTO), 7100479 (ATO) Sun Quad Port GbEPCle 2.0 LP Adapter, UTP	7100481 (PTO), 7100482 (ATO) Sun Dual Port GbEPCle 2.0 LP Adapter, MMF	7100488 (PTO), 7100563 (ATO) Sun Dual Port 10GBase-T Adapter	7101674 (PTO), 7101673 (ATO) Sun Storage 16 Gb FCPCle Universal HBA <sup>d</sup>	7101684 (PTO), 7101683 (ATO) Sun Storage 16 Gb FCPCle Universal HBA, Emulex <sup>d</sup>	7114134 (PTO), 7114148 (ATO) Sun Oracle Quad 10 Gb or Dual 40 Gb Ethernet Adapter <sup>e</sup>	7111181 (PTO), 7111182 (ATO) Oracle Quad Port 10GBase-T Adapter
Sun SPARC Enterprise T5240	Y							
Sun SPARC Enterprise T5440	Y							

- a – SPARC M Series Server Base I/O card 7104497(PTO), 7104496(ATO)
- b – Support starts with Oracle Solaris Cluster 4.3 SRU 4
- c – Base and Extended Fabrics, and Sun Netra CP3200 ARTM-FC-Z (XCP32X0-RTM-FC-Z)
- d – Support starts with Oracle Solaris Cluster 4.1 and Oracle Solaris 11.1 (with card-specified SRU)
- e – 10GbE only; support starts with Oracle Solaris Cluster 4.3 SRU 4, Oracle Solaris 11.3 SRU 8

The following table covers PCI Ethernet Interfaces of type Sun Storage, Sun Dual, PCIe, and Gigabit for SPARC servers.

**Note** - For Onboard Ethernet ports on SPARC servers, see [Table 79, “PCIe Ethernet Interfaces for SPARC Servers – PTO and ATO,” on page 168.](#)

**TABLE 80** PCIe Ethernet Interfaces for SPARC Servers – PCIe and Gigabit Ethernet

Servers	SG-(X) PCIEFCOE2-Q-TA/7105382 Sun Storage 10 GbEPCle FCoE CNA: QLogic LP, dual port, Twin-AX <sup>d</sup>	(X) 1027A-Z Sun Dual 10 GbE XFP PCIe LP Adapter	(X)1109A-Z Sun Dual 10 GbE SFP+ PCIe 2.0 LP Adapter	(X) 4447A-Z x8 PCIe Quad Gigabit Ethernet	(X) 7280A-2 Gigabit Ethernet UTP PCIe	(X)7281A-2 Gigabit Ethernet MMF PCIe	7118016 Dual 10/25 - Gigabit SFP28 Ethernet
Fujitsu M10 servers	Y		Y	Y		Y	
Fujitsu SPARC M12 Series	Y		Y	Y		Y	

Servers	SG-(X) PCIeFCOE2- Q-TA/7105382 Sun Storage 10 GbE PCIe FCoE CNA: QLogic LP, dual port, Twin-AX <sup>d</sup>	(X) 1027A- Z Sun Dual 10 GbE XFP PCIe LP Adapter	(X)1109A-Z Sun Dual 10 GbE SFP+ PCIe 2.0 LP Adapter	(X) 4447A-Z x8 PCIe Quad Gigabit Ethernet	(X) 7280A-2 Gigabit Ethernet UTP PCIe	(X)7281A-2 Gigabit Ethernet MMF PCIe	7118016 Dual 10/25 - Gigabit SFP28 Ethernet
SPARC M8-8			Y				Y
SPARC T8 Series			Y				Y
Netra SPARC T3-1	Y	Y	Y	Y	Y	Y	
Netra SPARC T4-1			Y	Y	Y	Y	
Netra SPARC T4-2			Y				
Netra SPARC S7-2			Y				
SPARC Enterprise M3000	Y	Y		Y	Y	Y	
SPARC Enterprise M4000	Y	Y		Y	Y	Y	
SPARC Enterprise M5000	Y	Y		Y	Y	Y	
SPARC Enterprise M8000	Y	Y		Y	Y	Y	
SPARC Enterprise M9000	Y	Y		Y	Y	Y	
SPARC M5-32 server	Y		Y				
SPARC M6-32 server	Y		Y				
SPARC M7-8 server			Y				
SPARC M7-16 server			Y				
SPARC S7-2 server			Y				Y
SPARC S7-2L server			Y				Y

Servers	SG-(X) PCIEFCOE2- Q-TA/7105382 Sun Storage 10 GbE PCIe FCoE CNA: QLogic LP, dual port, Twin-AX <sup>d</sup>	(X) 1027A- Z Sun Dual 10 GbE XFP PCIe LP Adapter	(X)1109A-Z Sun Dual 10 GbE SFP+ PCIe 2.0 LP Adapter	(X) 4447A-Z x8 PCIe Quad Gigabit Ethernet	(X) 7280A-2 Gigabit Ethernet UTP PCIe	(X)7281A-2 Gigabit Ethernet MMF PCIe	7118016 Dual 10/25 - Gigabit SFP28 Ethernet
SPARC T3-1 server	Y		Y	Y	Y	Y	
SPARC T3-2 server	Y		Y	Y	Y	Y	
SPARC T4-1 server	Y		Y	Y		Y	
SPARC T4-2 server	Y		Y	Y		Y	
SPARC T5-2 server	Y		Y				
SPARC T5-4 server	Y		Y				
SPARC T5-8 server	Y		Y				
SPARC T7-1 server			Y				
SPARC T7-2 server			Y				
SPARC T7-4 server			Y				
Sun Fire T1000		Y		Y			
Sun Fire T2000		Y		Y	Y	Y	
Sun Netra CP3060							
Sun Netra CP3260							
Sun Netra T2000		Y		Y	Y	Y	
Sun Netra T5220				Y	Y	Y	
Sun Netra T5440				Y	Y	Y	
Sun SPARC Enterprise T1000		Y		Y			

Servers	SG-(X) PCIEFCOE2-Q-TA/7105382 Sun Storage 10 GbEPCle FCoE CNA: QLogic LP, dual port, Twin-AX <sup>d</sup>	(X) 1027A-Z Sun Dual 10 GbE XFP PCIe LP Adapter	(X)1109A-Z Sun Dual 10 GbE SFP+ PCIe 2.0 LP Adapter	(X) 4447A-Z x8 PCIe Quad Gigabit Ethernet	(X) 7280A-2 Gigabit Ethernet UTP PCIe	(X)7281A-2 Gigabit Ethernet MMF PCIe	7118016 Dual 10/25 - Gigabit SFP28 Ethernet
Sun SPARC Enterprise T2000		Y		Y	Y	Y	
Sun SPARC Enterprise T5120		Y		Y	Y	Y	
Sun SPARC Enterprise T5140		Y		Y	Y	Y	
Sun SPARC Enterprise T5220		Y		Y	Y	Y	
Sun SPARC Enterprise T5240		Y		Y	Y	Y	
Sun SPARC Enterprise T5440		Y		Y	Y	Y	

- d – Support starts with Oracle Solaris Cluster 4.1 and Oracle Solaris 11.1 (with card-specified SRU)

**TABLE 81** PCIe Ethernet Interfaces for x64 Servers – PTO and ATO

Servers	Onboard Ethernet Ports	7100477 (PTO), 7100479 (ATO) Sun Quad Port GbEPCle 2.0 LP Adapter, UTP	7100481 (PTO), 7100482 (ATO) Sun Dual Port GbEPCle 2.0 LP Adapter, MMF	7100488 (PTO), 7100563 (ATO) Sun Dual Port 10GBase-TAdapter	7101674 (PTO), 7101673 (ATO) Sun Storage 16 Gb FCPCle Universal HBA <sup>c</sup>	7101684 (PTO), 7101683 (ATO) Sun Storage 16 Gb FCPCle Universal HBA, Emulex <sup>c</sup>	7114134 (PTO), 7114148 (ATO) Oracle Quad 10 Gb o Dual 40 Gb Ethernet Adapter <sup>b</sup>	7111181 (PTO), 7111182 (ATO) Oracle Quad Port 10GBase-T Adapter
Netra Server X3-2	Y	Y	Y		Y	Y		
Netra Server X5-2	Y	Y	Y	Y	Y	Y	Y	Y
Oracle Server X5-2	Y	Y <sup>a</sup>		Y	Y	Y		Y

Servers	Onboard Ethernet Ports	7100477 (PTO), 7100479 (ATO) Sun Quad Port GbEPCle 2.0 LP Adapter, UTP	7100481 (PTO), 7100482 (ATO) Sun Dual Port GbEPCle 2.0 LP Adapter, MMF	7100488 (PTO), 7100563 (ATO) Sun Dual Port 10GBase-TAdapter	7101674 (PTO), 7101673 (ATO) Sun Storage 16 Gb FCPCle Universal HBA <sup>c</sup>	7101684 (PTO), 7101683 (ATO) Sun Storage 16 Gb FCPCle Universal HBA, Emulex <sup>c</sup>	7114134 (PTO), 7114148 (ATO) Oracle Quad 10 Gb o Dual 40 Gb Ethernet Adapter <sup>b</sup>	7111181 (PTO), 7111182 (ATO) Oracle Quad Port 10GBase-T Adapter
Oracle Server X5-2L	Y	Y <sup>a</sup>		Y	Y	Y		Y
Oracle Server X5-4	Y	Y		Y	Y	Y	Y	Y
Oracle Server X5-8	Y	Y		Y	Y	Y	Y	Y
Oracle Server X6-2	Y	Y		Y	Y	Y	Y	Y
Oracle Server X6-2L	Y	Y		Y	Y	Y	Y	Y
Oracle Server X7-2	Y						Y	Y
Oracle Server X7-2L	Y						Y	Y
Sun Fire X4140	Y							
Sun Fire X4150	Y							
Sun Fire X4170	Y							
Sun Fire X4170 M2	Y							
Sun Fire X4240	Y							
Sun Fire X4250		Y	Y	Y	Y	Y	Y	
Sun Fire X4270		Y	Y	Y	Y	Y	Y	
Sun Fire X4270 M2	Y							
Sun Fire X4275	Y							

Servers	Onboard Ethernet Ports	7100477 (PTO), 7100479 (ATO) Sun Quad Port GbEPCle 2.0 LP Adapter, UTP	7100481 (PTO), 7100482 (ATO) Sun Dual Port GbEPCle 2.0 LP Adapter, MMF	7100488 (PTO), 7100563 (ATO) Sun Dual Port 10GBase-T Adapter	7101674 (PTO), 7101673 (ATO) Sun Storage 16 Gb FCPCle Universal HBA <sup>c</sup>	7101684 (PTO), 7101683 (ATO) Sun Storage 16 Gb FCPCle Universal HBA, Emulex <sup>c</sup>	7114134 (PTO), 7114148 (ATO) Oracle Quad 10 Gb o Dual 40 Gb Ethernet Adapter <sup>b</sup>	7111181 (PTO), 7111182 (ATO) Oracle Quad Port 10GBase-T Adapter
Sun Fire X4440	Y							
Sun Fire X4450	Y							
Sun Fire X4470	Y							
Sun Fire X4540	Y							
Sun Fire X4600	Y							
Sun Fire X4600 M2	Y							
Sun Netra X4250	Y	Y	Y					
Sun Netra X4270	Y	Y	Y					
Sun Server X2-4	Y	Y	Y					
Sun Server X3-2	Y	Y	Y					
Sun Server X3-2L	Y	Y	Y	Y	Y	Y		
Sun Server X4-2	Y	Y	Y	Y	Y	Y		
Sun Server X4-2L	Y	Y	Y	Y	Y	Y		
Sun Server X4-4	Y	Y		Y	Y	Y		
Sun Server X4-8	Y	Y		Y	Y	Y		

- a – Server only supports x-option part number 7100447 (not available for factory installation)
- b – 10GbE only; support starts with Oracle Solaris Cluster 4.3 SRU 4, Oracle Solaris 11.3 SRU 8



- c – Support starts with Oracle Solaris Cluster 4.1 and Oracle Solaris 11.1 (with card-specific SRU)

The following table covers PCI Ethernet Interfaces of type Sun Storage, Sun Dual, and Gigabit for x64 servers.

**Note** - For Onboard Ethernet ports on x64 servers, see [Table 81, “PCIe Ethernet Interfaces for x64 Servers – PTO and ATO,”](#) on page 174.

**TABLE 82** PCIe Ethernet Interfaces for x64 Servers – PCIe and Gigabit Ethernet

Servers	SG-(X) PCIEFCOE2- Q-TA/7105382 Sun Storage 10 GbE PCIe FCoE CNA: QLogic LP, dual port, Twin- AX <sup>c</sup>	(X) 1027A- Z Sun Dual 10 GbE XFP PCIe LP Adapter	(X)1109A- Z Sun Dual 10 GbE SFP + PCIe 2.0 LP Adapter	(X) 4447A-Z x8 PCIe Quad Gigabit Ethernet	(X) 7280A-2 Sun PCIe Dual GigE UTP	(X) 7281A-2 Sun PCIe Dual GigE MMF	7118016 Dual 10/25- Gigabit SFP28 Ethernet
Netra Server X3-2			Y				
Netra Server X5-2			Y				
Oracle Server X5-2			Y				
Oracle Server X5-2L			Y				
Oracle Server X5-4			Y				
Oracle Server X5-8			Y				
Oracle Server X6-2			Y				
Oracle Server X6-2L			Y				
Oracle Server X7-2							Y
Oracle Server X7-2L							Y
Sun Fire X4140	Y	Y			Y	Y	
Sun Fire X4150	Y	Y			Y	Y	
Sun Fire X4170	Y		Y		Y	Y	
Sun Fire X4170 M2	Y	Y			Y	Y	
Sun Fire X4240	Y	Y		Y	Y	Y	

Servers	SG-(X) PCIEFCOE2- Q-TA/7105382 Sun Storage 10 GbE PCIe FCoE CNA: QLogic LP, dual port, Twin- AX <sup>c</sup>	(X) 1027A- Z Sun Dual 10 GbE XFP PCIe LP Adapter	(X)1109A- Z Sun Dual 10 GbE SFP + PCIe 2.0 LP Adapter	(X) 4447A-Z x8 PCIe Quad Gigabit Ethernet	(X) 7280A-2 Sun PCIe Dual GigE UTP	(X) 7281A-2 Sun PCIe Dual GigE MMF	7118016 Dual 10/25- Gigabit SFP28 Ethernet
Sun Fire X4250			Y				
Sun Fire X4270			Y				
Sun Fire X4270 M2	Y		Y		Y		
Sun Fire X4275	Y		Y		Y	Y	
Sun Fire X4440	Y	Y			Y	Y	
Sun Fire X4450	Y	Y		Y	Y		
Sun Fire X4470	Y		Y				
Sun Fire X4540		Y			Y	Y	
Sun Fire X4600					Y	Y	
Sun Fire X4600 M2	Y			Y	Y		
Sun Netra X4250		Y	Y		Y	Y	
Sun Netra X4270	Y		Y			Y	
Sun Server X2-4	Y		Y				
Sun Server X3-2	Y		Y				
Sun Server X3- 2L			Y				
Sun Server X4-2			Y				
Sun Server X4- 2L			Y				
Sun Server X4-4			Y				
Sun Server X4-8			Y				

- c – Support starts with Oracle Solaris Cluster 4.1 and Oracle Solaris 11.1 (with card-specific SRU)

## Tables of PCIe ExpressModule Ethernet Interfaces for SPARC Servers and x64 Servers

The PCIe ExpressModule Ethernet network interfaces that can be used for Oracle Solaris Cluster networking are listed in the following tables:

- [Table 83, “PCIe ExpressModule Ethernet Interfaces for SPARC Servers – ATO and PTO,”](#) on page 179
- [Table 84, “PCIe ExpressModule Ethernet Interfaces for SPARC Servers – Sun Storage and StorageTek,”](#) on page 180
- [Table 85, “PCIe ExpressModule Ethernet Interfaces for SPARC Servers – Dual and Quad Gigabit,”](#) on page 180
- [Table 86, “PCIe ExpressModule Ethernet Interfaces for x64 Servers – Sun Storage,”](#) on page 181
- [Table 87, “PCIe ExpressModule Ethernet Interfaces for x64 Servers – StorageTek, Sun Dual, and PCIe Dual,”](#) on page 181

**TABLE 83** PCIe ExpressModule Ethernet Interfaces for SPARC Servers – ATO and PTO

Servers	Onboard Ethernet Ports	7100477 (PTO), 7100479 (ATO) Sun Quad Port GbEPCIe 2.0 LP Adapter, UTP	7100481 (PTO), 7100482 (ATO) Sun Dual Port GbEPCIe 2.0 LP Adapter, MMF	7100490 (PTO), 7100492 (ATO) Sun Dual Port10GBase-T ExpressModule	7101682 (PTO), 7101681 (ATO) Sun Storage 16 Gb FCExpressModule Universal HBA <sup>a</sup>	7101690 (PTO), 7101689 (ATO) Sun Storage 16 Gb FCExpressModule Universal HBA, Emulex <sup>a</sup>
Netra SPARC T4-1B		Y	Y	Y	Y	
Netra SPARC T5-1B		Y	Y	Y	Y	Y
SPARC T3-4	Y					
SPARC T4-1B		Y	Y	Y	Y	Y
SPARC T4-4	Y	Y	Y	Y	Y	Y
SPARC T5-1B server module		Y	Y	Y	Y	Y

- a – Support starts with Oracle Solaris Cluster 4.1 and Oracle Solaris 11.1 (with card-specified SRU)

The following table covers PCI ExpressModule Ethernet Interfaces of type Sun Storage and StorageTek for SPARC servers.

**Note** - For Onboard Ethernet ports on SPARC servers, see [Table 83, “PCIe ExpressModule Ethernet Interfaces for SPARC Servers – ATO and PTO,”](#) on page 179.

**TABLE 84** PCIe ExpressModule Ethernet Interfaces for SPARC Servers – Sun Storage and StorageTek

Servers	SG-(X)EMFCOE2-Q-SR Sun Storage 10 GbE FCoEExpressModule CNA, SR Optics <sup>a</sup>	SG-(X)EMFCOE2-Q-TA Sun Storage 10 GbE FCoEExpressModule CNA, Twin-AX <sup>a</sup>	SG-(X)PCIEFCGBE-E8-N StorageTek Dual 8 Gb FCDual GbE ExpressModule HBA, Emulex <sup>a</sup>	SG-(X)PCIEFCGBE-Q8-N StorageTek Dual 8 Gb FCDual GbE ExpressModule HBA, QLogic <sup>a</sup>
Netra SPARC T3-1B			Y	Y
Netra SPARC T4-1B			Y	Y
Netra SPARC T5-1B			Y	Y
SPARC T3-1B	Y	Y	Y	Y
SPARC T3-4	Y	Y	Y	Y
SPARC T4-1B	Y	Y	Y	Y
SPARC T4-4	Y	Y	Y	Y
SPARC T5-1B server module	Y	Y	Y	Y

- a – Support starts with Oracle Solaris Cluster 4.1 and Oracle Solaris 11.1 (with card-specified SRU)

The following table covers PCI ExpressModule Ethernet Interfaces of type Sun Dual, PCIe Dual, and Quad Gigabit for SPARC servers.

**Note** - For Onboard Ethernet ports on SPARC servers, see [Table 83, “PCIe ExpressModule Ethernet Interfaces for SPARC Servers – ATO and PTO,”](#) on page 179.

**TABLE 85** PCIe ExpressModule Ethernet Interfaces for SPARC Servers – Dual and Quad Gigabit

Servers	(X)1028A-Z Sun Dual 10 GbE XFP PCIe ExpressModule	(X)1110A-Z Sun Dual 10GbE SFP+ PCIe 2.0 ExpressModule	(X)7283A-Z PCIe Dual GbE ExpressModule MMF	(X)7287A-Z Quad GbE UTP x8 PCIe ExpressModule
Netra SPARC T3-1B		Y		
Netra SPARC T4-1B		Y		
SPARC T3-1B		Y	Y	Y
SPARC T3-4		Y	Y	Y

Servers	(X)1028A-Z Sun Dual 10 GbE XFP PCIe ExpressModule	(X)1110A-Z Sun Dual 10GbE SFP+ PCIe 2.0 ExpressModule	(X)7283A-Z PCIe Dual GbE ExpressModule MMF	(X)7287A-Z Quad GbE UTP x8 PCIe ExpressModule
SPARC T4-1B		Y	Y	
SPARC T4-4		Y	Y	Y
SPARC T5-1B server module		Y		
Sun Blade T6300	Y		Y	Y
Sun Blade T6320	Y		Y	Y
Sun Blade T6340	Y		Y	Y

The following tables cover PCI ExpressModule Ethernet Interfaces of type Sun Storage for x64 servers.

**TABLE 86** PCIe ExpressModule Ethernet Interfaces for x64 Servers – Sun Storage

Server	7101682 (PTO), 7101673 (ATO) Sun Storage 16 Gb FCoEExpressModule Universal HBA <sup>a</sup>	7101689 (PTO), 7101690 (ATO) Sun Storage 16 Gb FCoEExpressModule Universal HBA, Emulex <sup>a</sup>	SG-(X)EMFCOE2-Q-SR Sun Storage 10 GbE FCoEExpressModule CNA, SR Optics <sup>a</sup>	SG-(X)EMFCOE2-Q-TA Sun Storage 10 GbE FCoEExpressModule CNA, SR Twinax <sup>a</sup>
Sun Blade X3-2B			Y	Y
Sun Blade X4-2B	Y	Y		
Sun Blade X6270 M2			Y	Y
Sun Server X2-8			Y	Y

- a – Support starts with Oracle Solaris Cluster 4.1 and Oracle Solaris 11.1 (with card-specific SRU)

The following table covers PCI ExpressModule Ethernet Interfaces of type StorageTek, Sun Dual, and PCIe Dual for x64 servers.

**TABLE 87** PCIe ExpressModule Ethernet Interfaces for x64 Servers – StorageTek, Sun Dual, and PCIe Dual

Server	SG-(X)PCIEFCGBE-E8-N StorageTek Dual 8 Gb FCDual GbE ExpressModule HBA, Emulex <sup>a</sup>	SG-(X)PCIEFCGBE-Q8-N StorageTek Dual 8 Gb FCDual GbE ExpressModule HBA, QLogic <sup>a</sup>	(X)1028A-Z Sun Dual 10 GbE XFP PCIe ExpressModule	(X)7282A-Z PCIe Dual GbE ExpressModule UTP
Netra Blade X3-2B	Y	Y		
Sun Blade X3-2B	Y	Y		

Server	SG-(X)PCIEFCGBE-E8-N StorageTek Dual 8 Gb FCDual GbE ExpressModule HBA, Emulex <sup>a</sup>	SG-(X)PCIEFCGBE-Q8-N StorageTek Dual 8 Gb FCDual GbE ExpressModule HBA, QLogic <sup>a</sup>	(X)1028A-Z Sun Dual 10 GbE XFP PCIe ExpressModule	(X)7282A-Z PCIe Dual GbE ExpressModule UTP
Sun Blade X4-2B	Y	Y		
Sun Blade X6220			Y	Y
Sun Blade X6240			Y	Y
Sun Blade X6250				Y
Sun Blade X6270			Y	Y
Sun Blade X6270 M2	Y	Y		
Sun Blade X6440			Y	Y
Sun Blade X6450			Y	Y
Sun Fire X4800	Y	Y		
Sun Netra X6270 M2	Y	Y		
Sun Server X2-8	Y	Y		

- a – Support starts with Oracle Solaris Cluster 4.1 and Oracle Solaris 11.1 (with card-specific SRU)

## Tables of NEM and XAUI Interfaces for Oracle Solaris Servers

The Network Express Module (NEM) network interfaces and XAUI Ethernet interfaces that can be used for Oracle Solaris Cluster networking are listed in the following tables:

- [Table 88, “Network Express Module \(NEM\) Ethernet Interfaces for SPARC Servers,” on page 182](#)
- [Table 89, “Network Express Module \(NEM\) Ethernet Interfaces for x64 Servers,” on page 183](#)
- [Table 90, “XAUI Ethernet Interfaces for SPARC Servers,” on page 183](#)

**TABLE 88** Network Express Module (NEM) Ethernet Interfaces for SPARC Servers

Server	(X)4250A, 7105397 (PTO) SB 600010-Port GbE NEM
Netra SPARC T3-1B	Y
Netra SPARC T4-1B	Y
SPARC T3-1B	Y
SPARC T4-1B	Y

Server	(X)4250A, 7105397 (PTO) SB 600010-Port GbE NEM
Sun Blade T6300	Y
Sun Blade T6320	Y
Sun Blade T6340	Y

**TABLE 89** Network Express Module (NEM) Ethernet Interfaces for x64 Servers

Server	(X)4250A, 7105397 (PTO) SB 600010-Port GbE NEM	(X)8598A NEM2
Netra Blade X3-2B	Y	
Sun Blade X3-2B	Y	
Sun Blade X4-2B	Y	
Sun Blade X6220	Y	
Sun Blade X6240	Y	
Sun Blade X6250	Y	
Sun Blade X6270	Y	
Sun Blade X6270 M2	Y	
Sun Blade X6440	Y	
Sun Blade X6450	Y	
Sun Fire X4800		Y
Sun Netra X6270 M2	Y	
Sun Server X2-8		Y

The XAUI network interfaces that can be used for Oracle Solaris Cluster networking are in the following table.

**TABLE 90** XAUI Ethernet Interfaces for SPARC Servers

Server	10GbE QSFP Rear I/O Module <sup>a</sup>	SE3X7XA1Z / SE3Y7XA1Z	SE4X5XC1Z / SE4Y5XC1Z <sup>b</sup>	SESX7XA1Z / SESY7XA1Z
Netra SPARC T3-1				Y
Netra SPARC T4-1				Y
SPARC T3-1		Y		
SPARC T3-2			Y	
SPARC T3-4	Y			
SPARC T4-1		Y		
SPARC T4-2			Y	
SPARC T4-4	Y			
Sun Netra T5220				Y
Sun Netra T5440				Y

Server	10GbE QSFP Rear I/O Module <sup>a</sup>	SE3X7XA1Z / SE3Y7XA1Z	SE4X5XC1Z / SE4Y5XC1Z <sup>b</sup>	SESX7XA1Z / SESY7XA1Z
Sun SPARC Enterprise T5120				Y
Sun SPARC Enterprise T5140				Y
Sun SPARC Enterprise T5220				Y
Sun SPARC Enterprise T5240				Y
Sun SPARC Enterprise T5440				Y

- a – Support starts with Oracle Solaris 11 SRU 2 and Oracle Solaris Cluster 4.0 SRU 1
- b – Support starts with Oracle Solaris 11 SRU 2 and Oracle Solaris Cluster 4.0 SRU 1

## InfiniBand Support

InfiniBand is supported with IP and Ethernet.

- InfiniBand is supported with Internet Protocol over InfiniBand (IPoIB) for both cluster interconnect and public networking.
- InfiniBand is also supported with Ethernet over InfiniBand (EoIB) for public networking. EoIB uses the Sun Network QDR InfiniBand Gateway Switch (X2826A-Z) based VNICs.

---

**Note** - You must create separate InfiniBand partitions on the InfiniBand switches for public networks and for both private cluster networks. So, you need two separate partitions for the two cluster interconnects, and one partition for the public network, if you use a public network.

---

InfiniBand host channel adapters (HCAs) are cabled to InfiniBand switches. Directly cabling HCAs between two cluster nodes is not supported.

The PCIe InfiniBand HCAs that can be used for Oracle Solaris Cluster networking are listed in the following two tables.

- [Table 91, “PCIe InfiniBand Interfaces for SPARC Servers,” on page 184](#)
- [Table 92, “PCIe ExpressModule InfiniBand Interfaces for SPARC Servers,” on page 185](#)

**TABLE 91** PCIe InfiniBand Interfaces for SPARC Servers

Server	7104074 (PTO), 7104073 (ATO) Oracle Dual Port QDR InfiniBand Adapter M3 <sup>a</sup>	(X)4242A Sun IB Dual Port 4x QDR PCIe LP HCA M2
Fujitsu M10-1, Fujitsu M10-4, Fujitsu M10-4S	Y	Y
M8-8	Y	
T8-1, T8-2, T8-4	Y	



Server	7104074 (PTO), 7104073 (ATO) Oracle Dual Port QDR InfiniBand Adapter M3 <sup>a</sup>	(X)4242A Sun IB Dual Port 4x QDR PCIe LP HCA M2
Netra SPARC T4-2		Y
Netra SPARC S7-2		
SPARC Enterprise M3000		Y
SPARC Enterprise M4000		Y
SPARC Enterprise M5000		Y
SPARC Enterprise M9000		Y
SPARC M5-32, SPARC M6-32	Y	Y
SPARC M7-8, SPARC M7-16	Y	
SPARC S7-2 server, SPARC S7-2L server	Y	
SPARC T3-1, SPARC T3-2		Y
SPARC T4-1, SPARC T4-2	Y	Y
SPARC T5-2, SPARC T5-4, SPARC T5-8	Y	Y
SPARC T7-1, SPARC T7-2, SPARC T7-4	Y	

- a – Support starts with Oracle Solaris Cluster.1 SRU 3, Oracle Solaris 11.1 SRU 9

The PCIe ExpressModule InfiniBand HCAs that can be used for Oracle Solaris Cluster networking are listed in the following table.

**TABLE 92** PCIe ExpressModule InfiniBand Interfaces for SPARC Servers

Server	(X)4243A-Z Dual Port 4x QDR IB PCIe ExpressModule HCA M2
SPARC T3-1B, SPARC T3-4	Y
SPARC T3-4	Y
SPARC T4-1B, SPARC T4-4, SPARC T5-1B	Y

## Network Cables and Switches on Oracle Solaris Cluster

Public networking follows standard support as specified by the network adapter.

Cables and switches supported with each type of cluster interconnect are listed in the following tables. A customer supplied switch or cable can be any appropriate switch or cable, there are no restrictions for this customer supplied hardware.

- [Table 93, “Cables for Cluster Interconnect,” on page 186](#)
- [Table 94, “Switches for Cluster Interconnect,” on page 186](#)

**TABLE 93** Cables for Cluster Interconnect

Network Interface	Cable	Part # for cable
Fast Ethernet	Null Ethernet Cable (for point-to-point only)	3837A
	Customer supplied (for junction based or point to point)	
Gigabit Ethernet	Customer supplied (for junction based or point to point)	
10 Gigabit Ethernet	Customer supplied (for junction based or point to point)	
InfiniBand	As supported by the Oracle IB HCA and Switches	

**TABLE 94** Switches for Cluster Interconnect

Network Interface	Switch	Part # of Switch
Fast Ethernet	Customer supplied	N/A
Gigabit Ethernet	Customer supplied	N/A
10 Gigabit Ethernet	Customer supplied	N/A
InfiniBand	Voltaire ISR 9024 with Gridvision 5.1	Voltaire is a Oracle Solaris Ready Partner
	Oracle IB Switches as supported by the IB HCA	

## Oracle Virtual Networking on Oracle Solaris Cluster

---

Oracle Virtual Networking (OVN) family of products provides another way to establish network and storage connectivity in the Oracle Solaris Cluster environment:

- OVN vNICs can be used for constructing the cluster interconnect, and as public network interfaces.  
OVN vNICs can also be used to connect supported iSCSI and NFS storage as cluster shared storage.
- OVN vHBAs can be used to connect to supported Fibre Channel connected shared storage.
- The private virtual interface (PVI) vNIC functionality of Oracle SDN can be used for the cluster interconnect or public network. PVI is supported only with Oracle Solaris Cluster 4.3 SRU 3.
- Clusters of Oracle VM Server for SPARC guest domains as cluster nodes is supported.  
These guest domains must use vnet and vdisk devices exported from service domains (single or redundant), backed by OVN vNIC (on Ethernet and PVI) and OVN vHBA. This guest-domain configuration is supported only with Oracle Solaris Cluster 4.3 SRU 3.

### Oracle Virtual Networking Configuration on Oracle Solaris Cluster

- Oracle Solaris Cluster 4.3 (and SRUs)
  - Oracle Solaris 11.3 (and SRUs)
  - Oracle Virtual Networking Host Drivers bundled with Oracle Solaris 11.3 (and SRUs)
- Oracle Solaris Cluster 4.1 SRU 6 (and later SRUs)
- Oracle Solaris 11.1 SRU 17 (and later SRUs)
- Oracle Virtual Networking Host Drivers for Oracle Solaris 11.1, starting with release 5.3.5

## Servers That Support Oracle Virtual Networking on Oracle Solaris Cluster

**TABLE 95** SPARC Servers That Support Oracle Virtual Networking

Servers	Notes
Fujitsu M10-1	
Fujitsu M10-4	
Fujitsu M10-4S	
Fujitsu SPARC M12-1	Starting with:
Fujitsu SPARC M12-2	<ul style="list-style-type: none"> <li>■ Oracle Solaris Cluster 4.1 with SRU 4.1.8 and later</li> <li>■ Oracle Solaris Cluster 4.2 with SRU 4.2.5.1.0 and later</li> <li>■ Oracle Solaris Cluster 4.3 and later SRUs</li> </ul>
Fujitsu SPARC M12-2S	Starting with:
	<ul style="list-style-type: none"> <li>■ Oracle Solaris 11.1 with SRU 11.1.21.4.1 and later</li> <li>■ Oracle Solaris 11.2 with SRU 11.2.15.5.1 and later</li> <li>■ Oracle Solaris 11.3 and later SRUs</li> </ul>
SPARC M5-32 server	
SPARC M6-32 server	
SPARC M7-8 server	Only with Oracle Solaris Cluster 4.3
SPARC M7-16 server	Only with Oracle Solaris Cluster 4.3
SPARC T4-1 server	
SPARC T4-4 server	
SPARC T5-2 server	
SPARC T5-4 server	
SPARC T5-8 server	
SPARC T7-1 server	Only with Oracle Solaris Cluster 4.3
SPARC T7-2 server	Only with Oracle Solaris Cluster 4.3
SPARC T7-4 server	Only with Oracle Solaris Cluster 4.3

## Supported Storage for Oracle Virtual Networking

### Oracle Storage Connected by Fibre Channel

- Oracle FS1-2 Flash Storage System – Only with Oracle Solaris Cluster 4.3 OVN support

- Oracle ZFS Storage Appliance – ZS3 series  
See also [“Oracle FS1-2 Flash Storage System for FC Storage” on page 151.](#)
- Pillar Axiom 600  
See also [“Pillar Axiom 600 for FC Storage” on page 155.](#)
- Sun ZFS Storage Appliance – 7000 series  
See also [“Oracle ZFS Storage Appliance on Ethernet Requirements” on page 159.](#)

## Oracle Storage Connected by iSCSI or NFS

- Oracle ZFS Storage Appliance – ZS3 series
- Sun ZFS Storage Appliance – 7000 series

See [“Oracle ZFS Storage Appliance on Ethernet Requirements” on page 159](#) for additional information.

## Supported Oracle Fabric Interconnect Chassis

- Oracle Fabric Interconnect F1-4
- Oracle Fabric Interconnect F1-15

## Supported InfiniBand Host Channel Adapters for Oracle Virtual Networking

- Oracle Dual Port QDR InfiniBand Adapter M3 – 7104074 (PTO), 7104073 (ATO)
- Sun InfiniBand Dual Port 4x QDR PCIe Low Profile Host Channel Adapter M2 - X4242A (PTO), 4242A (ATO)

## Additional Information About Oracle Virtual Networking

For installation and configuration information, see Oracle Solaris Cluster 4.x Setup Requirements/Restrictions for Oracle Virtual Networking (OVN) (Doc ID 1684070.1) in My Oracle Support.

Oracle Virtual Networking Host Drivers for Oracle Solaris 11.1 and Oracle Solaris 11.3 support only IPv4.