

StorageTek LTO Tape Drives

Overview and Frequently Asked Questions

Overview

Today's continuous business environment requires that you back up more data in less time. Oracle's StorageTek LTO tape drives offer an economical, high-performance option for digital archiving and data protection environments.

Designed with performance and scalability in mind

StorageTek LTO tape drives feature fast data transfer rates and large capacity so you can process more data in less time. The high-speed 8 Gb Fibre Channel interface further improves data movement, shortens backup windows, reduces downtime, and speeds recovery. Combined with Oracle's StorageTek tape libraries, you can easily and affordably store, manage, and protect your growing data.

Oracle offers StorageTek LTO tape drives in SAS or FC interfaces, full- and half-height platforms, and as single drives or as incremental drives for your automation environment. You choose the model that makes the most sense for your operating environment, application, capacity, and performance.

The StorageTek LTO offering spans the Oracle tape portfolio, from the rack-mount configuration to enterprise automation. Whether your tiered storage solution only requires a few terabytes of tape capacity or 1.2 Exabytes native (uncompressed) within a single library, StorageTek LTO8 coupled with StorageTek automation is the complete solution that offers scalability and availability coupled with superior storage management.

Customer Benefits

The LTO tape drive is the industry standard tape drive for digital archiving and data protection. Through superior specifications and an eighth generation release, LTO has become the most widely adopted tape drive in the world.

Receive Value Where It Counts

- **Cost-effective Capacity:** Store up to 12 terabytes of native data (30 TB compressed) on a single cartridge, reducing media costs while accommodating data growth.
- **Reduced Backup Windows:** Accelerate backups by processing more information in less time. The StorageTek LTO8 tape drive moves data at rates as high as 360 MB/s, native (700 MB/s compressed with FC).
- **Enhanced Data Protection:** Protect data integrity and help prevent data loss with powerful correction and verification capabilities.
- **Encryption Capability:** Encrypt data on the tape cartridge via the drive's built-in data encryption capability and, in the event of tape cartridge loss, data is still protected.

Protect Your Investment with a Solid Upgrade Path

Oracle's StorageTek LTO tape drives support media backward read and write compatibility so you can make the most of your media investment.

Simplify Storage Management

Oracle's StorageTek LTO tape drives are compatible with leading backup applications and hardware platforms, helping you to stretch your infrastructure investment.

Frequently Asked Questions

For additional resources on Oracle's StorageTek LTO tape drives portfolio, please visit www.oracle.com/goto/tape

Which StorageTek tape libraries support StorageTek LTO tape drives?

StorageTek LTO tape drives are currently available for the following StorageTek tape library platforms:

- StorageTek SL8500 modular library system (StorageTek LTO7, StorageTek LTO8)
- StorageTek SL3000 and SL4000 modular library systems (StorageTek LTO7, StorageTek LTO8)
- StorageTek SL150 modular library system (StorageTek LTO7, StorageTek LTO8)

What interface options are available for StorageTek LTO tape drives?

Oracle's StorageTek LTO tape drives are available with the following interface options:

- StorageTek LTO7: 6 Gb SAS, 8 Gb FC
- StorageTek LTO8: 6 Gb SAS, 8 Gb FC

Keep in mind, not all interface options are available across all library platforms. Please consult the StorageTek LTO tape drive product data sheet at www.oracle.com/goto/tape

What media does my LTO drive support?

All LTO tape drives are backward compatible with prior media generations. LTO7 tape drives can read three generations and write to two generations of media. LTO7 tape drives can read LTO5/6/7 media and write to LTO6/7 media. LTO8 tape drives can read LTO7/8 media and write to LTO7/8 media.

What are the differences between full-height (FH) and half-height (HH) drives?

Full-height drives are twice the height (2U) of the half-height drives (1U). There is no difference in capacity or native throughput between half-height and full-height LTO tape drives for LTO6 and LTO7. LTO8 full-height tape drives have a higher maximum transfer rate than half-height drives. There are also slight differences in average load, seek, rewind, and unload times.

Can I mix drive generations in my library?

Yes. StorageTek tape libraries support multigenerational drive environments. StorageTek LTO4, StorageTek LTO5, StorageTek LTO6, StorageTek LTO7, and StorageTek LTO8 tape drives can sit side by side in your StorageTek libraries.

Do LTO drives support encryption?

Yes. StorageTek LTO7 and StorageTek LTO8 tape drives are encryption ready. Application-based key management may be used for any of these tape drives, which uses the data path for exchanging encryption keys with the tape drive. Encryption keys may be managed with the Oracle Key Manager (OKM) appliance, which exchanges keys with the tape drive outside the data path for maximum security, if the drive is configured with OKM support or if the library is configured with Library Managed Encryption (currently available for the SL150).

What is the minimum code level required by StorageTek Automated Cartridge System Library Software (ACSL) to support StorageTek LTO8?

For StorageTek Automated Cartridge System Library Software customers looking to upgrade their drive environments to StorageTek LTO8, the minimum code levels are as follows:

- StorageTek Automated Cartridge System Library Software 8.4: Minimum Code Level – 8.4.0.3, except for the SL4000, which requires ACSL 8.5.

What is the minimum code level required by StorageTek Automated Cartridge System Library Software (ACSL) to support StorageTek LTO7?

For StorageTek Automated Cartridge System Library Software customers looking to upgrade their drive environments to StorageTek LTO7, the minimum code levels are as follows:

- StorageTek Automated Cartridge System Library Software 8.4: Minimum Code Level – 8.4.0

What is the minimum code level required by StorageTek Tape Libraries to support StorageTek LTO8?

For StorageTek Library customers looking to upgrade their drive environments to StorageTek LTO8, the minimum code levels are as follows:

- SL8500: Minimum Code Level for LDI Mode– 8.6x
- SL8500: Minimum Code Level for ADI Mode– 8.6x
- SL4000: Minimum Code Level for LDI Mode– 1.0x
- SL4000: Minimum Code Level for ADI Mode– 1.0x
- SL3000: Minimum Code Level for LDI Mode– 4.5x
- SL3000: Minimum Code Level for ADI Mode– 4.5x
- SL150: Minimum Code Level for LDI Mode– 3.2x
- SL150: Minimum Code Level for ADI Mode– 3.2x

What is the minimum code level required by StorageTek Tape Libraries to support StorageTek LTO7?

For StorageTek Library customers looking to upgrade their drive environments to StorageTek LTO7, the minimum code levels are as follows:

- SL8500: Minimum Code Level for LDI Mode– 8.5x
- SL8500: Minimum Code Level for ADI Mode– 8.5x
- SL4000: Minimum Code Level for LDI Mode– 1.0x
- SL4000: Minimum Code Level for ADI Mode– 1.0x
- SL3000: Minimum Code Level for LDI Mode– 4.32
- SL3000: Minimum Code Level for ADI Mode– 4.32

Copyright © 2020, Oracle and/or its affiliates. All rights reserved.

This document is provided for information purposes only and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark licensed through X/Open Company, Ltd. 1212