ORACLE

Bringing AI to Oracle Database

An overview of our MCP Server offerings

Jeff Smith
Product Management Architect
Jeff.d.Smith@oracle.com



Model Context Protocol (MCP) Overview


Copyright © 2026, Oracle and/or its affiliates

Model Context Protocol

- Launched Nov 2024 by Anthropic
- Donated to Linux Foundation in 2025
  Agentic AI Foundation (MCP, AGENTS.md, …)
- Marketed as “USB-C for AI applications”
- Singular interface to standard interactions with database, files, business apps, developer tools…
- Simplification hides the complexity of the Server implementation.

An Introduction:

modelcontextprotocol.io/introduction



Copyright © 2026, Oracle and/or its affiliates

Model Context Protocol Servers

- Model Context Protocol Servers provide
  - Resources – Static items such as documents, images, files
  - **Tools** – Essentially a function call with input/output arguments
  - Prompts – Prompts to give to the LLM for use
- Server Architectures
  - Local
  - Remote
  - STDIO vs HTTPS
- Oracle Reference MCP Servers:
  https://github.com/oracle/mcp/tree/main/src

Resource

```
{
  contents: [
    {
      uri: string;        // The URI of the resource
      mimeType?: string;  // Optional MIME type

      // One of:
      text?: string;      // For text resources
      blob?: string;      // For binary resources (base64 encoded)
    }
  ]
}
```

Prompt

```
{
  name: string;              // Unique identifier for the prompt
  description?: string;      // Human-readable description
  arguments?: [              // Optional list of arguments
    {
      name: string;          // Argument identifier
      description?: string;  // Argument description
      required?: boolean;    // Whether argument is required
    }
  ]
}
```

Tool

```
{
  name: string;          // Unique identifier for the tool
  description?: string;  // Human-readable description
  inputSchema: {         // JSON Schema for the tool's parameters
    type: "object",
    properties: { ... }  // Tool-specific parameters
  },
  annotations?: {        // Optional hints about tool behavior
    title?: string;      // Human-readable title for the tool
    readOnlyHint?: boolean;    // If true, the tool does not modify it
    destructiveHint?: boolean; // If true, the tool may perform destru
    idempotentHint?: boolean;  // If true, repeated calls with same ar
    openWorldHint?: boolean;   // If true, tool interacts with externa
  }
}
```

Copyright © 2026, Oracle and/or its affiliates

Use Cases: LLMs can think. MCP lets them do.

DevOps / DBA

- Diagnose performance problems
  - Analyze AWR,
  - Trace Files,
  - Explain Plans
- Suggest/Implement indexing schemes
- Debug, fix, test PL/SQL errors
- Explain the latency we're seeing between our Data Guard primary and standby instances.

Business Support

- NL2SQL
  - How many accounts did we open last quarter, by region, by zipcode?
  - Correlate overdraft fees with accounts being closed.
  - Where should we invest in more local branches?
- NL2Data
  - Instead of generating SQL, your LLM chooses from curated SQL Reports!

Generative AI

- Generate data model
- … test data
- … full stack applications
- … low-code APEX apps
- … REST APIs
- … security policy, hide EMPLOYEE data for anyone outside my direct management chain.

Copyright © 2026, Oracle and/or its affiliates

Before bringing AI to your database: Prioritize Security

- AI/LLM/MCP amplify that security is more important than ever.

- **Least privilege principle**: use CONNECTIONs tied to database USERs having only the privs to view the data you want to share, and perform the actions you want an Agent to do on your behalf

- **Segregated environments**: use databases that have sanitized data, such as development and testing instances. PRODUCTION use should be strictly Monitored

- **Do not trust, always verify**: use only AI assistants that ask for access to the SQLcl MCP Tools, and always review requested actions before approving them. NEVER enable 'auto-approve'

Copyright © 2026, Oracle and/or its affiliates

Oracle’s Commitment to MCP

- Oracle is a Gold level sponsor of the Agentic AI Foundation
- Released SQLcl MCP, July 2025
- Launched OCI Managed MCP Service, April 2026
- Released ORDS MCP, June 2026
- Additionally maintains 30 open-source MCP Servers on Github
  - OCI
  - MySQL
  - Fusion Apps
  - Golden Gate
  - Oracle Database JDBC

Copyright © 2026, Oracle and/or its affiliates

Oracle AI Database MCP Servers

- **SQLcl** a *local, STDIO* MCP server that runs on the user's machine, easy to configure, up and running in minutes, included with SQL Developer for VS Code
- **Oracle REST Data Services** enterprise-ready *remote streaming HTTPS* MCP Server, ties into customer's preferred identify management
- **OCI Managed MCP Service** simply define your MCP Tools and roles, we will run your *streaming HTTPS* MCP Server for you, for any Oracle AI Database running in your cloud tenancy

Copyright © 2026, Oracle and/or its affiliates


Oracle SQLcl: Local STDIO MCP

Database Availability

- any edition, including FREE
- *any version* (19c, 21c, 26ai)
- any deployment
  (on-premises, Cloud, containers, etc.)

Technology stack

- *included* with database
- existing, proven product
- runs locally, STDIO
- JSON-RPC communication



Copyright © 2026, Oracle and/or its affiliates

SQLcl MCP Tools

- list-connections
  Retrieves list of named, stored connections available for MCP

- connect
  Establishes requested by name, connection

- run-sql
  Runs SQL command, SQL script, or PL/SQL block

- run-sqlcl
  Runs SQLcl command (load, ddl, info, datapump, etc.)

- schema-information
  Retrieves metadata and annotations to assist with NL2SQL

- disconnect
  Ends database session, closes connection.


Copyright © 2026, Oracle and/or its affiliates

SQLcl MCP Security

- Agent/LLM does not work with database, everything goes though SQLcl
- Credentials never shared with the agent
- Passwords/Certificates encrypted in Oracle (.SSO) wallets


- SQLcl can be configured to
  - Restrict allowed commands, prevent access to local OS
  - Use a separate list of connections from normal SQLcl runtime

- SQLcl creates db conn/session with:
  - Program (SQLcl-MCP)
  - Module (LLM)
  - Action (MCP Tool)



Copyright © 2026, Oracle and/or its affiliates


SQLcl MCP Architecture



- SQLcl sits on user's local machine
- Agent ⇔ SQLcl STDIO, JSON RPC
- Agent invokes LLM for planning, generating code
- Agent makes Tool request
- SQLcl takes tool request, executes, returns token-optimized results


Copyright © 2026, Oracle and/or its affiliates

SQLcl MCP auto-config for VS Code Copilot



- Install SQL Developer extension
- Create at least one connection
- Start your AI chat!

- Optionally – invoke via Command Palette




Generates JSON for SQLcl MCP you can add to your local Agent config file

Copyright © 2026, Oracle and/or its affiliates

SQLcl Installations

- curl –O https://download.oracle.com/otn_software/java/sqldeveloper/sqlcl-latest.zip
- brew install sqlcl
- yum install sqlcl
- Included with SQL Developer for VS Code



Connections

- Create/Save one or more connections with passwords saved
- SQLcl connections shared with SQL Developer for VS Code

```
SQL> conn -save mcp_demo -savepwd jeff/xyzabc@localhost1521/freepdb1
```


Copyright © 2026, Oracle and/or its affiliates

Is SQLcl right for me?



	SQLcl MCP
Best fit	Devs, dbas, power users – people already working directly with your databases
Ideal workflow	Local database exploration, dev, or troubleshooting
Transport	STDIO
Connection model	locally managed connections, stateful
Access model	DB credentials avail to the local OS user
Tools	List connections, connect, run-sql, run-sqlcl, schema-information, disconnect
Operational model	Lightweight local setup
Database reach	Oracle databases with a network path from the local machine

Copyright © 2026, Oracle and/or its affiliates

OCI Managed MCP Servers

A fully managed, HTTPS MCP endpoint built into the OCI Database Tools Service. Serverless, no patching, full Oracle Premier Support — business users can **chat with their Oracle AI Database in plain language** via any MCP-compatible AI client. Validated named SQL Reports enables governed, repeatable results.

Enterprise Security

- OCI IAM auth via OAuth2
- Federate Azure Entra ID, Okta, etc
- Application roles control exactly who can run what

Easy to Deploy

- Enable it in the OCI Console.
- Built on the existing DBTools Connection
- Pay only for the database resources you consume.

One MCP for all Cloud Services

- Autonomous AI Database
- Base Database
- Exadata Cloud Service
- Oracle AI Database on AWS, Azure, and Google Cloud

Copyright © 2026, Oracle and/or its affiliates

It All Starts with an OCI Connection Object

The OCI Database Tools Connection is the foundation everything else is built on

What it is

- A managed, secure link between OCI and your Oracle AI Database
- Stores credentials, wallet, and endpoint centrally — not on each user's machine
- One connection can back multiple MCP Servers
- Defined once by an administrator, consumed by everyone


Why it matters for security


- The database user tied to the connection is the ultimate security backstop
- Oracle AI Database security rules apply in full — roles, object grants, VPD, all of it
- The MCP layer inherits those controls automatically — no duplication needed
- A read-only database user means read-only AI access. Full stop.

OCI controls who can reach the MCP layer – Oracle AI Database controls what they can see


Copyright © 2026, Oracle and/or its affiliates

OCI Database Tools Connections





Powers our SQL Worksheet in Console



Forms the basis of our MCP Server!

Copyright © 2026, Oracle and/or its affiliates

MCP Server Toolsets – you have complete choice!

You can deploy any one or combination of these tools.

Built-in SQL tools

Ad-hoc, NL2SQL focused, allows an Agent to execute any Oracle SQL or PL/SQL code it has generated.

- dbtools_execute_sql
- dbtools_get_tool_request
- dbtools_schema_information

Reporting tools

Curated, parameterized queries published as governed, callable tools.

- dbtools_list_reports
- dbtools_execute_report
- dbtools_get_report_sql

Available reports controlled by authenticated user's Group membership.

Custom Tools

Predefined, parameterized SQL or PL/SQL scripts to implement your database operations.

- your_tool_name

Want your Agent to be able to cancel any query, reset a password, or run your favorite script? Build your own tool!

Copyright © 2026, Oracle and/or its affiliates

One Identity, End to End

No new credential silos — OCI Identity Management handles it all

Authentication

- Users authenticate via OAuth2
- OCI IAM supports federated identities — bring Azure Entra ID, Okta, or Active Directory users directly into OCI
- No separate MCP credentials to manage or rotate
- SSO works out of the box — users sign in once, and grant OBO access for their clients

Authorization

User access determined by Group membership/policies

1. IAM Group → which DBTools Connection (database)
2. Group → which MCP Server they can connect to
3. Group → which Toolsets & Reports are available to them

Copyright © 2026, Oracle and/or its affiliates


One Identity, End to End

MCP Server propagates the OAuth2 client/user's information to the Database (V$SESSION, Session Contexts)


1. Database connection requested
   a. MCP server creates conn, w/USERENV & CLIENTCONTEXT populated
   b. Includes OAUTH info, including user & client details
2. Database security policy defined for schema and appropriate tables
3. Database automatically filters out PII

The database knows that DB userX is connected, and that the end user jeff.d.smith@oracle is running queries via AI Agent Y.

Administrator asks question, routed to report



Biz Analyst asks same question, via same report




Copyright © 2026, Oracle and/or its affiliates

Reports provide reliability, trust to the Natural Language AI conversations

You no longer need to worry about the Agent/LLM generating the correct SQL, only to pick the right report!

OCI SQL Reports, accessible via MCP Tools

1. Administrator creates reports
   - Trusted, validated SQL
   - Named, documented (when to use, what questions are answered)
   - Parameterized – variables permit questions like, last X days
2. Report access via role
3. Agent gets question, peruses reports
4. Runs report, always same SQL



Your organization already has many of these reports, now they can be utilized via AI.

Copyright © 2026, Oracle and/or its affiliates

Is OCI Managed MCP right for me?



	OCI Managed MCP
Best fit	Business users, analysts, support teams, shared AI agents, developers
Ideal workflow	Governed natural language access to approved databases, validated reports, and SQL tools
Transport	Streaming HTTPS
Connection model	OCI Database Tools Connections, passwords in OCI Vaults / stateless
Access model	OAuth 2.0, OCI identity, federated users, IAM groups, MCP roles
Tools	MCP Servers, Toolsets, run-sql, list reports, run reports, SQL Reports
Operational model	Managed, serverless cloud service
Database reach	Any Oracle AI Database in OCI, Oracle @ AWS, Azure, GCP

Copyright © 2026, Oracle and/or its affiliates

Oracle REST Data Services (ORDS): Remote Streaming HTTPS


- Established, well-known mid-tier solution, debuted in 2010
- Supports every version of Oracle, for EVERY environment
- FREE
- 📢 **/mcp** endpoint available, minVer 26.2
- ALSO serves up -
  - Database REST APIs
  - Oracle APEX applications
  - SQL Developer Web
  - Oracle Backend for Firebase (BaaS)
  - Database API for MongoDB
  - Vector DB / AI Vector Search APIs



Powered by Oracle REST Data Services {ORDS}

Copyright © 2025, Oracle and/or its affiliates

ORDS serves /mcp endpoint, handles multiple databases



- ***No database install required***
- Connections are direct, not proxy (e.g. ORDS_PUBLIC_USER for REST APIS)
- MCP feature is opt-in
- Bring your own Identity Provider (JWT)
- Fully OAuth compliant to MCP Spec
  - Supports dynamic client registration!
- Stateless/Autocommit

MCP Server Tools

Built-in SQL tools

- database_list
- run_sql
- schema_information

What is databse_list ?

- ORDS maintains connection pools, serving either REST or MCP
- MCP pools are retrieved along with descriptions
- Agents discover what databases are available, name included on subsequent tool requests

Copyright © 2026, Oracle and/or its affiliates

ORDS and MCP Auth

ORDS acts as an OAuth-protected resource server for /mcp — auth and audit extend all the way into the database

OAuth-Protected Resource

- ORDS validates JWTs
- Bearer token required for all /mcp calls
- Unauthenticated calls receive 401 + discovery hint

Enterprise IDP Integration

- RFC 9728 protected-resource metadata at /.well-known/…
- Supports any IdP that issues standard JWTs
- Dynamic Client Registration reduces admin overhead

End-to-End Audit Trail

- JWT identity propagated to CLIENTCONTEXT
- Calls written to DBTOOLS$MCP_LOG
- REQUEST_ECID links DB evidence back to ORDS logs

📢 One ORDS instance can serve multiple MCP database connection pools. ORDS can be clustered, front-ended with a load balancer, supports Data Guard for high availability and failover.

Copyright © 2026, Oracle and/or its affiliates

ORDS MCP Authorization via JWT claims

Every connection resolves through two configurable layers — a global default, refined per connection pool

LAYER 1 — GLOBAL APPLICATION SETTING

Applies to every connection pool, unless overridden below.

`jwt.profile.role.claim.name` set?

YES → use named role claim

NO → fall back to scopes

Active Directory Example

AD group **`SALES_DBA`** →
AD FS / Entra ID issues role claim →
`mcp.role=POOL.SALES` →
pool access granted

LAYER 2 — POOL-LEVEL OVERRIDE

Set a tighter requirement for specific connection pool — three equivalent ways to express it:

CUSTOM SCOPE

`mcp.scope=pools:sales`

Scope minted specifically for this pool

GLOBAL SCOPE

`mcp.scope=urn:oracle:dbtools;`
`ords.mcpserver:all`

Accept the broad, server-wide scope

REQUIRED ROLE

`mcp.role=POOL.SALES`

Match a named role claim instead

No new infrastructure — reuses the customer's existing AD group-to-role mapping and audit trail!

JWT Identity Propagation & Audit Trail

End-user identity travels from the MCP token through ORDS into the database *— no identity is lost behind the pool*

`OAUTH_PRINCIPAL`

User principal from the JWT

`OAUTH_SUB`

JWT subject (sub) claim — unique user identifier

`OAUTH_ISSUER`

JWT issuer (iss) — which IdP issued the token

`OAUTH_MODE`

scope or role — which authorization model is active

`OAUTH_CLIENT_NAME`

Name of the MCP client application

`REQUEST_ECID`

Execution Context ID — links ORDS logs to database audit


`OAUTH_APP_ROLES`

Roles from the JWT (role mode)

`OAUTH_APP_SCOPES`

Scopes from the JWT (scope mode)

Biz Analyst asks same question, via same SQL



One database security policy, supported across MCP

Copyright © 2026, Oracle and/or its affiliates

Is ORDS MCP right for me?



	ORDS
Best fit	Devs, dbas, power users
Ideal workflow	Governed natural language access to approved databases, and SQL tools
Transport	Streaming HTTPS
Connection model	Local ORDS, direct user connection pools / stateless
Access model	OAuth 2.0, JWT with scopes or roles from your identity provider of choice
Tools	List databases, run-sql, schema-information
Operational model	Customer managed mid-tier
Database reach	Oracle databases reachable from the mid-tier

Copyright © 2026, Oracle and/or its affiliates

Oracle AI Database MCP Servers Summary

	SQLcl	ORDS	OCI Managed MCP
Claim to Fame	Download, unzip, and running in less than 5 minutes.	On-premises, enterprise deployments with your company's SSO auth.	Serverless, Oracle-managed, custom MCP tools, and trusted NL Chat via SQL Reports.
Cost	Free	Free	No additional cost, database consumption rates may apply.

Copyright © 2026, Oracle and/or its affiliates

Accountability & Transparency

- LLM and Model included in MCP Tool requests
  - attached in V$SESSION
- SQLcl & ORSD record Tool requests
  local schema.DBTOOLS$MCP_LOG
- OCI MCPs logs available in OCI Logging & Metrics

Ran `run-sql` – SQLcl (MCP Server) ✓

Input

```
{
  "mcp_client": "sqlcl",
  "model": "GitHub Copilot",
  "sql": "SELECT /* LLM in use is GitHub Copilot */
  COUNT(*) AS manager_count FROM employees WHERE
  job_id LIKE '%MAN%'"
}
```

Output


```
"MANAGER_COUNT"
12
```

Active SQL | Explain Plan | Waits | Server | Client | Application | Contention | Long Operations

COMMAND	LAST_CALL_ET	PROGRAM	MODULE	ACTION
(null)	51	SQLcl-MCP	gpt-4	run-sql


Copyright © 2026, Oracle and/or its affiliates

Accountability & Transparency



Copyright © 2026, Oracle and/or its affiliates

Accountability & Transparency




Copyright © 2026, Oracle and/or its affiliates

Context, bringing it all together

Copyright © 2026, Oracle and/or its affiliates

AI Schema Enrichment


- Indecipherable data models
- Acronyms, codes, system generated names?
- Huge dictionaries?
- ANNOTATE your schemas!



Copyright © 2026, Oracle and/or its affiliates

Agents can be told how to navigate your database!


- Our MCP Tool provides your Agent everything it needs to know about your application schema
- Fewer queries to ‘figure stuff out’
- Faster, more efficient
  FEWER tokens!



Copyright © 2026, Oracle and/or its affiliates

AI Skills for Oracle AI Database

- 100+ doc-backed skill guides for working with the database
- Agents stop guessing – ‘do exactly this here’s the code/sql/plsql/ddl/dml
- Less reasoning / fewer tokens / faster
- Works for ANY AI tool
- Open Source and extensible



Copyright © 2026, Oracle and/or its affiliates

AI Skills for Oracle AI Database

Estimated savings:


- **Tokens:** ~40–60% fewer input tokens (no need to fetch/reason through Oracle security docs)
- **Speed:** Likely 1–2 fewer tool call roundtrips, saving maybe 30–45 seconds of wall time
- **Quality:** The `oracle_maintained = 'Y'` filter and the profile hardening DDL came directly from the skill — I might have gotten there eventually but could have used a less precise exclusion pattern

Copyright © 2026, Oracle and/or its affiliates

AI Skills for Oracle AI Database

Easy to install!

- npx skills add oracle/skills
- SQLcl: skills sync



Copyright © 2026, Oracle and/or its affiliates

Takeaways

1. You can bring your own LLM to your Oracle Database today via our MCP Server

2. This is free, secure, and supported via our database tools.

3. Today's agents & LLMs are amazing problem solvers – think BIG & TOMORROW.

Copyright © 2026, Oracle and/or its affiliates

Next Steps

Explore and learn more about our MCP Server.



[Explore the MCP LiveLab]

Step-by-Step tutorials for getting started, including prompts to guide you on your Agentic AI development experience with the Oracle AI Database.



[Download SQLcl]

Get started with our local MCP Server for the Oracle Database.

Alternatively download our SQL Developer Extension for VS Code, which includes SQLcl.



[Try FreeSQL.com]

Oracle's free online portal for learning SQL and data management. Run in your browser or connect from your favorite development and query IDEs – perfect for exploring with your local agent via our MCP Server!

Copyright © 2026, Oracle and/or its affiliates